




DUAL-LENS WiFi

HW-33ROBOT40W-D



2 เลนส์ มุมมอง

Dual Band WiFi 2.4GHz & 5GHz

HUMAN TRACKING แจ้งเตือนบนมือถือทันที
ที่มีการเคลื่อนไหว



Smart Pan-Tilt
345° 60°



Dual-View



Wi-Fi Connect



Smart Pan-Tilt



Full Color/ BW Mode



2-Way Audio



Cloud Storage (option)
Micro SD Card Storage



Features

- * Adopts high-precision motor and a Pan / Tilt gimbal, with a horizontal rotation angle of 345 degrees and a vertical rotation angle of 60 degrees
- * 2MP fixed camera+2MP PT camera , delivering clear and delicate images
- * Supports Bluetooth network configuration
- * Built-in hotspot connection, allowing for viewing and playback even without a network connection
- * Multi-functioned 2-in-1 design, can monitor two different areas at the same time, expanding the monitoring range
- * Supports WIFI6 DUAL BANDS, 2.4G&5G;
- * Supports multiple streams splicing into one stream, providing better user experience than traditional
- * multi-stream simultaneous transmission solutions
- * Smart humanoid detection, filters false alarms, and guards your safety accurately
- * Supports cloud storage and local TF card storage, ensuring the security of video data storage
- * Supports two-way voice intercom;
- * Supports customizable motion zone, monitor the areas you care about most and receive more accurate alerts as push notifications on mobile phones
- * Supports motion tracking and preset position functions
- * Supports mobile phone access, allowing you to watch live view feed from anywhere, at any time.



Application
Hiviewwifi

Available on the
App Store

ANDROID APP ON
Google play

Smart Pan-Tilt
345° 60°

Specification

Model	HW-33ROBOT40W-D
Pixel	2 MP + 2 MP
Image sensor	1/4.6" CMOS Sensor*2
Lens	4mm fixed lens
Resolution	Mainstream: 1920 x 2160 Substream: 800 x 896
Frame Rate	12.5fps
Video Compression	H.264 / H.265 support dual stream
Audio Compression	AAC, G711
Storage	Support cloud storage (Optional) TF card storage (Up to 256GB)
Audio Function	Two-way Audio
WIFI	Supported, 2.4GHz & 5GHz
Network Protocol	NI
Min. Illumination	Color: 0.1Lux, B/W: 0.01 Lux
LEDs	4 x IR LEDs, 4 x White light & 4 * IR LEDs
Fill Light Distance	IR: 10 m / 33 ft (depending on the environment)
Power Supply	DC 5V/1A USB Type-C
Power Consumption	≤3W



Application
HiViewWiFi

Available on the
App Store

ANDROID APP ON
Google play