



3MP NVR KIT

WIRELESS SURVEILLANCE SYSTEM

HW-3304KIT304M-H3



ULTRA
Compression Code

3Mpixel

WIRELESS Network



hiviewwifi
Download on the App Store
GET IT ON Google Play

HDMI
HIGH DEFINITION MULTIMEDIA INTERFACE



P2P



3MP NVR KIT

WIRELESS SURVEILLANCE SYSTEM



3Mpixel

WIRELESS
Network

HDMI
HIGH DEFINITION MULTIMEDIA INTERFACE



P2P

Features

- * 3MP / 1080P / 960P / 720P Wireless Network Video Recorder
- * Built-in WIFI module with high-performance and high stability
- * Automatically Connection between NVR and IPC
- * Support video preview / recording / playback backup
- * Support the mixed use of wireless and wire, support different scene
- * Support Android/IOS/PC remote

Specification

Model

HW-3304M-H3

Video input	4ch 720P/960P/1080P/3MP
HDMI Output	1 ch, resolution: 1024x768, 1280x1024, 1366x768, 1440x900, 1920x1080, 2K, support audio output
VGA Output	1 ch, resolution: 1024x768, 1280x1024, 1366x768, 1440x900, 1920x1080
Resolution	720P/960P/1080P/3MP/5MP
Playback	4ch
Recording	Manual,time,motion dection,alarm
Storage	1 SATA
Storage capacity	6TB for each HDD
Network interface	1 RJ45 10M/100M, 2 WIFI connector
USB interface	2 USB2.0
Audio interface	3.5 mm headphone jack
Power consumption	≤5W
Power	DC12V
working temperature	-10C-- +55C
Dimension (mm)	258*210*42mm
Working humidity	10%--90% RH

ULTRA
Compression Code



3MP NVR KIT

WIRELESS SURVEILLANCE SYSTEM



3Mpixel WIRELESS Network HDMI HIGH DEFINITION MULTIMEDIA INTERFACE CLOUD P2P

Features

- * 3MP / 1080P / 960P / 720P Wireless Network Video Recorder
- * Built-in WIFI module with high-performance and high stability
- * Automatically Connection between NVR and IPC
- * Support video preview / recording / playback backup
- * Support the mixed use of wireless and wire, support different scene
- * Support Android/IOS/PC remote

Specification

Model HW-33B304M-H3

Sensor	1/3" Progressive Scan Sensor
Signal System	PAL / NTSC
Resolution	2304x1296 16:9 High Definition
Minimum illumination	Color: 0.01 Lux; B/W: 0.001 Lux
Shutter	1/25s to 1/25,000s
Lens	4mm
OSD	Date Time & Title
White Balance	Auto
Day&Night	Auto / Color / BW
3D-DNR	Auto
Mirror/Flip	On / Off
smart stream	Dual-stream: 2304x1296@15fps 640x360@15fps
S/N	> 39.1 Db
Interface	RJ45 / WIFI 802.11b/g/n
Anti-thunder Level	Standard IEC61000-4-5
Working Temperature / Humidity	-10c to +50C / 30% to 80% RH
Working Temperature / Humidity	-20c to +60c / 20% to 90% RH
Power Input	DC12V-1A
Power consumption	≤ 6W
Size	66*180mm
Weight	500g
Level of Protection	IP66

ULTRA
Compression Code