

DS-MDP002 Barcode Scanner PDA



- 8-inch high-definition touch screen
- Supports 4G wireless cellular network
- Supports GPS satellite positioning
- 8000 mAh large capacity battery, more durable

▪ Specification

Camera	
Image Sensor	Front 8 megapixel camera, 13 megapixel rear camera
Screen	
Screen Size	8 inch
Resolution	1920 × 1200
Material	IPS
Audio	
Audio Compression	G.722.1, PCM
Network and Connection	
Dial-up	FDD -LTE B1, FDD -LTE B3, FDD -LTE B7, FDD -LTE B8, FDD -LTE B20, WCDMA B1, WCDMA B8, GSM 900, GSM 1800
Wi-Fi Protocol	802.11b, 802.11g, 802.11n
Wi-Fi Working Mode	STATION
Wi-Fi Frequency Range	2.412 to 2.472 GHz
Positioning	GPS
General	
Operating System	Android 9.0
Laser Positioning	Not supported
Indicator	Charging indicator, Working indicator
Vibration	Not supported
Button	On/Off, volume +, volume -, Scan
Product Weight	700 g (1.5 lb.)
Package Dimension	251 × 152 × 15 mm (9.9 × 6.0 × 0.6 inch)
Ingress Protection	IP65
Drop Protection Performance	Drop it twice for each side (6 sides in total) from the height of 1.2 m on the cement ground.
Power Supply Mode	Battery power supply
Working Temperature	-20 °C to 50 °C (-4 °F to 122 °F)
Working Humidity	≤ 90%
Storage	
RAM	4 GB
ROM	64 GB
Wireless Network	
Bluetooth	V4.0
Wi-Fi Protocol	802.11 a/b/g/n/ac
NFC	support
Light Supplement	
IR	Not supported
White Light	Supported
Storage	
Embedded Storage Capacity	Max. 256 GB
Peripheral Device Interface	
Charging Interface	Type-C
External Interface	USB 2.0

Loudspeaker	Supported
MIC	Supported
SIM Card Slot	1 (Nano-SIM)
Battery	
Dismountable Battery	Not supported
Battery Capacity	8000 mAh
General	
Gyroscope	Supported
G-sensor	Supported
Distance Sensor	Supported
Light Sensor	Supported
Earphone	Not supported

▪ Available Model

DS-MDP002/GLE

▪ Accessory

iDS-TVJ860-IR
Intelligent Light Bar



Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
www.hikvision.com



Follow us on social media to get the latest product and solution information.

