

10th ANNIVERSARY
MEGA SALE

FOOD SAFETY APPLICATION

Now - 30/12/2025

SALE
UP TO **20%**
OFF

Pathogen Testing

- Microfast® Count plate and Swab
- Nemis N-Light™ Luminometer

Contamination Testing

ELISA and Lateral Flow Test Kit for

- Mycotoxin
- Veterinary Drugs
- Illegal Additives
- Pesticides
- Allergen

Water Testing

- PRIMELAB 2.0
- Pool Lab

Available for

- Surface
- Grains, Feed
- Dairy
- Honey
- Meat & Poultry
- Seafood & Egg

MEIZHENG
a PerkinElmer company

NEMIS
TECHNOLOGIES

Regabio

RANDOX
FOOD DIAGNOSTICS

PROGNOSIS
BIOTECH

BIO-CENER®

WATER-I.D.®
WATER TESTING EQUIPMENT

ANYSHOES
애니슈즈

LABGIC®

LABSELECT

ForLabs

biocomma

Diatek





PU Swab (1pk = 10mL x 10ea)

ForLabs™ PU Swab, Squeeze (Saline)

Cat No.	Quality	Price* (THB)	Promotion
FL201	10 ea/pack	650.-	490.-
FL201-B	40 pk/case	25,000.-	19,000.-

ForLabs™ PU Swab, Squeeze (BPW)

Cat No.	Quality	Price* (THB)	Promotion
FL201	10 ea/pack	650.-	490.-
FL201-B	40 pk/case	25,000.-	19,000.-

ForLabs




ForLabs
PU Swab, Squeeze

Blender Bags



Blender bag with lateral filter



Blender Bags with Filter

Cat No.	Description	Specification	Quality	Price* (THB)	Promotion
BCWCB010	Blender Bag with Lateral Filter	300x195mm, 400mL	25 Pcs/Pk, 30 Pks/Ctn	390.-	370.-
BCWCB018	Blender Bag with Full-page Filter	300x200mm, 400mL	25 Pcs/Pk, 30 Pks/Ctn	390.-	370.-



Blender Bags without Closure

Cat No.	Description	Specification	Quality	Price* (THB)	Promotion
BCWCB005	Blender Bag with Tear-Off Protection Strip	320x200mm, 2000mL	100 Pcs/Pk, 20 Pks/Ctn	690.-	655.-
BCWCB019	Blender Bag without Closure	320x200mm, 2000mL	100 Pcs/Pk, 22 Pks/Ctn	690.-	655.-



Blender Bags with Pressed Strips

Cat No.	Specification	Quality	Price* (THB)	Promotion
BCWCB003	200x320mm, 2000mL	100 Pcs/Pk, 14 Pks/Ctn	750.-	712.-
BCWCB020	120x180cm, 200mL	100 Pcs/Pk, 30 Pks/Ctn	350.-	332.-



Blender Bags with Pressed Strips, Stand-Up

Cat No.	Specification	Quality	Price* (THB)	Promotion
BCWCB015	200x220mm, 1000mL	100 Pcs/Pk, 14Pks/Ctn	890.-	845.-
BCWCB004	200x320mm, 2000mL	100 Pcs/Pk, 12Pks/Ctn	850.-	807.-
BCWCB008	400x500mm, 9000mL	50 Pcs/Pk, 10Pks/Ctn	1,190.-	1,130.-
BCWCB021	250x320mm, 2500mL	50 Pcs/Pk, 18Pks/Ctn	690.-	655.-

Beating Type Aseptic Homogenizer (Stomacher)

SCITEK

18 MONTH WARRANTY CE FDA



Model : HMG-BHS11; HMG-BS09; HMG-BG08

Control Mode : Microcomputer control

Parameter Storage : 8-segment combination programming

Slap Speed : 3-12 times/s

External Size (WxDxH)(mm) : 460x250x330; 460x250x330; 460x250x330

The beating type aseptic homogenizer enables powerful, quiet homogenisation in sample preparation.

Model :	HMG-BHS11 [220V,50/60Hz]	HMG-BS09 [220V,50/60Hz]	HMG-BG08 [220V,50/60Hz]
Promotion	52,731.- (58,590.-)	43,245.- (48,050.-)	41,895.- (46,550.-)



แผ่นตรวจหาเชื้อจุลินทรีย์ MicroFast® Count Plate

สามารถตรวจหาเชื้อได้ง่ายเพียงแค่ 3 ขั้นตอน [หยอดตัวอย่าง, บ่ม, อ่านผล] **รู้ผลใน 24-72 ชม.**



LR1301

Aerobic *upgraded version*



AC



ราคาปกติ
(25 Tests/Bag)

680.-

(27.-/Test)

20
Bag ขึ้นไป
(25 Tests/Bag)

570.-

(23.-/Test)

100
Bag ขึ้นไป
(25 Tests/Bag)

550.-

(22.-/Test)

400
Bag ขึ้นไป
(25 Tests/Bag)

405.-

(16.-/Test)

LR1003

Yeast & Mold



YM



680.-

(27.-/Test)

650.-

(26.-/Test)

620.-


(25.-/Test)

550.-

(22.-/Test)

LR1005

Staphylococcus Aureus



SA



1,240.-

(50.-/Test)

1,190.-

(48.-/Test)

1,120.-


(45.-/Test)

1,050.-

(42.-/Test)

LR1007

Coliform & E.coli



SA



1,032.-

(41.-/Test)

980.-

(40.-/Test)

930.-

(37.-/Test)

880.-

(35.-/Test)

LR1002

Coliform



SA



1,032.-

(41.-/Test)

980.-

(40.-/Test)

930.-


(37.-/Test)

880.-

(35.-/Test)

LR1011

Enterobacteriaceae



EC



1,752.-

(70.-/Test)

1,670.-

(67.-/Test)

1,580.-


(83.-/Test)

1,490.-

(60.-/Test)

LR1010

Bacillus Cereus



BC

1,672.-

(67.-/Test)

1,590.-

(63.-/Test)

1,500.-

(60.-/Test)

1,420.-

(57.-/Test)



NEMIS N-Light™ Luminator ชุด Swab ตรวจหาเชื้อ *Listeria*, *Salmonella*, *E.coli* และตรวจ ATP

50 tests+50 swab

N-Light™ Salmonella Risk

~~23,900.-~~
กล่องละ 21,510.-
แอสล: 430.-

รู้ผลภายใน 24h

50 tests+50 swab

N-Light™ Listeria monocytogenes

~~23,900.-~~
กล่องละ 21,510.-
แอสล: 430.-

รู้ผลภายใน 24h

50 tests+50 swab

N-Light™ E.coli

~~21,500.-~~
กล่องละ 19,350.-
แอสล: 387.-

รู้ผลภายใน 16h

50 tests+50 swab

N-Light™ ATP

~~7,190.-~~
กล่องละ 6,471.-
แอสล: 117.-

รู้ผลทันที

50 swab

N-Light™ Sterile Dry Swab BP

- with separate PBS buffer
- with separate neutralizer

~~3,400.-~~
กล่องละ 3,060.-

Bench Top Luminometer (BTL1)

~~125,000.-~~
เครื่องละ 112,500.-

Dry Block Heater

24 Test
~~55,000.-~~
เครื่องละ 49,500.-

48 Test
~~69,000.-~~
เครื่องละ 62,100.-

PACKAGE 3

เช่าเครื่อง



- NEMIS Benchtop Luminometer
- Heater
- NEMIS Tube Cutter
- Tube Rack 6x12

สัญญา 1 ปี เดือนละ 3,900.-

ให้เครื่องฟรี!! เมื่อเช่าครบ 3 ปี
ราคาน้ำยาชุดตรวจขึ้นอยู่กับจำนวนการสั่งซื้อ
ลดทันที! 10% เมื่อสั่งซื้อ 1 กล่อง

	ลด 10%	ลด 15%	ลด 20%
Salmonella	1-6 กล่อง ขึ้นไป	12 กล่อง ขึ้นไป	24 กล่อง ขึ้นไป
	21,510.- แอสล: 430.-	20,315.- แอสล: 406.-	19,120.- แอสล: 383.-
Listeria	21,510.- แอสล: 430.-	20,315.- แอสล: 406.-	19,120.- แอสล: 383.-
E.Coli	19,350.- แอสล: 387.-	18,275.- แอสล: 366.-	17,200.- แอสล: 344.-
ATP	6,471.- แอสล: 130.-	6,112.- แอสล: 123.-	5,752.- แอสล: 115.-

PACKAGE 2

วางเครื่องฟรี



- NEMIS Benchtop Luminometer
- Heater
- NEMIS Tube Cutter
- Tube Rack 6x12

ซื้อชุดตรวจ
N-Light™ ATP
30 กล่อง



กล่องละ 7,190.-

(แอสล: 144.-)

(ไม่มีส่วนลดน้ำยาชุดตรวจ)


PACKAGE 1

วางเครื่องฟรี



- NEMIS Benchtop Luminometer
- Heater
- NEMIS Tube Cutter
- Tube Rack 6x12

ซื้อชุดตรวจ 4 รายการ
30 กล่อง (คละได้)



	กล่องละ	แอสล:
Salmonella	23,900.-	478.-
Listeria	23,900.-	478.-
E.Coli	21,500.-	430.-
ATP *คละได้ไม่เกิน 8 กล่อง	7,190.-	144.-



ชุดตรวจสอบสารก่อภูมิแพ้ในอาหารแบบรวดเร็ว ด้วยเทคนิค LTF

Regabio



✓ **ตรวจง่าย สะดวก รู้ผลใน 15 นาที**

✓ **สามารถตรวจได้ทั้งบนพื้นผิวและในอาหาร**



**กล่องละ
8,300.-**
20 Test /กล่อง
(EX VAT 7%)

**พิเศษ
เมื่อซื้อ**



5 กล่องขึ้นไป กล่องละ **7,900.-**

10 กล่องขึ้นไป กล่องละ **6,900.-**

20 กล่องขึ้นไป กล่องละ **6,500.-**

30 กล่องขึ้นไป กล่องละ **5,900.-**

ชุดทดสอบสารก่อภูมิแพ้จากอัลมอนต์ (Almond)

Detection limit : 0.1 ppm almond protein isolate



ชุดทดสอบสารก่อภูมิแพ้จากบัคควิท (Buckwheat)

Detection limit : 0.1 ppm buckwheat protein isolate Environmental swab



ชุดทดสอบสารก่อภูมิแพ้เคซีน (HS-Casein)

Detection limit : 0.2 ppm casein



ชุดทดสอบสารก่อภูมิแพ้จากไข่ (Egg)

Detection limit : 0.1 ppm whole egg



ชุดทดสอบสารก่อภูมิแพ้จากปลา (Fish)

Detection limit : 0.01 ppm codfish (Gadus macrocephalus) protein isolate




ชุดทดสอบสารก่อภูมิแพ้ชนิดกลูเทน (Gluten)

Detection limit : 2 ppm gluten



ชุดทดสอบสารก่อภูมิแพ้จากถั่วลิสง (Peanut)

Detection limit : 0.1 ppm peanut protein isolate



ชุดทดสอบสารก่อภูมิแพ้จากสัตว์น้ำเปลือกแข็ง (Shellfish)

Detection limit : 0.1 ppm shrimp protein isolate



ชุดทดสอบสารก่อภูมิแพ้จากถั่วเหลือง (Soy)

Detection limit : 0.2 ppm soy protein isolate



ชุดทดสอบสารก่อภูมิแพ้จากมะม่วง (Mango)

Detection limit : 0.2 ppm mango protein isolate



ชุดทดสอบสารก่อภูมิแพ้จากงา (Sesame)

Detection limit : 0.01 ppm sesame protein isolate





ชุดตรวจสารก่อภูมิแพ้ในอาหารแบบรวดเร็ว ด้วยเทคนิค ELISA

Product Code	Product Name	LOQ	Quantification Range	Duration	Price* (THB)	Promotion
A1048	ALLERGEN-SHIELD GLUTEN S 48 Tests	5 ppm	5-80 ppm	30 min	10,890.-	9,801.-
A1096	ALLERGEN-SHIELD GLUTEN S 96 Tests				19,250.-	17,325.-
A1848	ALLERGEN-SHIELD SOY 48 Tests	1 ppm	1-25 ppm	30 min	10,890.-	9,801.-
A1896	ALLERGEN-SHIELD SOY 96 Tests				19,250.-	17,325.-
A3148	ALLERGEN-SHIELD BUCKWHEAT 48 Tests	1 ppm	1-25 ppm	30 min	10,890.-	9,801.-
A3196	ALLERGEN-SHIELD BUCKWHEAT 96 Tests				19,250.-	17,325.-
A1448	ALLERGEN-SHIELD TOTAL MILK 48 Tests	2.5 ppm	2.5-67.5 ppm	30 min	10,890.-	9,801.-
A1496	ALLERGEN-SHIELD TOTAL MILK 96 Tests				19,250.-	17,325.-
A1248	ALLERGEN-SHIELD CASEIN 48 Tests	0.5 ppm	0.5-30 ppm	30 min	10,890.-	9,801.-
A1296	ALLERGEN-SHIELD CASEIN 96 Tests				19,250.-	17,325.-
A1348	ALLERGEN-SHIELD BLG 48 Tests	0.15 ppm	0.15-4.5 ppm	30 min	10,890.-	9,801.-
A1396	ALLERGEN-SHIELD BLG 96 Tests				19,250.-	17,325.-
A1548	ALLERGEN-SHIELD ALMOND 48 Tests	1 ppm	1-25 ppm	30 min	10,890.-	9,801.-
A1596	ALLERGEN-SHIELD ALMOND 96 Tests				19,250.-	17,325.-
A1648	ALLERGEN-SHIELD HAZELNUT 48 Tests	1 ppm	1-25 ppm	30 min	10,890.-	9,801.-
A1696	ALLERGEN-SHIELD HAZELNUT 96 Tests				19,250.-	17,325.-
A1748	ALLERGEN-SHIELD PEANUT 48 Tests	1 ppm	1-25 ppm	30 min	10,890.-	9,801.-
A1796	ALLERGEN-SHIELD PEANUT 96 Tests				19,250.-	17,325.-
A1148	ALLERGEN-SHIELD EGG 48 Tests	1 ppm	1-20 ppm	30 min	10,890.-	9,801.-
A1196	ALLERGEN-SHIELD EGG 96 Tests				19,250.-	17,325.-
A1948	ALLERGEN-SHIELD CASHEW 48 Tests	1 ppm	1-25 ppm	30 min	10,890.-	9,801.-
A1996	ALLERGEN-SHIELD CASHEW 96 Tests				19,250.-	17,325.-
A2148	ALLERGEN-SHIELD PISTACHIO 48 Tests	1 ppm	1-25 ppm	30 min	10,890.-	9,801.-
A2196	ALLERGEN-SHIELD PISTACHIO 96 Tests				19,250.-	17,325.-
A2348	ALLERGEN-SHIELD WALNUT 48 Tests	2.5 ppm	2.5-100 ppm	30 min	10,890.-	9,801.-
A2396	ALLERGEN-SHIELD WALNUT 96 Tests				19,250.-	17,325.-
A2948	ALLERGEN-SHIELD BRAZIL NUT 48 Tests	1 ppm	1-25 ppm	30 min	10,890.-	9,801.-
A2996	ALLERGEN-SHIELD BRAZIL NUT 96 Tests				19,250.-	17,325.-
A2648	ALLERGEN-SHIELD LUPIN 48 Tests	1 ppm	1-25 ppm	30 min	10,890.-	9,801.-
A2696	ALLERGEN-SHIELD LUPIN 96 Tests				19,250.-	17,325.-
A2748	ALLERGEN-SHIELD MACADAMIA 48 Tests	1 ppm	1-25 ppm	30 min	10,890.-	9,801.-
A2796	ALLERGEN-SHIELD MACADAMIA 96 Tests				19,250.-	17,325.-
A2848	ALLERGEN-SHIELD MUSTARD 48 Tests	1 ppm	1-25 ppm	30 min	10,890.-	9,801.-
A2896	ALLERGEN-SHIELD MUSTARD 96 Tests				19,250.-	17,325.-
A2048	ALLERGEN-SHIELD PECAN 48 Tests	1 ppm	1-25 ppm	30 min	10,890.-	9,801.-
A2096	ALLERGEN-SHIELD PECAN 96 Tests				19,250.-	17,325.-
A3048	ALLERGEN-SHIELD PINE NUT 48 Tests	1 ppm	1-25 ppm	30 min	10,890.-	9,801.-
A3096	ALLERGEN-SHIELD PINE NUT 96 Tests				19,250.-	17,325.-
A2248	ALLERGEN-SHIELD SESAME 48 Tests	1 ppm	1-25 ppm	30 min	10,890.-	9,801.-
A2296	ALLERGEN-SHIELD SESAME 96 Tests				19,250.-	17,325.-
A2448	ALLERGEN-SHIELD COCONUT 48 Tests	1 ppm	1-25 ppm	30 min	10,890.-	9,801.-
A2496	ALLERGEN-SHIELD COCONUT 96 Tests				19,250.-	17,325.-
A2548	ALLERGEN-SHIELD CRUSTACEANS 48 Tests	5 ppm	5-100 ppm	30 min	10,890.-	9,801.-
A2596	ALLERGEN-SHIELD CRUSTACEANS 96 Tests				19,250.-	17,325.-
A3248	ALLERGEN-SHIELD FISH 48 Tests	4 ppm	4-100 ppm	30 min	10,890.-	9,801.-
A3296	ALLERGEN-SHIELD FISH 96 Tests				19,250.-	17,325.-



ชุดตรวจ HISTAMINE ในอาหารทะเล



BROAD RANGE OF QUANTIFICATION
OPTIONAL VISUAL DETECTION LIMIT
AT 35 PPM
FAST PROTOCOLS
NO ACYLATION REQUIRED

PRODUCT NAME	PRODUCT CODE	LOQ	QUANTIFICATION RANGE	DURATION
Bio-Shield Histamine	B6048/96/576	2.5 ppm	2.5-200 ppm	20 min
Symmetric Histamine	S9030	8 ppm	8-300 ppm	3 min
1-Standard Histamine	D4648	2.5 ppm	2.5-200 ppm	20 min

ตรวจด้วยเทคนิค Lateral Flow รู้ผลใน 3 นาที SYMMETRIC HISTAMINE

Cat No. # S9030 (30 Tests)

Lateral Flow Test Kit for the quantitative determination of Histamine in Fresh or Thawed Frozen Raw Fish Samples and Canned fish.

- Water extraction
- Fast & Simple – 3 mins
- No acylation process required

พิเศษ

6,795.-
(7,550.-)



QUANTITATIVE
RAPID TEST
FOR HISTAMINE

3
MINS

ตรวจด้วยเทคนิค ELISA รู้ผลใน 20 นาที BIO-SHIELD HISTAMINE

Cat No. # B6048 / # B6096 / # B60576

ELISA Test Kit for the quantitative determination of Histamine in Fresh or Thawed Frozen Raw Fish Samples, Canned fish and fish meal.

- No acylation process required


Cat No. B6048 (48T) B6096 (96T) B60576 (576T)

Promotion

9,045.-
(10,050.-)

16,551.-
(18,390.-)

67,671.-
(75,190.-)



20
min

FAST ELISA PROCEDURE 20 MINS



1-STANDARD HISTAMINE

Cat No. # D4648

The test provides a cost-effective, and reliable solution to the analyst, including only the standard 1 (zero standard) in the kit.





ELISA TESTS

RANDOX
FOOD DIAGNOSTICS

Cat No.	Product	ราคาล่องละ	20 กล่องขึ้นไป กล่องละ:
DXS10119A	DOXYCYCLINE		6,590.-
EC3473	ENRO/CIPROFLOXACIN		9,590.-
NF3465	NITROFURAN (AOZ)		8,150.-
NF3462	NITROFURAN (AMTZ)		9,590.-
NF3463	NITROFURAN (AHD)		9,590.-
NF3461	NITROFURAN (SEM)		8,150.-
MG10108A/B	MALACHITE GREEN		10,790.-
SZ2147	SULPHADIAZINE		9,590.-
DNS10592	NITROFURAN (DNSH)		12,550.-
CN10171	Chloramphenicol FAST ELISA		9,490.-
CB1418	Clenbuterol		9,490.-
Su2148	Beta Agonist		9,490.-
RT3451	Ractopamine		9,490.-
CN10152	CHLORAMPHENICOL NEXT GEN ELISA 96TESTS		-
CN1469	CHLORAMPHENICOL		-
DOX10107A/B	DOXYCYCLINE ELISA KIT 96 TESTS		-
DXS10119A/B	DOXYCYCLINE SENSITIVE ELISA 96 TESTS		-
EA10408	ERGOT ALKALOIDS ACCESSORY KIT		-
EA3491	ERGOT ALKALOIDS ELISA 96 TESTS		-
NT2105	NORTESTOSTERONE/TRENBOLONE		-
PB3456	PHENYLBUTAZONE		-
SJ2152	STILBENE		-
TB2106	TRENBOLONE		-
TB2186	TRENBOLONE AND NORTESTOSTERONE		-
TC3492A/B	TETRACYCLINES ELISA 96 TESTS		-
TCS10117A/B	TETRACYCLINE SENSITIVE ELISA 96 TESTS		-
ZP3483	ZILPATEROL		-
BF10035	BETA-AGONIST FAST URINE ELISA 96T		-
BF3507	BETA-AGONIST FAST MILK ELISA 96T		-
BL3448	BETA-LACTAM		-
CB2184	CLENBUTEROL/BETA-AGONIST		-
DM2156	CORTICOSTEROID		-
DM2185	CORTICOSTEROID		-
FL3458	FLUNIXIN		-
FQ3460	FLUMEQUINE		-
KT3459	KETAMINE		-
LMG3466	LEUCO MALACHITE GREEN		-
OX10037A/B	OXYTETRACYCLINE ELISA 96 TESTS		-
OXS10118A/B	OXYTETRACYCLINE SENSITIVE ELISA 96 TESTS		-
QL3454	QUINOLONES		-
RLS9222	BACITRACIN		-
RLS9225	ETHINYLSLESTRADIOL		-
RLS9226	CHLORBUFAM ELISA PLA		-
SW2418	STANOZOLOL		-
TRF3484	TRIFLURALIN		-
ZR2420	ZERANOL		-
ZR2421	ZERANOL		-

24,111.-
(26,790.-)

Microplate Reader / Washer

Now - 30/12/2025
*ราคายังไม่รวม VAT7%

SALE
UP TO
20%
OFF




BIO-GENER®

Microplate Reader BGMR-1000



Setting Interface



Test Setting Interface



Data Analysis Interface

Model No.	BGMR-1000
Dimension	300×470×200mm
Weight	13kg
Light Source	6V10W long life halogen lamp
Wavelength	340-750nm
Filter	Four filters of 405, 450, 492 and 630nm are equipped as standard, and up to eight filters can be loaded
Filter Width	6-8nm
Absorbent	0.000-4.000 OD
Resolution	0.001 OD
Linearity	The correlation coefficient is greater than 0.999 (0, 2, 0), and the correlation coefficient is greater than 0.99(2.0, 4.0)

Wavelength Error	≤±3nm
Wavelength	≤±1.5nm
Repetitiveness	
Repetitiveness	≤0.3%(0, 3.0), ≤2%(3.0, 4.0)
Stability	≤0.3%(0, 3.0), ≤2%(3.0, 4.0)
Accuracy	≤±0.005 OD(0, 2.0), ≤±1%(2.0, 3.0), ≤±1.5%(3.0, 4.0)
Sensitivity	Sensitivity≥0.010 OD
Channel Difference	<0.01 OD (1.0 OD Standard filter)
Measuring Speed	Single wavelength 6 seconds/96 wells, double wavelength 10 seconds/96 wells
Vibrating Plate	3 speeds (high, medium, low)
Temperature Range	RT+5°C-85°C
Control Method	10.1 -inch touch screen, embedded software

Easy Operation


Convenient and Efficient

พิเศษ 154,755.-
(171,950.-)


Data Export	excel, txt, pdf
Print	Report can be printed (optional USB thermal printer)
Communication	A type USBx2, B type USB, Ethernet port, serial port

LABGIC® Automatic Microplate Washer


L-WM-A




Low residual liquid



Shake



Single or multiple



Visual

พิเศษ 139,275.-
(154,750.-)

Specifications

Model	L-WM-A	Liquid aspirate mode	Single-point, two-point and multi-point
Washing heads	1×8, 2×8, 1×12	Liquid injection coefficient	0~2.0
Bottles	3×2L Washing bottle and 1×4L waste liquid bottle	Washing channel	Yes
Plate	96-well plate	Washing liquid deficiency alarm	Yes
Plate types	Flat, U, V, C bottom	Waste liquid overflow alarm	Yes
Liquid injection accuracy	≤2%@300μL	Waste liquid emission	Yes
Liquid injection precision	CV≤1.5@300μL	Program storage quantity	500 (U disk large capacity stock)
Residual liquid	≤0.65μL (Average in each well)	Communication port	USB2.0, LAN
Washing volume	50μL~2000uL step in 50μL	Input voltage	AC 220V 50/60Hz
Washing times	1~99	Fuse	250V, 5A Φ5×20
Soaking and shaking time	0-99:59m:s	Dimension(mm)	350×475×180
Shaking speed	Off, Low, Medium, High	Weight	11.5kg
Liquid aspirate time	0~99.9s		



(DR-200B) Microplate Reader

Diatek



พิเศษ

125,100.-

(139,000.-)

- Work individually or via PC
- Equipped with 405nm, 450nm, 492nm, 630nm & 4 to 6 position to be installed
- Flexible Plate layout with Blanks, Standards, Samples, Reference, QC in one screen
- Auto Lamp adjustment and auto calibration
- Built-in thermal printer and shaking module (Linear Shaking, 3 speeds)
- Wavelength : 400-800nm, Accuracy : $\pm 0.008A$
- Type of microplate : Flat bottom 48/96 Well
- Reading range : 0.000-4.000A
- Reading Speed : Single Wavelengths $\leq 3s$; Double Wavelengths $\leq 6s$

Microplate Washer, DRW-330

Diatek



พิเศษ

81,000.-

(90,000.-)

- 4.3" Capacitive touch screen, High touch sensitivity
- 2 channels (Wash channel + Rinse channel)
- Automatically rinse all pipes after booting
- Can be paused during washing
- Suitable for Flat, V-bottom or U-bottom microplate.
- Manifold : 8 pins and 12 pins
- Soak time and Shake time : 0~24h adjustable
- Rinse time : 0- 11min adjustable
- Liquid volume : 10~9999ul/well adjustable
- Aspiration time : 0.1~9.9s
- Wash cycle : 1-99 times



LABSELECT Petri Dish 90mm (90*15mm)



- For performing agar diffusion assays
- For Screening large numbers of colonies in cloning experiments
- For culturing of bacteria
- Manufactured from high quality polystyrene
- Size: 90*15mm
- Card slot design lids ensures stable gas exchange
- Non-treated surface
- Ideal for colony formation
- Nonpyrogenic
- DNase-/RNase-free
- E-Beam sterilization
- Disposables

Promotion!!

# 12520 10pcs/bag, 50bags/case	5 ลังขึ้นไป	20 ลังขึ้นไป	50 ลังขึ้นไป	ซื้อ 30 ลัง/เดือน (12เดือน)
ราคาลังละ 1,450.-	ลังละ 1,350.-	ลังละ 1,150.-	ลังละ 1,050.-	ลังละ 1,000.-

Petri Dish 90mm (90*15mm) 2-4 Compartments



12550

2 Compartments

10pcs/bag, 50bags/case

ลังละ **1,690.-**

12560

3 Compartments

10pcs/bag, 50bags/case

ลังละ **1,850.-**

12570

3 Compartments

10pcs/bag, 50bags/case

ลังละ **2,100.-**



แอลกอฮอล์ 70%, 95%

เหมาะสำหรับ...

- ✓ ห้องปฏิบัติการ
- ✓ โรงพยาบาล, คลินิก
- ✓ สถานประกอบการทั่วไป
- ✓ โรงงานอาหาร



ใช้สำหรับฆ่าเชื้อโรค
แบคทีเรียไวรัส

**มีเอกสาร COA, MSDS (ราคาไม่รวม Vat 7%)

“ค่าส่งขั้นต่ำ 100 บาท”

Food Grade

ราคาอาจมีการปรับตัว กรุณาสอบถามฝ่ายขาย ก่อนสั่งซื้อ

70% Ethyl Alcohol

4L

แกลอนละ **310.-**

95% Ethyl Alcohol

4L

แกลอนละ **400.-**
ซื้อ 50 แกลอน ขึ้นไป
แกลอนละ **360.-**

20L

แกลอนละ **1,800.-**
ซื้อ 10 แกลอน ขึ้นไป
แกลอนละ **1,700.-**

Lab Grade

70% Ethyl Alcohol “ สฟ้า และ สีส ”

4L

แกลอนละ **290.-**
ซื้อ 50 แกลอน ขึ้นไป
แกลอนละ **250.-**

20L

แกลอนละ **1,300.-**
ซื้อ 10 แกลอน ขึ้นไป
แกลอนละ **1,200.-**

95% Ethyl Alcohol

4L

แกลอนละ **350.-**
ซื้อ 50 แกลอน ขึ้นไป
แกลอนละ **320.-**

20L

แกลอนละ **1,500.-**
ซื้อ 10 แกลอน ขึ้นไป
แกลอนละ **1,400.-**



애니슈즈

ANYSHOES

เครื่องหุ้มรองเท้าอัตโนมัติ



ฟิล์ม 1 ม้วน
ใช้ได้ 1,000 ครั้ง
(รองเท้า 500 คู่)

ห่อหุ้มรองเท้าได้ทุกชนิดภายใน 3 วินาที



PACKAGE 1 ซื้อเครื่อง

พิเศษ!

เครื่องละ ~~55,000.-~~ **45,000.-**

ซื้อ **3** เครื่อง
เครื่องละ

~~55,000.-~~ **42,000.-**



แถมฟรี!

ฟิล์ม PVC 1 ม้วน

ฟิล์ม PVC

ราคา **1,600.-** / ม้วน

ฟิล์ม PET (anti-slip film)

ราคา **2,300.-** / ม้วน

ฟรี! ประกันเครื่อง 2 ปี

หมายเหตุ : ราคาสินค้ายังไม่รวม Vat 7%

PACKAGE 2 เช่าเครื่อง

เช่า 1-3 เดือน **3,000.-** / เดือน

เช่า 4-12 เดือนขึ้นไป **2,700.-** / เดือน

(หากชำระรายปี หรือล่วงหน้าตลอดสัญญาเช่า **ลดค่าเช่าเพิ่ม 5%**)



รับฟรี!!

ฟิล์ม PVC 1 ม้วน
ทุกๆ สัญญาเช่า 1 ปี

ค่าใช้จ่ายเพิ่มเติม

ค่าประกันความเสียหาย 2 เดือน
(ได้รับคืนเมื่อหมดสัญญาเช่า และสินค้าไม่เสียหาย)

ชำระค่าเช่าล่วงหน้า 1 เดือน

หมายเหตุ : ราคาค่าเช่ายังไม่รวม Vat 7% และ ยังไม่รวมค่าฟิล์มหุ้มรองเท้า



WATER-I.D.®
WATER TESTING EQUIPMENT

PRIMLAB 2.0

The Ultimate Photometer

เครื่องวัดคุณภาพน้ำหลายตัวแปร

- More than 140 Parameters
- 18 Wavelengths (410-940 nm)
- Camera (QR Code Scanning)
- Probe Connector (pH, EC, TDS, Temp, ORP)
- 5.5" Color HD Touchscreen Display
- Adapters for Different Vials 16mm, 24mm, 1mL
- USB Type-C, WIFI, 4G, Bluetooth

พิเศษ!

35,685.-

(# PL02B-solo) PrimeLab 2.0
Only device without case
and accessories



Kits and Accessories-Spares

PrimeLab 2.0 Starter-Kit (without reagents)

Kit contains : Starter Kit 1 (PL02B)



พิเศษ!

~~52,150.-~~

46,935.-

(# PL02B)

- 1 x Grey plastic carrying-case with foam insert
- PL02B 1 x PrimeLab 2.0 Multitest Photometer
- 4 x 24 mm | 10ml glass-vials with lid (light-shield incorporated into the lid)
- 1 x Light shield (for 16mm and 1ml vials as well as check-standards)
- 1 x 24mm vial adapter (built-in; exchangeable)
- 1 x 10.5 cm stirring rod
- 1 x 10ml plastic syringe (graduated)
- 1 x Vial cleaning bush
- 1 x Microfibre cleaning cloth for vials
- 1 x Charger with cable (USB-Type-C)
- 1 x Printed user manual in a ring-binder



PrimeLab 2.0 Starter-Kit

(all current and future parameters activated, beside of the 90⁰ Parameters: Turbidity, PTSA/Fluoresceine/ without reagents)

Kit contains :

Starter Kit 2 (PL02BALL-wo90)

Additional To Starter Kit 1

- ✓ 1 x 16mm vial adapter
- ✓ 1 x 1ml semi-micro-vials (rectangle) adapter
- ✓ 1 x Luer lock syring (20ml) with adapter for filter holder
- ✓ 1 x Filteradapter for 20ml Luer-Lock-Spritze
- ✓ 1 x Can with 50 filter-papers GF/C (25mm)
- ✓ 1 x Can with 50 filter-papers 0.4u (25mm)
- ✓ 1 x 100ml can with lid (for dilution)

(# PL02BALL-wo90)

70,461.-

~~78,290.-~~

PrimeLab 2.0 Starter-Kit

(all current and future parameters activated/ without reagents)

Kit contains :

Starter Kit 3 (PL02BALL)

Additional To Starter Kit 1

- ✓ 1 x 16mm vial adapter
- ✓ 1 x 1ml semi-micro-vials (rectangle) adapter
- ✓ 1 x Luer lock syring (20ml) with adapter for filter holder
- ✓ 1 x Filteradapter for 20ml Luer-Lock-Spritze
- ✓ 1 x Can with 50 filter-papers GF/C (25mm)
- ✓ 1 x Can with 50 filter-papers 0.4u (25mm)
- ✓ 1 x 100ml can with lid (for dilution)

(# PL02BALL)

80,811.-

~~89,790.-~~

PrimLab 2.0 Starter-Kit

WITH Turbidity (NTU)
(without reagents)

Kit contains :

Starter Kit 4 (PL02B-TRB)

Additional To Starter Kit 1

- ✓ 1 x 1 - 10ml professional lab pipette with 2 tips
- ✓ 1 x NTU-Turbidity calibration kit. Sealed glass vials with 0.5/10/1000NTU
- ✓ 1 x Activation Code ID 112 Turbidity

(# PL02B-TRB)

62,955.-

~~69,950.-~~



Parameter for Prime Lab 2.0

Parameter	Measurement Range	Resolution
Active Oxygen	0 – 40 mg/l	0.1
Alkalinity–M	5 – 200 mg/l	1
Alkalinity–M (HR)	0 – 500 mg/l	1
Alkalinity–P	25 – 300 mg/l	1
Aluminium	0 – 0.3 mg/l	0.01
Ammonia (LR)	0 – 1 mg/l	0.01
Ammonia (HR)	1 – 50 mg/l	0.1
Boron	0 – 2 mg/l	0.1
Bromine	0 – 18 mg/l	0.01
Bromine	0 – 18 mg/l	0.01
Bromine	0 – 4.5 mg/l	0.01
Carbohydrazide	0 – 1.3 mg/l	0.01
Chloramines	0.00 – 8.00 mg/l	0.01
Chloride	0.5 – 25 mg/l	0.1
Chloride	0 – 100 mg/l	0.1
Chloride in Methanol	0 – 20 mg/l	0.01
Chlorine (free–combined–total)	0.00 – 8.00 mg/l	0.01
Chlorine (free–combined–total)	0.00 – 8.00 mg/l	0.01
Chlorine (free)	0 – 2 mg/l	0.01
Chlorine (MR)	0.00 – 10.00 mg/l	0.01
Chlorine (HR)	5 – 200 mg/l	1
Chlorine (HR)	0 – 200 mg/l	1
Chlorine Dioxide	0 – 15 mg/l	0.01
Chlorine Dioxide	0 – 15 mg/l	0.01
Chlorine Dioxide	0 – 5 mg/l	0.01
Total Oxidant	0 – 8 mg/l	0.01
Chlorite	0 – 8 mg/l	0.01
Chromium	0 – 2.2 mg/l	0.01
Chromium	0 – 1 mg/l	0.01
COD (LR)	0 – 150 mg/l	1
COD (MR)	0 – 1500 mg/l	1
COD (HR)	0 – 15000 mg/l	1
Colour (Hazen/APHA)	15 – 500 mg/l	1
Copper	0 – 5 mg/l	0.01
Copper	0 – 5 mg/l	0.01
Cyanide	0.01 – 0.50 mg/l	0.01
Cyanuric Acid	2 – 160 mg/l	1
DBNPA	0 – 13 mg/l	0.01
DBNPA	0 – 13 mg/l	0.01
DEHA	20 – 1000 µg/l	1.0
Dissolved Oxygen	0 – 10 mg/l	0.1
Erythorbic Acid	0 – 3.5 mg/l	0.01
Fluorescein	0 – 500 µg/l	1
Hardness–Calcium	0 – 500 mg/l	1
Hardness–Calcium	0 – 500 mg/l	1

Parameter	Measurement Range	Resolution
Hardness–Calcium (HR)	50 – 1000 mg/l	1
Hardness–Total (LR)	2 – 50 mg/l	1
Hardness–Total (HR)	0 – 500 mg/l	1
Hardness–Total (HR)	20 – 500 mg/l	1
Hydrazine	5 – 600 µg/l	1
Hydrocarbons in Methanol (tank wash)	yes/no	1
Hydrogen Peroxide (LR)	0 – 3.8 mg/l	0.01
Hydrogen Peroxide (LR)	0 – 3.8 mg/l	0.01
Hydrogen Peroxide (HR)	0 – 200 mg/l	1
Hydrogen Peroxide (HR)	0 – 200 mg/l	1
DEWAN–50	0 – 300 mg/l	1
Hydroquinone	0 – 2.5 mg/l	0.01
Iodine	0 – 28 mg/l	0.01
Iodine	0 – 28 mg/l	0.01
Iron (LR)	0 – 1 mg/l	0.01
Iron (MR)	0 – 10 mg/l	0.01
Iron (MR) Ferrous	0 – 10 mg/l	0.01
Iron (HR)	0 – 30 mg/l	0.01
Iron total	0 – 3 mg/l	0.01
Iron in Oil	20 – 450 mg/l	1
Isothiazolinone	0.0 – 10.0 mg/l	0.01
Legionella	60 – 106 cfu	1
Magnesium	0 – 100 mg/l	1
Manganese VLR	0 – 0.030 mg/l	0.001
Manganese	0.2 – 5 mg/l	0.1
Methylethylketoxime	0 – 4.1 mg/l	0.01
Molybdate (LR)	0 – 15 mg/l	0.01
Molybdate (HR)	5 – 200 mg/l	0.1
Molybdate	1 – 100 mg/l	0.1
Molybdate (HR)	0 – 40 mg/l	0.1
Nickel (HR)	0 – 7 mg/l	0.1
Nickel (HR)	0 – 10 mg/l	0.1
Nitrate	0.00 – 11.00 mg/l	0.1
Nitrate (HR)	1 – 100 mg/l	1
Nitrite (LR)	0 – 0.5 mg/l	0.01
Nitrite (HR)	5 – 200 mg/l	0.1
Nitrite (HR)	0 – 1500 mg/l	1
Nitrite (HR)	0 – 3000 mg/l	1
Nitrogen–Total (LR)	0.5 – 25 mg/l	0.1
Nitrogen–Total (HR)	5 – 150 mg/l	1
Ozone	0 – 5.4 mg/l	0.01
Ozone	0 – 5.4 mg/l	0.1
Peracetic Acid (LR)	0.00 – 10.00 mg/l	0.01
Peracetic Acid (HR)	0 – 300 mg/l	1
Permanganate Time Test in Methanol (tank wash)	0 – 100 %T	0.1

Parameter	Measurement Range	Resolution
pH–value (LR)	5.2 – 6.8 pH	0.01
pH–value (MR)	6.5 – 8.4 pH	0.01
pH–value (MR)	6.4 – 8.4 pH	0.01
pH–Universal	5 – 11 pH	0.1
pH–Universal	4 – 11 pH	0.1
Phenol	0 – 5 mg/l	0.01
PHMB	2 – 60 mg/l	1
Phosphate–ortho (LR)	0 – 4 mg/l	0.01
Phosphate–ortho (LR)	0 – 4 mg/l	0.01
Phosphate–ortho (HR)	0 – 80 mg/l	0.1
Phosphate–ortho (HR)	0 – 100 mg/l	0.1
Phosphonate	0 – 20 mg/l	0.01
Phosphonate	0 – 20 mg/l	0.01
Phosphorus–Total (LR)	0 – 2.6 mg/l	0.01
Phosphorus–Total (HR)	0 – 52 mg/l	0.1
Polyacrylate	1 – 30 mg/l	0.1
Potassium	0.7 – 12 mg/l	0.1
PTSA	0 – 1000 µg/l	1
QAC	25 – 150 mg/l	1
Sanosil	0 – 400 mg/l	0.01
Silica (LR)	0 – 5 mg/l	0.01
Silica (HR)	0 – 100 mg/l	1
Sodium Hypochlorite	0.2 – 40 %	0.1
Sodium Hypochlorite	0.2 – 40 %	0.1
Sulphate	5 – 100 mg/l	1
Sulphate	5 – 100 mg/l	1
Sulphide	0.04 – 0.5 mg/l	0.01
Suphide	0 – 0.7 mg/l	0.01
Sulphite (LR)	0 – 10 mg/l	0.1
Sulphite (HR)	0 – 300 mg/l	0.1
Sulphite (HR)	0 – 200 mg/l	0.1
Suspended solids	0 – 750 mg/l	1
Tannic acid	0 – 150 mg/l	0.1
Tracer	0 – 1000 µg/l	1
Transmission / Absorption (all wavelengths). Wavelengths in nm: 410, 435, 460, 485, 510, 535, 560, 585, 610, 645, 680, 705, 730, 760, 810, 860, 900, 940	0 – 100 %	0.1
Turbidity (FAU)	20 – 1000 FAU	1
Turbidity (NTU)	0.5 – 1100 NTU	0.1
Urea	0.1 – 2.5 mg/l	0.1
Urea	0.2 – 5.0 mg/l	0.2
Watch Products	0 – 1000 µg/l	1
Zinc	0 – 1 mg/l	0.01

ตรวจสอบราคาแต่ละ Parameter
คลิกที่นี่



WATER-I.D.[®]
WATER TESTING EQUIPMENT ●●●

PoolLab 2.0 Photometer



MEASURES 3 PARAMETERS IN PARALLEL

24 *Pool* PARAMETERS

BLUETOOTH[®] AND WIFI

LARGE COLOR DISPLAY

EXCHANGEABLE CUVETTE

4-WAVELENGTHS (460 (ONLY MIDDLE CHAMBER) | 525 | 590 | 625 NM)

IP68 WATERPROOF

FREE SOFTWARE | APP | CLOUD

TABLETS | LIQUIDS | POWDER REAGENTS

9 BUTTONS FOR DIRECT ACCESS



พิเศษ!

8,790.-

7,911.-

(# POL02) PoolLab 2.0 hand-held
pool water photometer
(Basic Kit)

Content of the kit

Basic Kit

- 1 x PoolLab[®] 2.0 Photometer with Bluetooth[®] and WiFi IP68 waterproof
- 1 x Triple measurement cuvette (exchangeable)
- 1 x Light protection cap
- 1 x Plastic stirring rod
- 1 x 10ml syringe
- 3 x AA batteries
- 1 x Printed user manual
- 1 x Collecting bag
- Free LabCOM[®] Software
- Free LabCOM[®] App
- Free LabCOM[®] Cloud Service

Parameters

- All parameters from the below shown table.

Reagents

- Phenol Red
- DPD N^o 1
- DPD N^o 3
- Alkalinity-M
- CYA-Test

Reagent not included in the basic kit

Parameters

Parameter	Tablet-method	Liquid-method
Active Oxygen (MPS)	0.00 – 20.0 mg/l (ppm)*	--
Alkalinity	0 – 200 mg/l (ppm)	--
Aluminum	0.00 – 0.30 mg/l (ppm)*	single
Ammonium	0.00 – 1.20 mg/l (ppm)*	single
Bromine	0.00 – 13.0 mg/l (ppm)**	0.00 – 9.00 mg/l (ppm)* **
Calcium Hardness	single	0 – 500 mg/l (ppm)*
Chloramines	0.00 – 6.00 mg/l (ppm)	--
Chlorine (fCl cCl tCl)	0.00 – 6.00 mg/l (ppm)	0.00 – 4.00 mg/l (ppm)*
Chlorine (HR)	5 – 200 mg/l (ppm)*	--
Chlorine Dioxide	0.00 – 11.0 mg/l (ppm)**	0.00 – 7.50 mg/l (ppm)* **
Copper	0.00 – 5.00 mg/l (ppm)*	--
Cyanuric Acid	0 – 100 mg/l (ppm)	--
Hyd. Peroxide (LR)	0.00 – 2.40 mg/l (ppm)*	--
Hyd. Peroxide (HR)	0 – 180 mg/l (ppm)*	--

* Reagents not included in the basic kit

** Requires Glycine tablets if chlorine is present in the sample water, Glycine tablets are not included in the basic kit.

Parameter	Tablet-method	Liquid-method
Iron LR	0.00 – 1.00 mg/l (ppm)*	single
Nitrate	0 – 50 mg/l (ppm)*	single
Nitrite (LR)	0.00 – 1.50 mg/l (ppm)**	single
Ozone	0.00 – 4.00 mg/l (ppm)**	0.00 – 2.70 mg/l (ppm)* **
pH	6.50 – 8.40 pH	6.50 – 8.40 pH*
PHMB	5 – 60 mg/l (ppm)*	--
Phosphate (LR)	0.00 – 4.00 mg/l (ppm)*	single
Phosphate (HR)	0 – 80 mg/l (ppm)*	single
Potassium	0.70 – 12.0 mg/l (ppm)**	--
Sulphate	5 – 100 mg/l (ppm)*	--
Total Hardness	--	0 – 500 mg/l (ppm)*
Urea	0.10 – 2.50 mg/l (ppm)*	single
Zinc	0.00 – 1.00 mg/l (ppm)*	--