



# HP Color LaserJet Managed MFP E78625dn



MFP A3 ของ HP ได้รางวัลกลุ่มผลิตภัณฑ์ยอดเยี่ยมแห่งปี 2023 จาก Keypoint Intelligence



ปลดล็อกความสามารถในการ  
สร้างสรรค์ผลงานสูงสุด



HP WOLF SECURITY

ปกป้องคุณอยู่เสมอด้วย  
HP Wolf Security



เทคโนโลยี Flow  
แห่งอนาคต

# ออกแบบมาเพื่อสร้างความโดดเด่น

สถานที่ทำงานในปัจจุบันเปิดกว้างและเชื่อมต่อกันมากขึ้นช่วยส่งเสริมการทำงานร่วมกันและการสื่อสารระหว่างสมาชิกในทีมเครื่องถ่ายฯ HP ของคุณสามารถรับบทบาทสำคัญได้

สร้างเอกลักษณ์ให้ที่ทำงานของคุณด้วยพาแนสสีที่ติดตั้งง่าย 6 แบบ เพื่อให้เข้ากับการตกแต่งสำนักงาน แสดงภาพลักษณ์ของแบรนด์ และเพิ่มชีวิตชีวาให้กับพื้นที่ของคุณ



Portfolio shown also includes E877, E826, E786 and E731 Series.

## การพิมพ์ที่ดีกว่าเพื่อโลกที่ดีขึ้น

ประหยัดทรัพยากรด้วยการพิมพ์แบบประหยัดพลังงานที่ได้มาตรฐาน EPEAT Gold, Blue Angel และ Energy Star สนับสนุนเป้าหมายของ HP ในด้านความเป็นกลางทางคาร์บอนและเศรษฐกิจที่ยั่งยืนอย่างครบวงจร

- สนับสนุนให้การตัดไม้ทำลายป่าเป็นศูนย์ - บรรจุภัณฑ์ที่ทำจากไฟเบอร์สำหรับผลิตภัณฑ์นี้ ทั้งภายนอกกล่องและวัสดุกันกระแทกภายในกล่องจัดหามาจากแหล่งวัตถุดิบที่ยั่งยืน 100% ซึ่งหมายความว่าทำจากวัสดุรีไซเคิลหรือวัสดุที่ผ่านการรับรอง
- ออกแบบมาเพื่อไม่ให้สร้างขยะ - อุปกรณ์ของเราผลิตขึ้นโดยคำนึงถึงสิ่งแวดล้อม ด้วยการพิมพ์ที่ประหยัดพลังงานและกลับผงหมึกที่มีวัสดุจากกลับหมึกรีไซเคิลมากกว่า 59% และวัสดุบรรจุภัณฑ์รีไซเคิล 90% การพิมพ์ที่ให้ความสำคัญต่อสิ่งแวดล้อมเป็นอันดับแรก

## ปกป้องอยู่เสมอด้วย HP Wolf Security

HP Managed MFP เป็นอุปกรณ์การพิมพ์ที่ปลอดภัยที่สุดในโลก ในอุตสาหกรรม เฝ้าระวังอยู่เสมอและหยุดยั้งภัยคุกคามอย่างต่อเนื่อง ควบคู่ไปกับการอัปเดตเพื่อรับมือกับภัยคุกคามใหม่ๆ มีเพียงเครื่องถ่ายฯ HP เท่านั้นที่สามารถซ่อนเซกเมนต์เองจากการโจมตีได้โดยอัตโนมัติโดยไม่ต้องให้ฝ่าย IT เข้ามาซ่อมแซม HP Wolf Enterprise Security รวมอยู่ใน HP LaserJet Managed MFP E800 ซีรีส์ทุกเครื่องเพื่อความอุ่นใจ คุณจึงรู้สึกได้ถึงความปลอดภัย ไม่ว่าจะทำงานร่วมกันในสำนักงานหรือผ่านระบบคลาวด์

- ลดการสิ้นเปลืองกระดาษ - ด้วยการใช้อุปกรณ์การพิมพ์ HP PULL/PIN และการพิมพ์สองด้านเป็นการตั้งค่าเริ่มต้น อุปกรณ์ของเราจะประหยัดกระดาษเท่าที่จะทำได้
- นวัตกรรมเทคโนโลยีผงหมึก - ผงหมึกแบบละลายต่ำเป็นพิเศษของเรามีประสิทธิภาพสำหรับทั้งงานพิมพ์และสิ่งแวดล้อมด้วยสูตรเฉพาะที่ได้มาตรฐานคุณภาพอากาศภายในอาคารในปัจจุบัน
- ยืดอายุผลิตภัณฑ์ - การออกแบบเป็นโมดูลาร์ ที่ทนทานและการคาดการณ์ล่วงหน้าจาก HP SDS ช่วยให้อายุการใช้งานของเราใช้งานได้นานขึ้น
- รีไซเคิลได้ง่ายกับ HP PLANET PARTNERS - ความพยายามด้านความยั่งยืนของเราไม่ได้หยุดลงเมื่อคุณหยุดพิมพ์ด้วย HP PLANET PARTNERS คุณจึงมีวิธีที่สะดวกในการรีไซเคิลฮาร์ดแวร์และวัสดุสิ้นเปลืองด้าน IT ของ HP หลังการใช้งาน





#### Inner finisher (6GW49A)

##### Top tray:

- Up to 50 sheets (stack)
- Media size: up to SRA3 (12x18 in)
- Media weight: 60 to 325gsm
- Up to 500 sheets (sort/stack/staple/punch)
- Media size up to SRA3 (12x18 in)
- Media weight: 60 to 256gsm
- Inner finisher is not compatible with 70ppm



#### Hole punch

- For Booklet or Stapler/stacker finisher (shown above): Y1G10A (2/3), Y1G11A (2/4)
- For Inner finisher: 155P7A, (2/3) 155P8A (2/4)



#### Booklet finisher (6GW51A)

##### Top tray:

- Up to 250 sheets (stack/punch)
- Media size: up to SRA3 (12x18 in)
- Media weight: 60 to 300gsm
- Up to 2,000 sheets (sort/stack/staple/punch)
- Media size: up to SRA3 (12x18 in)
- Media weight: 60 to 325gsm
- ~5 sets of 25 sheets each (booklet)
- C-fold, V-fold




#### Staples (5,000)

- For Inner finisher or Booklet finisher: Y1G13A
- For Stapler/stacker finisher or Booklet finisher: Y1G14A




#### Stand (6GW54A)



#### 2x520 sheet paper tray/stand (6GW46A)

- Tray 1: up to 520 sheets
- Tray 2: up to 520 sheets
- Media size: up to A3 (11x17 in)
- Media weight: 60 to 220gsm



#### 2000 sheet high-capacity paper tray/stand (6GW48A)

- Up to 2,000 sheets
- Media size: A4 (letter)
- Media weight: 60 to 176gsm



#### Stapler/stacker finisher (6GW55A)

##### Top tray:

- Up to 250 sheets (stack/punch)
- Media size: up to SRA3 (12x18 in)
- Media weight: 60 to 300gsm
- Up to 3,000 sheets (sort/stack/staple/punch)
- Media size: up to SRA3 (12x18 in)
- Media weight: 60 to 325gsm



#### Job Separator (6GW52A)

- Up to 125 sheets
- Media size: up to A3 (11x17 in)
- Media weight: 60 to 300gsm

Technical Specifications

Model	Product	number	Print	HP Color LaserJetManaged MFP E78625dn 5QJ90A Up to 25 ppm 90 ppm/180 ipm, simplex/duplex Print, copy, and scan (fax and wireless optional) Standard: 1,140 sheets; Maximum: 3,140 sheets
speed (A4 and letter, Black and color)	Scan speed (A4 and letter, Black and color)	Functions	Input capacity	Advanced workflow features
Print speed	Print speed	Print speed	Print speed	Print speed
ipm (b&w), up to 180 ipm (color) A4 ADF; Flatbed / D-CIS; Platen Scanner (CCD) Hardware: Up to 600 x 600 dpi; Optical: Up to 600 x 600 dpi Hi-Compression PDF; JPEG; TIFF; Pbf; PDF-A; TIFF; XPS Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Open to Job; Scan to Job Storage; Open Extensibility Platform (OXP); HP Workpath applications ADF Maximum: 297 x 420 mm; 11 x 17 in; ADF Minimum: 68 x 127 mm; 2.7 x 5 in; Flatbed: 217 x 440 mm; 1169 x 17 in Yes Standard, 200 sheets version 2.4 24-bit/256 Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to H10; 250 pages; scan to Internet Fax; scan to Internet LAN fax; scan to Internet SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, brightness, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; rotate; image preview; blank page suppression; automatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Color Duplex First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics) Up to 600 x 600 dpi Color (text and graphics) Up to 600 x 600 dpi Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; Edge Erase; Image adjustment; Job build; N or Z-ordering; N-up; Text/Photo/Stamp/ID copy; Watermark; reduce/enlarge; Scan mode (book, 2-sided ID); Stamps; Image overlay; Image shift; Image preview; Paper selection; Blank page suppression; Scan to job storage; Automatically straighten; Automatically detect color/monochrome Up to 33.6 kbps/ Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi Fax memory: Up to 500 pages; Up to 500 pages; Auto fax reduction supported; Yes; Auto-redialing; Yes; Fax delayed sending; No; Distinctive ring detection supported; No; Fax forwarding supported; Yes; Fax phone TAM interface supported; No; Fax polling supported; Yes (poll to receive only); Fax telephone mode supported; No; Junk barrier supported; Yes; Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations); PC interface supported; Yes; Remote retrieval capability supported; No; Telephone handset supported; No 1 Gigabit Ethernet 10/100/1000T network; 1 Standard print languages Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host) Standard (built in Gigabit 10/100/1000T Ethernet) Optional, enabled with purchase of a hardware accessory Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn-Print Standard 6 GB; Maximum 6 GB Quad-Core (1.6GHz); Dual-Core (1.4GHz) / Storage: Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP LaserJet 500 GB Hard Disk Drive, AES-256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)				

Scan type / Technology	
Scan resolution	
Scan file format	
Scan input modes	
Scan Size	
Duplex ADF scanning	
ADF capacity	
Twin version	
Bit depth / Grayscale levels	
Digital sending standard features	

Copy speed		Up to 25 cpm
		Up to 25 cpm
		Up to 25 cpm
		Up to 25 cpm
		Up to 18 cpm
		Up to 18 cpm
		Up to 18 cpm
		As fast as 6.7 sec
		As fast as 8.9 sec
		As fast as 6.7 sec
		As fast as 8.9 sec

Copy resolution	
Maximum number of copies	
Copier resize	
Copier settings	
Fax speed	
Fax resolution	
Fax Features	

Standard connectivity	
Network capabilities	
Wireless capability	
Mobile printing capability	
Memory	
Processor speed	
Duty cycle (monthly)	
Recommended monthly page volume	Letter: Up to 110,000 pages
Paper handling	A4: Up to 110,000 pages
Media weight supported	Up to 20,000 110,000 pages
Media sizes supported	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 10 envelopes; Input Capacities, Max: Up to 3140 sheets; Output Capacities: Up to 500 sheets Standard; Up to 100 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: 3 Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio 8.5 x 13, 11 x 17, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter, Letter R, Legal, Executive, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8, 16k; Tray 3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 8k, 16k Tray 1: A3, A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16k, Postcard, Postcard (JIS), Envelope B5, Envelop C5, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, Ra4, SRA4, B4 (JIS), B5 (JIS), Oficio, 16k; Tray 3: A3, A4, A4R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k

Media Sizes Custom	Tray 1: 3.86 x 5.83 to 11.69 x 17 in; Tray 2: 5.48 x 8.27 to 11.69 x 14.33 in; Tray 3: 5.48 x 8.27 to 11.69 x 17 in
What's in the box	Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 364 mm; Tray 3: 139.7 x 210 mm to 297 x 432 mm
Replacement cartridges	5QJ90A In-box materials; Guide Install; Flyer Regulatory; Power Cords; Keyboard/Overlay for Z model; Label; Drums
Product dimensions	HP Black Managed LJ Toner Cartridge (ISO Yield 29,000) W9150MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 24,000) W9151MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 24,000) W9152MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 24,000) W9153MC
Product weight	W x d x h: 585 x 646 x 908.1 mm; 23 x 25.4 x 35.8 in
Warranty features	Maximum: 1681 x 1196 x 1241 mm; 66.2 x 47.1 x 48.9 in
Energy star certified	Maximum: 1681 x 1196 x 1241 mm; 66.2 x 47.1 x 48.9 in
Ecolabels	~82.7kg; ~102.3 lb
Control panel	90-day parts-only warranty Warranty and support options vary by product, country and local legal requirements Contact your contractual vendor or go to hp.com/support to learn about
Display description	HP award winning service and support options in your region.
Software included	Yes
Compatible operating systems	EPEAT® registered, Blue Angel, IT ECO Declaration
Compatible network operating systems	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker
Minimum system requirements	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)
Power	No software solutions are included in the Box only on http://hp.com http://123.hp.com

	Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS
	Windows Server; Linux; Citrix; UNIX; Novell
	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser For additional OS hardware requirements see microsoft.com
	Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com
	Power supply type: Internal (Built-in) power supply: Power requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 10.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 5.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 580 watts (25ppm, printing), 670 watts (30ppm, printing), 720 watts (35ppm, printing), 32.0 watts (ready), 0.8 watts (sleep), 0.2 watts (autooff), 0.2 watts (manual-off)

Acoustics	Acoustic power emissions: 6.60 Bel(A), printing color simplex A4 at 25ppm; 6.70 Bel(A), printing color simplex A4 at 30ppm; 6.75 Bel(A), printing color simplex A4 at 35ppm; Acoustic Pressure Emissions (active, printing): 50 dB(A), printing color simplex A4 at 25ppm; 51 dB(A), printing color simplex A4 at 30ppm; 52 dB(A), printing color simplex A4 at 35ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 90ipm; 58 dB(A), ADF scan A4 at 120ipm; 53 dB(A), ADF scan A4 at 60ipm
	Operating temperature range: 15 to 30°C 59 to 86°F; Recommended operating temperature: 15 to 30°C 59 to 86°F; Storage temperature range: -10 to 40°C 14 to 104°F;
Operating environment	Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH

บริษัท กิพย์ถาวร ชัพพलय จำกัด (สำนักงานใหญ่)  
เลขที่ 165/55 หมู่บ้าน เนอวานา แอควีร์ค รามอินทรา  
ถนนรามอินทรา แขวงอนุสาวรีย์  
เขตบางเขน กรุงเทพฯ 10220  
เลขประจำตัวผู้เสียภาษี 0105557019005

