

APACER : Flash Drive

Apacer®

Part	Picture	Description	SRP (inc.VAT)	Warranty
FLASH DRIVE USB 2.0				
ACR-AP16GAH333B-1		Apacer Flash Drive AH333 16GB Black RP	CALL	Lifetime
ACR-AP32GAH333B-1		Apacer Flash Drive AH333 32GB Black RP	CALL	Lifetime
ACR-AP64GAH333B-1		Apacer Flash Drive AH333 64GB Black RP	CALL	Lifetime
ACR-AP16GAH333W-1		Apacer Flash Drive AH333 16GB White RP	CALL	Lifetime
ACR-AP32GAH333W-1		Apacer Flash Drive AH333 32GB White RP	CALL	Lifetime
ACR-AP64GAH333W-1		Apacer Flash Drive AH333 64GB White RP	CALL	Lifetime
ACR-AP16GAH334U-1		Apacer Flash Drive AH334 16GB Blue RP	CALL	Lifetime
ACR-AP32GAH334U-1		Apacer Flash Drive AH334 32GB Blue RP	CALL	Lifetime
ACR-AP64GAH334U-1		Apacer Flash Drive AH334 64GB Blue RP	CALL	Lifetime
ACR-AP16GAH334P-1		Apacer Flash Drive AH334 16GB Pink RP	CALL	Lifetime
ACR-AP32GAH334P-1		Apacer Flash Drive AH334 32GB Pink RP	CALL	Lifetime
ACR-AP64GAH334P-1		Apacer Flash Drive AH334 64GB Pink RP	CALL	Lifetime
ACR-AP16GAH23BB-1		Apacer HANDY STENO AH23BB 16GB	CALL	Lifetime
ACR-AP32GAH23BB-1		Apacer HANDY STENO AH23BB 32GB	CALL	Lifetime
ACR-AP64GAH23BB-1		Apacer HANDY STENO AH23BB 64GB	CALL	Lifetime
ACR-AP16GAH23AW-1		Apacer HANDY STENO AH23AW 16GB	CALL	Lifetime
ACR-AP32GAH23AW-1		Apacer HANDY STENO AH23AW32GB	CALL	Lifetime
ACR-AP64GAH23AW-1		Apacer HANDY STENO AH23AW 64GB	CALL	Lifetime
ACR-AP16GAH335G-1		FD USB2.0 AH335 16GB	CALL	Lifetime
ACR-AP32GAH335G-1		FD USB2.0 AH335 32GB	CALL	Lifetime
ACR-AP64GAH335G-1		FD USB2.0 AH335 64GB	CALL	Lifetime
ACR-AP16GAH336B-1		USB2.0 Flash Drive AH336 16GB Black RP	CALL	Lifetime
ACR-AP16GAH336W-1		USB2.0 Flash Drive AH336 16GB White RP	CALL	Lifetime
ACR-AP32GAH336B-1		USB2.0 Flash Drive AH336 32GB Black RP	CALL	Lifetime
ACR-AP32GAH336W-1		USB2.0 Flash Drive AH336 32GB White RP	CALL	Lifetime
ACR-AP64GAH336B-1		USB2.0 Flash Drive AH336 64GB Black RP	CALL	Lifetime
ACR-AP64GAH336W-1		USB2.0 Flash Drive AH336 64GB White RP	CALL	Lifetime
Entry Model USB 3.1				
ACR-AP16GAH350B-1		Apacer FD USB3.0 AH350B 16GB Black	CALL	Lifetime
ACR-AP32GAH350B-1		Apacer FD USB3.0 AH350 32GB Black	CALL	Lifetime
ACR-AP64GAH350B-1		Apacer FD USB3.0 AH350 64GB Black	CALL	Lifetime
ACR-AP16GAH360A-1		Apacer FD USB3.0 AH360 16GB Ashy	CALL	Lifetime
ACR-AP32GAH360A-1		Apacer FD USB3.0 AH360 32GB Ashy	CALL	Lifetime
ACR-AP32GAH354B-1		Apacer FD USB3.0 AH354 32GB Black	CALL	Lifetime
ACR-AP64GAH354B-1		Apacer FD USB3.0 AH354 64GB Black	CALL	Lifetime
ACR-AP16GAH355B-1		Apacer FD USB3.1 AH355 16GB Black	CALL	Lifetime
ACR-AP32GAH355B-1		Apacer FD USB3.1 AH355 32GB Black	CALL	Lifetime
ACR-AP64GAH355B-1		Apacer FD USB3.1 AH355 64GB Black	CALL	Lifetime
ACR-AP16GAH356B-1		Apacer FD USB3.1 AH356 16GB Black	CALL	Lifetime
ACR-AP32GAH356B-1		Apacer FD USB3.1 AH356 32GB Black	CALL	Lifetime
ACR-AP64GAH356B-1		Apacer FD USB3.1 AH356 64GB Black	CALL	Lifetime
ACR-AP16GAH357U-1		Apacer FD USB3.1 AH357 16GB Blue	CALL	Lifetime
ACR-AP32GAH357U-1		Apacer FD USB3.1 AH357 32GB Blue	CALL	Lifetime
ACR-AP64GAH357U-1		Apacer FD USB3.1 AH357 64GB Blue	CALL	Lifetime
ACR-AP16GAH359U-1		Apacer FD USB3.1 AH359 16GB Blue	CALL	Lifetime
ACR-AP32GAH359U-1		Apacer FD USB3.1 AH359 32GB Blue	CALL	Lifetime
ACR-AP64GAH359U-1		Apacer FD USB3.1 AH359 64GB Blue	CALL	Lifetime

APACER : Micro Card

Part	Picture	Description	SRP (inc.VAT)	Warranty
ACR-AP16GMC-SH10U5R		microSDHC UHS-I U1 Class10 R85 16GB with adaptor	CALL	Lifetime
ACR-AP32GMC-SH10U5R		microSDHC UHS-I U1 Class10 R85 32GB with adaptor	CALL	Lifetime
ACR-AP64GMC-SX10U5R		MICROSDHC UHS-I U1 R85 CLASS 64GB with adaptor	CALL	Lifetime


SAMSUNG : SSD Hard Drive

SAMSUNG

	Part	Description	Speed Sequential Read / Write (MB/s)	Warranty	SRP (inc.VAT)
INTERNAL SSD					
	870 EV O: SATA3 (2.5")				
	SSG-MZ-77E250BW	Samsung SSD 870 EVO SATA3 2.5" 250GB	560 / 530 MB/s	5 Years	2,390
	SSG-MZ-77E500BW	Samsung SSD 870 EVO SATA3 2.5" 500GB	560 / 530 MB/s	5 Years	2,490
	SSG-MZ-77E1T0BW	Samsung SSD 870 EVO SATA3 2.5" 1TB	560 / 530 MB/s	5 Years	4,590
	SSG-MZ-77E2T0BW	Samsung SSD 870 EVO SATA3 2.5" 2TB	560 / 530 MB/s	5 Years	9,090
	SSG-MZ-77E4T0BW	Samsung SSD 870 EVO SATA3 2.5" 4TB	560 / 530 MB/s	5 Years	17,390
	990 EVO PCIe 4.0 M.2				
	SSG-MZ-V9E1T0BW	Samsung SSD 990 EVO PCIe 4.0 M.2 1TB	5000 / 4200 MB/s	5 Years	5,390
	SSG-MZ-V9E2T0BW	Samsung SSD 990 EVO PCIe 4.0 M.2 2TB	5000 / 4200 MB/s	5 Years	8,590
	980 PCIe3 NVMe M.2				
	SSG-MZ-V8V250BW	Samsung SSD 980 PCIe3 NVMe M.2 250GB	2,900 / 1,300 MB/s	5 Years	2,490
	SSG-MZ-V8V500BW	Samsung SSD 980 PCIe3 NVMe M.2 500GB	3,100 / 2,600 MB/s	5 Years	3,290
	SSG-MZ-V8V1T0BW	Samsung SSD 980 PCIe3 NVMe M.2 1TB	3,500 / 3,000 MB/s	5 Years	5,690
	980 PRO PCIe4 NVMe M.2				
	SSG-MZ-V8P1T0BW	Samsung SSD 980 PRO PCIe4 NVMe M.2 1TB	7,000 / 5,000 MB/s	5 Years	5,590
	SSG-MZ-V9P1T0BW	Samsung SSD 990 PRO PCIe4 NVMe M.2 1TB	7,450 / 6,900 MB/s	5 Years	5,690
	SSG-MZ-V9P2T0BW	Samsung SSD 990 PRO PCIe4 NVMe M.2 2TB	7,450 / 6,900 MB/s	5 Years	8,890
	SSG-MZ-V9P4T0BW	Samsung SSD 990 PRO PCIe4 NVMe M.2 4TB	7,450 / 6,900 MB/s	5 Years	16,590
	990 PRO Heatsink				
	SSG-MZ-V9P1T0CW	Samsung SSD 990 PRO Heatsink PCIe4 1TB	7,450 / 6,900 MB/s	5 Years	6,290
	SSG-MZ-V9P2T0CW	Samsung SSD 990 PRO Heatsink PCIe4 2TB	7,450 / 6,900 MB/s	5 Years	9,490
	SSG-MZ-V9P4T0CW	Samsung SSD 990 PRO Heatsink PCIe4 4TB	7,450 / 6,900 MB/s	5 Years	17,090
EXTERNAL SSD					
	T7 Portable Shield				
	SSG-MU-PE1T0S/WW	Samsung Portable SSD T7 Shield 1TB Black	1,050 / 1,000 MB/s	3 Years	6,090
	SSG-MU-PE2T0S/WW	Samsung Portable SSD T7 Shield 2TB Black	1,050 / 1,000 MB/s	3 Years	10,190
	SSG-MU-PE4T0S/WW	Samsung Portable SSD T7 Shield 4TB Black	1,050 / 1,000 MB/s	3 Years	17,990
	SSG-MU-PE1T0R/WW	Samsung Portable SSD T7 Shield 1TB Blue	1,050 / 1,000 MB/s	3 Years	6,090
	SSG-MU-PE2T0R/WW	Samsung Portable SSD T7 Shield 2TB Blue	1,050 / 1,000 MB/s	3 Years	10,190
	SSG-MU-PE1T0K/WW	Samsung Portable SSD T7 Shield 1TB Beige	1,050 / 1,000 MB/s	3 Years	6,090
	SSG-MU-PE2T0K/WW	Samsung Portable SSD T7 Shield 2TB Beige	1,050 / 1,000 MB/s	3 Years	10,190
	T9 Portable				
	SSG-MU-PG1T0B/WW	Samsung Portable SSD T9 1TB Black	2,000 / 1,950 MB/s	5 Years	6,190
	SSG-MU-PG2T0B/WW	Samsung Portable SSD T9 2TB Black	2,000 / 1,950 MB/s	5 Years	10,690
	SSG-MU-PG4T0B/WW	Samsung Portable SSD T9 4TB Black	2,000 / 2,000 MB/s	5 Years	19,590
	T5 EVO				
	SSG-MU-PH2T0S/WW	Samsung Portable SSD T5 EVO 2TB Black	460 / 460 MB/s	3 Years	8,190
	SSG-MU-PH4T0S/WW	Samsung Portable SSD T5 EVO 4TB Black	460 / 460 MB/s	3 Years	15,090
	SSG-MU-PH8T0S/WW	Samsung Portable SSD T5 EVO 8TB Black	460 / 460 MB/s	3 Years	27,990

SAMSUNG : Memory Cards

	Part	Description	Speed	Warranty	SRP (inc.VAT)
	SSG-MB-MC64KA/APC	Samsung MicroSD EVO Plus 64GB UHS-I U1	Read 130 / Write 20	10 Years	250
	SSG-MB-MC128KA/APC	Samsung MicroSD EVO Plus 128GB UHS-I U3	Read 130 / Write 60	10 Years	410
	SSG-MB-MC256KA/APC	Samsung MicroSD EVO Plus 256GB UHS-I U3	Read 130 / Write 120	10 Years	690
	SSG-MB-MC512KA/APC	Samsung MicroSD EVO Plus 512GB UHS-I U3	Read 130 / Write 120	10 Years	1,430

TRANSCEND : SSD Hard Drive				
Part		Description	SRP (inc. VAT)	Warranty
2.5" SSD				
	SSD 230S			
	TCN-TS128GSSD230S	128GB, 2.5" SSD, SATA3	Call	5 Years
	TCN-TS256GSSD230S	256GB, 2.5" SSD, SATA3	Call	5 Years
	TCN-TS512GSSD230S	512GB, 2.5" SSD, SATA3	Call	5 Years
	TCN-TS1TSSD230S	1TB, 2.5" SSD, SATA3	Call	5 Years
	TCN-TS2TSSD230S	2TB, 2.5" SSD, SATA3	Call	5 Years
	Model Dimensions (Max.) Capacity Flash Type Sequential Read/Write	SATA III 6Gb/s 3.94" x 2.75" x 0.28", Weight (Max.) : 53 g (1.87 oz) 128 GB/256 GB/512 GB/1 TB/2 TB 3D NAND flash Read: 560 MB/s, Write: 520 MB/s		
	SSD220Q			
	TCN-TS500GSSD220Q	500GB, 2.5" SSD, SATA3, QLC	Call	3 Years
	TCN-TS1TSSD220Q	1TB, 2.5" SSD, SATA3, QLC	Call	3 Years
	TCN-TS2TSSD220Q	2TB, 2.5" SSD, SATA3, QLC	Call	3 Years
	Model Dimensions Capacity Flash Type Sequential Read/Write	SATA III 6 Gb/s 100 mm x 69.85 mm x 6.8 mm (3.94" x 2.75" x 0.28") 500 GB/ 1 TB/2 TB QLC NAND flash Read Speed : 550MB/s, Write Speed : 500MB/s		
M.2 PCIe SSD				
	MTE110Q - PCIe NVMe.			
	TCN-TS500GMTE110Q TCN-TS1TMTE110Q	500GB,M.2 2280,PCIe Gen3x4,M-Key,QLC NEW! 1TB,M.2 2280,PCIe Gen3x4,M-Key,QLC NEW!	Call Call	3-Years 3-Years
	เทคโนโลยี QLC 3D NAND อินเตอร์เฟซความเร็วสูง PCI Express® Gen3 x4 ใช้พลังงานต่ำทำให้อุปกรณ์มีอายุการใช้งานยาวนานและมีประสิทธิภาพยิ่งขึ้น Supports S.M.A.R.T., TRIM commands Read Speed (Max.) : 500GB = 1900 MB/s , 1TB = 2000 MB/s Write Speed (Max.) : 500GB = 900 MB/s, 1TB = 1500 MB/s			
	MTE 110S			
	TCN-TS128GMTE110S	128GB, M.2 2280,PCIe Gen3 x4, 3D, NVMe	Call	5 Years
	TCN-TS256GMTE110S	256GB, M.2 2280,PCIe Gen3 x4, 3D, NVMe	Call	5 Years
	TCN-TS512GMTE110S	512GB, M.2 2280,PCIe Gen3 x4, 3D, NVMe	Call	5 Years
	TCN-TS1TMTE110S	1TB, M.2 2280,PCIe Gen3 x4, 3D, NVMe	Call	5 Years
	Model Dimensions (Max.) Bus Interface Flash Type Capacity Sequential Read/Write	PCIe SSD 110S 3.15" x 0.87" x 0.14", Weight (Max.) : 8 g (0.28 oz) NVMe PCIe Gen3 x4 3D NAND flash 128 GB/256 GB/512 GB/1 TB Read: 1,700 MB/s, Write: 1,500 MB/s		
	MTE 220S			
	TCN-TS256GMTE220S	256GB, M.2 2280,PCIe Gen3 x4, 3D TLC, Dram	Call	5 Years
	TCN-TS512GMTE220S	512GB, M.2 2280,PCIe Gen3 x4, 3D TLC, Dram	Call	5 Years
	TCN-TS1TMTE220S	1TB, M.2 2280,PCIe Gen3 x4, 3D TLC, Dram	Call	5 Years
	TCN-TS2TMTE220S	2TB, M.2 2280, PCIe Gen3x4,, 3D TLC, Dram	Call	5 Years
	MTE 112S (Single-sided)			
	TCN-TS256GMTE112S	256GB M.2 2280 PCIe Gen3x4 3DTLC NVMe	Call	5 Years
	TCN-TS512GMTE112S	512GB M.2 2280 PCIe Gen3x4 3DTLC NVMe	Call	5 Years
	TCN-TS1TMTE112S	1TB M.2 2280 PCIe Gen3x4 3DTLC NVMe	Call	5 Years
	Model Dimensions (Max.) Bus Interface Flash Type Capacity Sequential Read/Write	PCIe SSD 112S 3.15" x 0.87" x 0.09", Weight (Max.) : 8 g (0.28 oz) NVMe PCIe Gen3 x4 3D NAND flash 256 GB/512 GB/1 TB Read: 3,500 MB/s, Write: 2,800 MB/s		
	MTE 240S			
	TCN-TS1TMTE250S	1TB, M.2 2280, PCIe Gen4x4, NVMe, 3D TLC, Graphene Heatsink	Call	5 Years
	TCN-TS2TMTE250S	2TB, M.2 2280, PCIe Gen4x4, NVMe, 3D TLC, Graphene Heatsink	Call	5 Years
	TCN-TS4TMTE250S	4TB, M.2 2280, PCIe Gen4x4, NVMe, 3D TLC, Graphene Heatsink	Call	5 Years
	3D NAND flash chips มี Heat sink มีอีกซีกที่กราฟีนแบบบางพิเศษในตัวเพื่อปรับปรุงการกระจายความร้อนของ SSD RAID engine และ LDPC (การตรวจสอบข้อผิดพลาดที่แบบความหนาแน่นต่ำ) เพื่อความสมบูรณ์ของข้อมูล สามารถใช้กับ Playstation5 ได้			
	MTS 830S			
	TCN-TS128GMTS830S	128GB, M.2 2280 SSD, SATA3 B+M Key ,TLC	Call	5 Years
	TCN-TS256GMTS830S	256GB, M.2 2280 SSD, SATA3 B+M Key ,TLC	Call	5 Years
	TCN-TS512GMTS830S	512GB, M.2 2280 SSD, SATA3 B+M Key ,TLC	Call	5 Years
	TCN-TS1TMTS830S	1TB, M.2 2280 SSD, SATA3 B+M Key ,TLC	Call	5 Years
	TCN-TS2TMTS830S	2TB, M.2 2280 SSD, SATA3 B+M Key ,TLC	Call	5 Years
	Model Dimensions (Max.) Bus Interface Flash Type Capacity Sequential Read/Write	M.2 SSD 820S 3.15" x 0.87" x 0.14", Weight (Max.) : 10 g (0.35 oz) SATA III 6Gb/s 3D NAND flash 128 GB/256 GB/512 GB/1 TB Read: 560 MB/s, Write: 500 MB/s		

TRANSCEND : SSD Hard Drive



	Part	Description	SRP (inc.VAT)	Warranty
Portable SSD, MLC				
NEW! 	ESD330C : External SSD, USB 10Gbps, Type-C, Alloy Case			
	TCN-TS512GESD330C	ESD330C ExSSD 512GB Type-C, Dark Grayish Brown	Call	5 Years Limited
	TCN-TS1TESD330C	ESD330C ExSSD 1TB Type-C, Dark Grayish Brown	Call	5 Years Limited
	TCN-TS2TESD330C	ESD330C ExSSD 2TB Type-C, Dark Grayish Brown	Call	5 Years Limited
	Read/Write Speed : upto 1050/950 MB/s Color : Dark Grayish Brown Connection Interface : USB Type-C Flash Type : 3D NAND flash Operating System : Microsoft Windows 7 and above, macOS 10.10 and above Dimension : 64.1 mm x 19.7 mm x 9.5 mm (2.52" x 0.78" x 0.37") Weight : 23 g (0.81 oz)			
* อุปกรณ์เคลื่อนที่ที่ต้องรองรับ USB OTG ผู้จำหน่ายคอมพิวเตอร์อาจกำหนดข้อกำหนดด้านความจุสำหรับการจัดเก็บข้อมูลภายนอก โปรดตรวจสอบความเข้ากันได้ก่อนซื้อ ** ESD330 มาในรูปแบบไฟล์ exFAT อุปกรณ์เคลื่อนที่บางรุ่นต้องใช้ FAT32 หากมี โปรแกรมแม่แบบ ESD300 เป็น FAT32 ก่อนใช้งาน				
	ESD310C : external SSD, USB 3.1 Gen 2, Type C			
	TCN-TS256GESD310C	ExSSD 256GB USB Type C/A Black	Call	5 Years Limited
	TCN-TS512GESD310C	ExSSD 512GB USB Type C/A Black	Call	5 Years Limited
	TCN-TS1TESD310C	ExSSD 1TB USB Type C/A Black	Call	5 Years Limited
	TCN-TS1TESD310S	ExSSD 1TB USB Type C/A Silver	Call	5 Years Limited
TCN-TS2TESD310C	ExSSD 2TB USB Type C/A Black	Call	5 Years Limited	
Read/Write Speed : upto 1050/950 MB/s Color : Black/ Silver Connection Interface : USB 3.1 Gen 2 Flash Type : 3D NAND flash Operating System : Microsoft Windows 7 and above, macOS 10.10 and above Dimension : 71.3 mm. x 20 mm. x 7.8 mm. (2.81" x 0.79" x 0.31") Weight : 11 g (0.39 oz)				
* อุปกรณ์เคลื่อนที่ที่ต้องรองรับ USB OTG ผู้จำหน่ายคอมพิวเตอร์อาจกำหนดข้อกำหนดด้านความจุสำหรับการจัดเก็บข้อมูลภายนอก โปรดตรวจสอบความเข้ากันได้ก่อนซื้อ ** ESD310 มาในรูปแบบไฟล์ exFAT อุปกรณ์เคลื่อนที่บางรุ่นต้องใช้ FAT32 หากมี โปรแกรมแม่แบบ ESD300 เป็น FAT32 ก่อนใช้งาน				
Accessories				
	CM80S			
	TCN-TS-CM42S	M.2 2242, USB3.1 SSD Enclosure KIT, Silver	Call	2-Years Limited
	TCN-TS-CM80S	M.2 2280/2260, USB3.1 SSD Enclosure KIT, Silver	Call	2-Years Limited
	Color	Silver		
	Connection Interface	USB 3.1 Gen 1		
	USB Type	micro USB to USB Type A		
	Bus Interface	SATA III 6Gb/s		
	Operating Voltage	5V		
	Dimensions	120.16 mm x 33.6 mm x 7.5 mm (4.73" x 1.32" x 0.30")		
	Weight	41 g (1.45 oz)		
 	ESD250C			
	TCN-TSOGSJ25CK3	2.5" SSD/HDD Enclosure Kit, Rubber housing [SJ25CK3]	Call	2-Years Limited
	ESD250C			
	TCN-TSOGSJ25S3	2.5" SSD/HDD Enclosure Kit, Aluminum housing [SJ25S3]	Call	2-Years Limited
	Certificates :	CE, FCC, BSMI		
	SATA Interface :	SATA III 6Gb/s		
	Connector Interface :	USB 3.1 Gen 1		
	Dimensions :	25CK3 : 129.5 mm x 80.8 mm x 18.8 mm (5.10"" x 3.18"" x 0.74"") 25S3 : 129 mm x 79.9 mm x 13 mm (5.08"" x 3.15"" x 0.51"")		
	Weight :	25CK3 : 108 g (3.8 oz) 25S3 : 86 g (3.03 oz)		
USB 3.1/3.0 Card Readers				
	RDF9K2			
	TCN-TS-RDF9K2	Card Reader USB 3.1	Call	2 - Years
	Connection Interface	USB 3.1 Gen 1, micro USB to USB Type A		
	Card Reader Slot(s)	SD /microSD/CompactFlash		
	Memory Card Supported	SDHC (UHS-II)/SDXC (UHS-II)/SDHC (UHS-I)/SDXC (UHS-I)/microSDHC (UHS-I) microSDXC (UHS-I)/CompactFlash (UDMA6)/CompactFlash (UDMA7)		
 	RDF8			
	TCN-TS-RDF8K2	Multi-Card Reader USB3.0 Black	Call	2 - Years
	TCN-TS-RDF8W2	All-in-1 Multi Memory Card Reader, USB 3.0/3.1 Gen 1, White	Call	2 - Years
	Connection Interface	USB 3.1 Gen 1, micro USB to USB Type A		
	Card Reader Slot(s)	SD /microSD/CompactFlash		
	Memory Card Supported	SDHC (UHS-I)/SDXC (UHS-I)/microSDHC (UHS-I)/microSDXC (UHS-I) CompactFlash (UDMA7)		
 	RDF5			
	TCN-TS-RDF5K	SD/microSD Card Reader, USB 3.0/3.1 Gen 1, Black	Call	2 - Years
	TCN-TS-RDF5R	SD/microSD Card Reader, USB 3.0/3.1 Gen 1, Pink	Call	2 - Years
	TCN-TS-RDF5W	SD/microSD Card Reader, USB 3.0/3.1 Gen 1, White	Call	2 - Years
	Connection Interface	USB 3.1 Gen 1, USB Type-A		
	Card Reader Slot(s)	SD /microSD		
	Memory Card Supported	SDHC (UHS-I)/SDXC (UHS-I)/microSDHC (UHS-I)/microSDXC (UHS-I)		
	RDC8K2			
	TCN-TS-RDC8K2	USB3.1 Gen1 Multi Reader,Type C	Call	2 - Years
	Connection Interface	USB 3.1 Gen1, micro USB to USB Type A		
	Memory Card Supported	SDXC (UHS-I/II), SDHC (UHS-I/II), microSDXC (UHS-I), microSDHC (UHS-I), MS (MSXC), CompactFlash (UDMA6/UDMA7)		
	Speed	Read : up to 260MB/s, Write : up to 190MB/s		
	Dimension	67.6 mm x 45 mm x 15.2 mm / Weight : 30.6 g		

TRANSCEND : Reader & Hub



Part	Description	SRP (inc.VAT)	Warranty
OTG Card Readers			
 RDC3 TCN-TS-RDC3	SD/microSD Card Reader, USB 3.2 Gen 1, Black, Type C Interface : USB 3.2 Gen 1, Type-C Card Reader Slot(s) : SD / microSD พร้อม port USB Type-A สำหรับต่ออุปกรณ์อื่นๆ การ์ดที่รองรับ : SDHC (UHS-I), SDXC (UHS-I), microSDHC (UHS-I), microSDXC (UHS-I) Dimensions : 40.8mm x 40.8mm x 10.4 mm / Weight : 17g.	Call	2 - Years
USB 3.1 HUB			
 HUB3K TCN-TS-HUB3K	USB3.1 4-Port HUB Connection Interface : USB 3.1, micro USB to USB Type A Dimensions (Max.) : 3.09" x 1.95" x 0.59", Weight : 44 g (1.55 oz) Power Supply (Max.) : 5V / 0.9A from USB port, 12V / 1.5A from power adapte	Call	2 - Years
 HUB2K TCN-TS-HUB2K	Ultra slim and portable USB3.1 4-Port HUB Connection Interface : USB 3.1 Dimensions (Max.) : 2.91" x 1.46" x 0.41", Weight : 29 g (1.02 oz) Power Supply (Max.) : 5V / 0.9A from USB port	Call	2 - Years
 HUB2C TCN-TS-HUB2C	4-Port HUB, USB 3.1 Gen 1, Type-C Connection Interface : USB 3.1 Gen 1, USB Type-C Dimensions : 2.91" x 1.46" x 0.41" , Weight : 29 g (1.02 oz) Power Supply : 5V/0.9A from USB port	Call	2 - Years
 HUB5C TCN-TS-HUB5C	3-Port Hub, 1-Port PD, SD/MicroSD Reader, USB 3.2 Gen 2, Type C, 6-in-1 Expansion	Call	2 - Years
Compact Flash Card			
 TCN-TS0MCF2PC	PCMCIA ATA Adapter for CF Card Interface : 68 pin PCMCIA Dimensions : 3.37" x 2.13" x 0.20" , Weight : 22 g (0.78 oz) Memory Card Supported : CompactFlash (Type I)	Call	2 - Years
 RDF2 TCN-TS-RDF2	CFast Card Reader, USB 3.0/3.1 Gen 1 Connection Interface : USB 3.1 Gen 1, micro USB to USB Type A Card Reader Slot(s) : CFast Memory Card Supported : CFast 2.0	Call	2 - Years
 RDE2 TCN-TS-RDE2	CFexpress Type-B-Card Reader, USB 3.2 Gen 2x2, Type C Connection Interface : USB Type C to USB Type A/USB Type C to USB Type C Dimension : 75.9 mm x 53.5 mm x 14.7 mm / Weight : 82.9 g Memory Card Supported : CFexpress Type B	Call	2 - Years

CRUCIAL : SSD



Article	Description/Spec	Capacities	Speed	Interface	Form Factor	SRP (inc.VAT)	Warranty
SSD SATA							
 CCL-CT240BX500SSD1	Crucial BX500 SSD 240GB 3D NAND SATA 2.5	240GB	540/500MB/s	SATA 6.0 Gb/s	2.5-inch (7mm)	1,050.-	3-year limited
 CCL-CT480BX500SSD1	Crucial BX500 SSD 480GB 3D NAND SATA 2.5	480GB	540/500MB/s	SATA 6.0 Gb/s	2.5-inch (7mm)	1,590.-	3-year limited
 CCL-CT1000BX500SSD	Crucial BX500 SSD 1000GB SATA 2.5	1TB	540/500MB/s	SATA 6.0 Gb/s	2.5-inch (7mm)	2,790.-	3-year limited
 CCL-CT250MX500SSD1	Crucial MX500 SSD 250GB SATA 2.5 7mm	250GB	560/510MB/s	SATA 6.0 Gb/s	2.5-inch (7mm)	1,090.-	5-year limited
 CCL-CT500MX500SSD1	Crucial MX500 SSD 500GB SATA 2.5 7mm	500GB	560/510MB/s	SATA 6.0 Gb/s	2.5-inch (7mm)	1,890.-	5-year limited
 CCL-CT1000MX500SSD	Crucial MX500 SSD 1TB SATA 2.5 7mm	1TB	560/510MB/s	SATA 6.0 Gb/s	2.5-inch (7mm)	2,990.-	5-year limited
SSD M.2 PCIE							
 CCL-CT250P2SSD8	Crucial P2 250GB 3D NAND NVMe PCIe M.2 SSD	250GB	2100/1150MB/s	NVMeTM PCIe Gen 3M.2 2280		1,290.-	5-year limited
 CCL-CT500P2SSD8	Crucial P2 500GB 3D NAND NVMe PCIe M.2 SSD	500GB	2300/940MB/s	NVMeTM PCIe Gen 3M.2 2280		1,890.-	5-year limited
 CCL-CT500P5PSSD8	Crucial P5 Plus SSD 500GB NVMe PCIe M.2	500GB	6600/4000MB/s	NVMeTM PCIe Gen4M.2 2280		2,990.-	5-year limited
 CCL-CT1000P5PSSD8	Crucial P5 Plus SSD 1000GB NVMe PCIe M.2	1TB	6600/5000MB/s	NVMeTM PCIe Gen4M.2 2280		5,490.-	5-year limited
 CCL-CT2000P5PSSD8	Crucial P5 Plus SSD 2000GB NVMe PCIe M.2	2TB	6600/5000MB/s	NVMeTM PCIe Gen4M.2 2280		10,900.-	5-year limited

LEXAR : SSD&Memory

Lexar™

Part	Description	SRP (inc.VAT)	Warranty
Lexar SSD			
	2.5" SATA III (6Gb/s) SSD - NQ100 up to 560MB/s, write up to 500MB/s		
	LXR-LNQ100X240G 240GB 2.5" SATA III, NQ100	Call	3 years
	LXR-LNQ100X480G 480GB 2.5" SATA III, NQ100	Call	3 years
	LXR-LNQ100X960G 960GB 2.5" SATA III, NQ100	Call	3 years
	- Read speed : up to 550 MB/s. - Shock and vibration resistant : ทนต่อการกระแทกและแรงสั่นสะเทือน		- อิมเมจคอนเวอร์เตอร์เพื่อการเริ่มต้น และการถ่ายโอนข้อมูล ที่รวดเร็วขึ้น
	Internal SSD - NM800		
	LXR-LNM800X512G 512GB PCIe G4x4 M.2 2280 upto 7,000MB/s	Call	5 years
	LXR-LNM800X001T 1TB PCIe G4x4 M.2 2280 upto 7,400MB/s	Call	5 years
	- PCIe Gen4x4 NVMe 1.4 technology standard รองรับการทำงานร่วมกับ PCIe 3.0 - Read & Write Speed * 512MB : Read 7000 MB/s, Write : 3000 MB/s * 1TB : Read : 7400 MB/s, Write : 5800 MB/s - พลังงานการบริโภค 12nm โฉมผลงานใหม่เพื่อการใช้งานที่ยาวนานขึ้นและประสิทธิภาพการอ่านที่ดียิ่งขึ้น - กรอบความถี่ 12nm ช่วยให้อุปกรณ์ computer ไม่เกิดความร้อนสะสม		- ออกแบบมาเพื่อรองรับการเล่นเกม และการใช้งาน Graphic โดยเฉพาะ
	Internal SSD - NM620, PCIe G3x4 M.2 2280		
	LXR-LNM620X256G 256GB, PCIe G3x4 M.2 2280 upto 3,300MB/s	Call	5 years
	LXR-LNM620X512G 512GB, PCIe G3x4 M.2 2280 upto 3,300MB/s	Call	5 years
	LXR-LNM620X001T 1TB, PCIe G3x4 M.2 2280 upto 3,300MB/s	Call	5 years
	LXR-LNM620X002T 2TB, PCIe G3x4 M.2 2280 upto 3,300MB/s	Call	5 years
	- Read & Write Speed * 256GB : Read 3300 MB/s, Write : 1300 MB/s * 1TB : Read 3300 MB/s, Write : 3000 MB/s - M.2 2280 form factor, High-speed PCIe Gen3x4 interface - เหมาะสำหรับการใช้งานร่วมกับพีซีและแล็ปท็อป		* 512GB : Read 3300 MB/s, Write : 2400 MB/s * 2TB : Read 3300 MB/s, Write : 3000 MB/s - Flash type : 3D NAND flash
	Internal SSD - NM610, PCIe G3x4 M.2 2280		
	LXR-LNM610-250RB 250GB, PCIe G3x4 M.2 2280, NM610	Call	3 years
	LXR-LNM610-500RB 500GB, PCIe G3x4 M.2 2280, NM610	Call	3 years
	LXR-LNM610-1TRB 1TB, PCIe G3x4 M.2 2280, NM610	Call	3 years
	- Read & Write Speed * 250GB : Read 2100 MB/s, Write : 1200 MB/s * 1TB : Read 2100 MB/s, Write : 1600 MB/s - Flash type : 3D NAND flash - เหมาะสำหรับการใช้งานร่วมกับพีซี		* 500GB : Read 2100 MB/s, Write : 1600 MB/s - M.2 2280 form factor, High-speed PCIe Gen3x4 interface
	Internal SSD - NM100, M.2 2280, SATA 6Gb/s		
	LXR-LNM100-128RB 128GB, M.2 2280, SATA 6Gb/s, NM100	Call	3 years
	LXR-LNM100-256RB 256GB, M.2 2280, SATA 6Gb/s, NM100	Call	3 years
	LXR-LNM100-512RB 512GB, M.2 2280, SATA 6Gb/s, NM100	Call	3 years
	- M.2 2280 SATA 6Gb/s SSD		- Read speed : Up to 550 MB/s
External SSD			
	Portable SSD SL200 USB 3.1 Gen2 Type-C - up to 550MB/s read, up to 400MB/s write		
	LXR-LSL200X480G 480GB, Portable SSD USB 3.1 Gen2 Type-C	Call	3 years
	LXR-LSL200X512G 512GB, Portable SSD USB 3.1 Gen2 Type-C	Call	3 years
	LXR-LSL200X960G 960GB, Portable SSD USB 3.1 Gen2 Type-C	Call	3 years
	LXR-LSL200X001T 1TB, Portable SSD USB 3.1 Gen2 Type-C	Call	3 years
	LXR-LSL200X002T 2TB, Portable SSD USB 3.1 Gen2 Type-C	Call	3 years
	- Read & Write Speed * 480GB : Read 500 MB/s, Write 420 MB/s * 512GB : Read 500 MB/s, Write 420 MB/s * 960GB : Read 550 MB/s, Write 400 MB/s * 1TB : Read 550 MB/s, Write 400 MB/s * 2TB : Read 550 MB/s, Write 400 MB/s		- เชื่อมต่อผ่าน port USB Type-C มาพร้อมสาย 2 เส้น * USB Type-C to USB Type-C * USB Type-C to USB Type-A - ออกแบบดีไซน์พรีเมียม ขนาดเล็ก เหมาะกับการพกพา พร้อมไฟ LED แสดงสถานะการทำงาน - ทนต่อการกระแทก, อุณหภูมิ และการสั่นสะเทือน - ใช้ชิ้นส่วนรักษาความปลอดภัยขั้นสูงด้วยการเข้ารหัส AES 256 บิต
	Portable SSD SL210 USB 3.1 Gen2 Type-C - up to 550MB/s read, up to 450MB/s write		
	LXR-LSL210X500G 500GB, Portable SSD USB 3.1 Gen2 Type-C	Call	3 years
	LXR-LSL210X001T 1TB, Portable SSD USB 3.1 Gen2 Type-C	Call	3 years
	LXR-LSL210X002T 2TB, Portable SSD USB 3.1 Gen2 Type-C	Call	3 years
	- สี่เหลี่ยมผืนผ้า ดีไซน์ทันสมัย พลังงานสูง ประสิทธิภาพดีเยี่ยม - Read & Write Speed : Up to 550MB/s Read and up to 450 MB/s write - เชื่อมต่อผ่าน port USB Type-C มาพร้อมสาย 2 เส้น * USB Type-C to USB Type-A - ใช้ชิ้นส่วนรักษาความปลอดภัยขั้นสูงด้วยการเข้ารหัส AES 256 บิต		- ทนต่อการกระแทกและอุณหภูมิสูง เหมาะกับการพกพาไปทุกที่
Memory Card			
	Professional 1066x CF, RW up to 160/155 MB/s		
	LXR-LCF32GCRB1066 Professional 1066x CF Card, 32GB	Call	Limited Life Time
	LXR-LCF64GCRB1066 Professional 1066x CF Card, 64GB	Call	Limited Life Time
	LXR-LCF128CRB1066 Professional 1066x CF Card, 128GB	Call	Limited Life Time
	LXR-LCF256CRBAP106 Professional 1066x CF Card, 256GB	Call	Limited Life Time
	Speed : UDMA7 - Read up to : 160MB/s, Write up to : 155MB/s - รองรับข้อกำหนดการรับประกันประสิทธิภาพวิดีโอ (VPG-65) - การลดความเร็วสูง ช่วยให้การถ่ายโอนข้อมูลไปยังคอมพิวเตอร์ทำได้รวดเร็ว		- ถ่ายภาพคุณภาพสูง 1080p Full-HD และวิดีโอ 4K ได้อย่างรวดเร็ว - UDMA 7 เทคโนโลยีที่ให้ความเร็วในการโอนถ่ายข้อมูลสูงสุดถึง 160MB/s
	Professional 3500x CFast, RW up to 525/445 MB/s		
	LXR-LC64GCRBAP3500 Professional 3500x CFast Card, 64GB	Call	Limited Life Time
	LXR-LC128CRBAP3500 Professional 3500x CFast Card, 128GB	Call	Limited Life Time
	LXR-LC256CRBAP3500 Professional 3500x CFast Card, 256GB	Call	Limited Life Time
	LXR-LC512CRBAP3500 Professional 3500x CFast Card, 512GB	Call	Limited Life Time
	Speed : UDMA7 - 64GB : Read up to 525MB/s, Write up to 375MB/s - มีความเร็ว ตั้งแต่ 64GB - 256GB - รองรับข้อกำหนดการรับประกันประสิทธิภาพวิดีโอ (VPG-130) - ได้รับการทดสอบและได้รับการรับรองสำหรับการใช้งานวิดีโอระดับมืออาชีพ		- 128GB - 256GB : Read up to 525MB/s, Write up to 445MB/s - เหมาะกับกล้องวิดีโอคุณภาพสูงระดับมืออาชีพ - ผ่านการทดสอบการเขียนซ้ำที่ 130MB/s เมื่อใช้กับอุปกรณ์รองรับ
	Professional CFexpress™ Type B card Gold Series		
	LXR-LCFX10-64GCRB Professional CFexpress™ Type B, 64GB	Call	Limited Life Time
	LXR-LCFX10-128CRB Professional CFexpress™ Type B, 128GB	Call	Limited Life Time
	LXR-LCFX10-256CRB Professional CFexpress™ Type B, 256GB	Call	Limited Life Time
	LXR-LCFX10-512CRB Professional CFexpress™ Type B, 512GB	Call	Limited Life Time
	Speed : CFexpress™ Type B - Read up to : 1750MB/s, Write up to : 1000MB/s - Interface : PCIe Gen3x2 - รองรับโปรโตคอล PCI Express Gen 3 และ NVMe - มีความทนทานที่ทนต่อการกระแทกและการสั่นสะเทือน		- Form Factor : CFexpress™ Type B - รองรับการทำงานคุณภาพสูงและวิดีโอ RAW 4K/8K - เพื่อความทนทานและประสิทธิภาพการถ่ายโอนข้อมูล XQD & รุ่นอื่นที่ใกล้เคียง * เข้ากันได้กับกล้อง CFexpress™ ที่เปิดใช้งานแฟลชแล้ว
	Lexar® Professional CFexpress™ Type B card Silver Series		
	LXR-LCXEXSL128G Profes CFexpress™ Type B Silver, 128GB	Call	Limited Life Time
	LXR-LCXEXSL256G Profes CFexpress™ Type B Silver, 256GB	Call	Limited Life Time
	Speed : CFexpress™ Type B - Read up to : 1000MB/s, Write up to : 600MB/s - Interface : PCIe Gen3x2 - เพื่อความทนทานและประสิทธิภาพการถ่ายโอนข้อมูล XQD & รุ่นอื่นที่ใกล้เคียง * เข้ากันได้กับกล้อง CFexpress™ ที่เปิดใช้งานแฟลชแล้ว		- Form Factor : CFexpress™ Type B - สำหรับใช้งานภาพและวิดีโอที่ต้องการการถ่ายโอนข้อมูลความเร็วสูงและวิดีโอ 4K ที่ไร้รอยต่อ - มีความทนทานที่ทนต่อการกระแทกและการสั่นสะเทือน

LEXAR : SSD&Memory

Lexar™

Part	Description	SRP (inc.VAT)	Warranty
Lexar SD Card			
	Professional 633x U1 SDHC/SDXC, R up to 95 MB/s		
	LXR-LSD32GCB633	Profes. 633x U1 SDHC/SDXC, 32GB	Call
	LXR-LSD64GCB633	Profes. 633x U1 SDHC/SDXC, 64GB	Call
	LXR-LSD128CB633	Profes. 633x U1 SDHC/SDXC, 128GB	Call
	LXR-LSD256CB633	Profes. 633x U1 SDHC/SDXC, 256GB	Call
	LXR-LSD512CBAP633	Profes. 633x U1 SDHC/SDXC, 512GB	Call
	LXR-LSD1TCB633	Profes. 633x U1 SDHC/SDXC, 1TB	Call
Speed :Class 10, UHS-I, V10/V30 - 1TB – up to 95MB/s read, up to 70MB/s write - 512GB – up to 95MB/s read, up to 45MB/s write - 256GB – up to 95MB/s read, up to 45MB/s write - 128GB – up to 95MB/s read, up to 45MB/s write - 64GB – up to 95MB/s read - 32GB – up to 95MB/s read Support : 1080p Full-HD, 3D, and 4K* UHD video - ออกแบบมาเพื่อใช้งานกับกล้อง: กล้อง mid-range DSLR, HD camcorder, 3D camera			
	Professional 1066x SDXC UHS-I, U3, V30, RW up to 160/120 MB/s NEW!		
	LXR-LSD1066064G	Profes. 1066x SDXC UHS-I U3 V30, 64GB	Call
	LXR-LSD1066128G	Profes. 1066x SDXC UHS-I U3 V30, 128GB	Call
	LXR-LSD1066256G	Profes. 1066x SDXC UHS-I U3 V30, 256GB	Call
	LXR-LSD1066512G	Profes. 1066x SDXC UHS-I U3 V30, 512GB	Call
Speed : UHS Speed Class 3 (U3) and Video Speed Class 30 (V30) - 512GB – up to 160MB/s read, up to 120MB/s write - 256GB – up to 160MB/s read, up to 120MB/s write - 128GB – up to 160MB/s read, up to 120MB/s write - 64GB – up to 160MB/s read, up to 70MB/s write - ออกแบบมาให้ง่ายกับการถ่ายวิดีโอ การสั่นสะเทือน และป้องกันรังสีอัลตราไวโอเลต - รองรับ Full-HD และ 4K UHD video with write speeds up to 120MB/s. - ออกแบบมาเพื่อใช้งานกับกล้อง DSLR or Mirrorless			
	Professional 1667x SDXC UHS-II, U3, V30, RW up to 250/80 MB/s		
	LXR-LSD64GCB1667	Profes. 1667x SDXC UHS-II U3 V30, 64GB	Call
	LXR-LSD128CB1667	Profes. 1667x SDXC UHS-II U3 V30, 128GB	Call
	LXR-LSD256CB1667	Profes. 1667x SDXC UHS-II U3 V30, 256GB	Call
Speed : UHS-II Speed Class 3 (U3), Class V60 - 256GB – up to 250MB/s read, up to 120MB/s write - 128GB – up to 250MB/s read, up to 120MB/s write - 64GB – up to 250MB/s read, up to 120MB/s write - การดัดแปลงสภาพสูง เหมาะกับการใช้ถ่ายภาพยนตร์ 1080p Full-HD, 3D และ 4K - ความจุสูงถึง 256GB ช่วยให้ง่ายต่อการถ่ายวิดีโอแบบต่อเนื่องโดยไม่ต้องเปลี่ยนการ์ด - สามารถใช้กับอุปกรณ์ที่รองรับ UHS-II โดยจะให้ความเร็วสูงสุดตามที่อุปกรณ์รองรับ			
	Professional 2000x SDHC/SDXC UHS-II WITHOUT reader, RW up to 300/260 MB/s		
	LXR-LSD2000032G	Profes. 2000x SDHC/SDXC UHS-II U3, 32GB	Call
	LXR-LSD2000064G	Profes. 2000x SDHC/SDXC UHS-II U3, 64GB	Call
	LXR-LSD2000128G	Profes. 2000x SDHC/SDXC UHS-II U3, 128GB	Call
Speed : UHS-II Speed Class 3 (U3), Class V90 up to 300 MB/s read, up to 260 MB/s write - เหมาะกับการถ่ายภาพคุณภาพสูงและถ่ายวิดีโอ 4K Full-HD และ 8K - จัดการกับไฟล์ขนาดใหญ่ได้อย่างมีประสิทธิภาพ RAW plus JPEG ได้อย่างง่ายดาย - ออกแบบมาให้ง่ายกับการถ่ายวิดีโอ การสั่นสะเทือน และป้องกันรังสีอัลตราไวโอเลต - สามารถใช้กับอุปกรณ์ที่รองรับ UHS-II โดยจะให้ความเร็วสูงสุดตามที่อุปกรณ์รองรับ			
Lexar Micro SD Card			
	633x microSDHC/microSDXC UHS-I w/ adapter, R up to 100MB/s		
	LXR-LSDMI32GBB633A	633x microSDHC/XC UHS-I w/Adapter, 32GB	Call
	633x microSDHC/microSDXC UHS-I w/ adapter, RW up to 100/45 MB/s		
	LXR-LSDMI64GBB633A	633x microSDHC/XC UHS-I w/Adapter, 64GB	Call
	LXR-LSDMI128BB633A	633x microSDHC/XC UHS-I w/Adapter, 128GB	Call
	LXR-LSDMI256BB633A	633x microSDHC/XC UHS-I w/Adapter, 256GB	Call
	LXR-LSDMI512BB633A	633x microSDHC/XC UHS-I w/Adapter, 512GB	Call
Speed : UHS-I, Class 10, A2 512GB – up to 100MB/s read, up to 70MB/s write 128GB – 256GB – up to 100MB/s read, up to 45MB/s write 32GB – 64GB – up to 100MB/s read - ออกแบบมาเพื่อใช้งานร่วมกับ Smartphones, Tablets, และ Action Cameras - ถ่ายภาพ เล่นและถ่ายวิดีโอ 1080p full-HD, 3D และ 4K UHD คุณภาพสูงได้อย่างรวดเร็ว - ความจุสูงถึง 512GB ช่วยให้ถ่ายวิดีโอได้ต่อเนื่องโดยไม่ต้องเปลี่ยนการ์ด - มี SD Adapter มาให้ใน package			
	PLAY microSDXC UHS-I WITHOUT adapter, Read up to 150 MB/s NEW!		
	LXR-LMSPLAY128G	PLAY microSDXC UHS-I w/o Adapter, 128GB	Call
	LXR-LMSPLAY256G	PLAY microSDXC UHS-I w/o Adapter, 256GB	Call
	LXR-LMSPLAY512G	PLAY microSDXC UHS-I w/o Adapter, 512GB	Call
	LXR-LMSPLAY001T	PLAY microSDXC UHS-I w/o Adapter, 1TB	Call
Speed : UHS-I, Class 10, A2 - 1TB – up to 150MB/s read - 512GB – up to 150MB/s read - 256GB – up to 150MB/s read - 128GB – up to 150MB/s read - เหมาะสำหรับการใช้งานกับอุปกรณ์เล่นเกมแบบพกพา สามารถเล่นเกมได้ทันที - ความเร็วในการถ่ายโอนข้อมูลถึง 150MB/s พร้อมประสิทธิภาพระดับ A1 หรือ A2 - ถ่ายภาพ เล่นและถ่ายวิดีโอ 1080p Full-HD คุณภาพสูงจำนวนมากได้อย่างรวดเร็ว			