

## CyberPower : BU Series

CyberPower®



| Part Number             | CBP-BU600E          | CBP-BU800E          | CBP-BU1000EA        | CBP-BU800E-CCTV     | CBP-BU800ELCD       | BU1000ELCD          |
|-------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| Topology                | Line Interactive    | Line Interactive    | Line Interactive    | Line Interactive    | Line Interactive    | Line Interactive    |
| Capacity                | 600VA/360W          | 800VA/480W          | 1000VA/630W         | 800VA/480W          | 800VA/480W          | 1000VA/630W         |
| Input plug type         | NEMA                | NEMA                | NEMA                | NEMA                | NEMA                | NEMA                |
| Output Sockets (number) | AS(3)               | AS(3)               | AS(4)               | Universal (3)       | AS(3)               | AS(4)               |
|                         | Overload protection | Overload protection | Overload protection | Overload protection | Overload protection | Overload protection |
|                         | EMI/RFI filtration  | EMI/RFI filtration  | EMI/RFI filtration  | EMI/RFI filtration  | EMI/RFI filtration  | EMI/RFI filtration  |
| Warranty                | 2 yrs includ batt   | 2 yrs includ batt   | 2 yrs includ batt   | 2 yrs includ batt   | 2 yrs includ batt   | 2 yrs includ batt   |
| Software                | NO                  | No                  | No                  | No                  | No                  | No                  |
| Energy saving           |                     |                     |                     | YES                 | Yes                 | Yes                 |
| After sales service     | onsite swap-user    | onsite swap-user    | onsite swap-user    | onsite swap-user    | onsite swap-user    | onsite swap-user    |
| SRP (inc. VAT)          | 1,541               | 1,798               | 2,953               | 1,926               | 2,183               | 3,403               |

## CyberPower : UT Series



| Part Number             | CBP-UT650EG         | CBP-UT800EG         | CBP-UT1100EG        | UT1500EG             | UT2200E              |
|-------------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| Topology                | Line Interactive    | Line Interactive    | Line Interactive    | Line Interactive     | Line Interactive     |
| Capacity                | 600VA/360W          | 800VA/480W          | 1100VA/630W         | 1500VA/900W          | 2200VA/1320W         |
| Input plug type         | NEMA                | NEMA                | NEMA                | NEMA                 | NEMA                 |
| Output Sockets (number) | Universal (3)       | AS (8)              | Universal (4)       | AS(4)                | AS(4)                |
|                         | Overload protection | Overload protection | Overload protection | Surge protection     | Surge protection     |
|                         | EMI/RFI filtration  | EMI/RFI filtration  | EMI/RFI filtration  | RJ11/RJ45            | RJ11/RJ45            |
| Warranty                | 2 yrs includ batt   | 2 yrs includ batt   | 2 yrs includ batt   | 2 yrs includ batt    | 2 yrs includ batt    |
| Software                | No                  | No                  | No                  | PowerPanel® Personal | PowerPanel® Personal |
| Energy saving           | YES                 | YES                 | YES                 |                      |                      |
| After sales service     | onsite swap-user    | onsite swap-user    | onsite swap-user    | onsite swap-user     | onsite swap-user     |
| SRP (inc. VAT)          | 1,412               | 1,733               | 2,761               | 3,980                | 4,494                |

## CyberPower : VALUE-PRO Series



| Part Number             | CBP-VP700ELCD     | CBP-VP1000ELCD    | CBP-VP1600ELCD    |
|-------------------------|-------------------|-------------------|-------------------|
| Topology                | Line Interactive  | Line Interactive  | Line Interactive  |
| Capacity                | 700VA/390W        | 1000VA/550W       | 1600VA/960W       |
| Input plug type         | IEC C14           | IEC C14           | IEC C14           |
| Output Sockets (number) | AS (3)            | AS (3)            | AS (5)            |
|                         | Surge protection  | Surge protection  | Surge protection  |
|                         | RJ11/RJ45         | RJ11/RJ45         | RJ11/RJ45         |
| Warranty                | 2 yrs includ batt | 2 yrs includ batt | 2 yrs includ batt |
| Software                | PowerPanel        | PowerPanel        | PowerPanel        |
| Energy saving           | YES               | YES               | YES               |
| After sales service     | onsite swap-user  | onsite swap-user  | onsite swap-user  |
| SRP (inc. VAT)          | 2,790             | 3,500             | 7,200             |

**CyberPower : On-Line UPS****CyberPower®**

มาพร้อม Battery !!!!!

**New**

| Part Number             | CBP-OLS1000EA            | CBP-OLS1000EC-AS         | CBP-OLS2000EC-AS         | CBP-OLS2000EA                  |
|-------------------------|--------------------------|--------------------------|--------------------------|--------------------------------|
| Topology                | Online Double Conversion | Online Double Conversion | Online Double Conversion | Online Double Conversion       |
| Capacity                | 1000VA/900W              | 1000VA/800W              | 2000VA/1600W             | 2000VA/1800W                   |
| Input plug type         | IEC-C14                  | IEC-C14                  | IEC-C14                  | IEC-C14                        |
| Output Sockets (number) | AS (2), IEC C13 (1)      | AS (2), IEC C13 (1)      | AS (2), IEC C13 (2)      | AS (2), IEC C13 (2)            |
| - Surge protection      | Surge protection         | Surge protection         | Surge protection         | Yes                            |
| Warranty                | 2 yrs includ batt        | 2 yrs includ batt        | 2 yrs includ batt        | 2 years                        |
| Software                | PowerPanel               | PowerPanel               | PowerPanel               | Yes [USB/RS232/SNMP(optional)] |
| After sales service     | Onsite service           | Onsite service           | Onsite service           | Onsite service                 |
| <b>SRP (inc. VAT)</b>   | <b>12,198</b>            | <b>8,346</b>             | <b>10,946</b>            | <b>19,260</b>                  |



| Part Number             | CBP-OLS3000EC-AS         | CBP-OLS3000EA                  | CBP-OLS6000E             | CBP-OLS10000E            |
|-------------------------|--------------------------|--------------------------------|--------------------------|--------------------------|
| Topology                | Online Double Conversion | Online Double Conversion       | Online Double Conversion | Online Double Conversion |
| Capacity                | 3000VA/2400W             | 3000VA/2700W                   | 6000VA/5400W             | 10000VA/9000W            |
| Input plug type         | IEC-C20                  | IEC-C20                        | Terminal Block           | Terminal Block           |
| Output Sockets (number) | AS(4),IEC C13 (2), TB    | AS(4),IEC C13 (2),TB           | Terminal Block           | Terminal Block           |
| - Surge protection      | Surge protection         | Yes                            | Surge protection         | Surge protection         |
| Warranty                | 2 yrs includ batt        | 2 years                        | 2 yrs                    | 2 yrs                    |
| Software                | PowerPanel               | Yes [USB/RS232/SNMP(optional)] | PowerPanel               | PowerPanel               |
| After sales service     | Onsite service           | Onsite service                 | Onsite service           | Onsite service           |
| <b>SRP (inc. VAT)</b>   | <b>21,828</b>            | <b>26,964</b>                  | <b>89,880</b>            | <b>109,140</b>           |

**CyberPower : On-Line UPS**

(\*ราคา SRP เป็นราคารวมภาษีมูลค่าเพิ่มแล้ว)

**CyberPower®**

ไม่มาพร้อม Battery !!!!!



| Part Number             | CBP-OLS6000EXL           | CBP-OLS10000EXL          |
|-------------------------|--------------------------|--------------------------|
| Topology                | Online Double Conversion | Online Double Conversion |
| Capacity                | 6000VA/5400W             | 10000VA/9000W            |
| Input plug type         | Terminal Block           | Terminal Block           |
| Output Sockets (number) | Terminal Block           | Terminal Block           |
| - Surge protection      | Surge protection         | Surge protection         |
| Warranty                | 2 yrs                    | 2 yrs                    |
| Software                | PowerPanel               | PowerPanel               |
| After sales service     | Onsite service           | Onsite service           |
| <b>SRP (inc. VAT)</b>   | <b>93,200</b>            | <b>114,800</b>           |

**CyberPower : Battery Pack For Tower Model****CyberPower®**

| Part Number       | Description                 | Rack/Tower | SRP (Inc.VAT) | Warranty         |
|-------------------|-----------------------------|------------|---------------|------------------|
| CBP-BPSE36V45A    | Battery Pack for 1/1.5KVA   | Tower      | 14,100        | 2-ysr on battery |
| CBP-BPSE72V45A    | Battery Pack for 2/3KVA     | Tower      | 23,500        | 2-ysr on battery |
| CBP-BPSE240V47A   | Battery Pack for 6KVA, 7Ah  | Tower      | 67,500        | 2-ysr on battery |
| CBP-BPSE240V47AOA | Battery Pack for 10KVA, 9Ah | Tower      | 77,700        | 2-ysr on battery |
| CBP-BPSE24V40A    | Battery Pack for OLS1000EA  | Tower      | 12,200        | 2-ysr on battery |
| CBP-BPSE48V40A    | Battery Pack for OLS2000EA  | Tower      | 16,900        | 2-ysr on battery |
| CBP-BPSE72V40A    | Battery Pack for OLS3000EA  | Tower      | 21,500        | 2-ysr on battery |

\*\*\* หมายถึง เชื้อเพลิงการติดตั้งเครื่องสำรองไฟ ขนาด 6KVA ขึ้นไป \*\*\*

**CyberPower : Remote Management Card****CyberPower®**

| Part Number   | Description      | Rack/Tower | SRP (Inc.VAT) | Warranty     |
|---------------|------------------|------------|---------------|--------------|
| CBP-RMCARD205 | SNM Network Card | Card       | 6,800         | 2-ysr onsite |

**CyberPower : Online UPS Rack Series**

(\*ราคา SRP เป็นราคารวมภาษีมูลค่าเพิ่มแล้ว)

**CyberPower®**

มาพร้อม Battery !!!!!



| Part Number             | CBP- OLS1000ERT2UA             | CBP-OLS2000ERT2UA              | OLS3000ERT2UA                  |
|-------------------------|--------------------------------|--------------------------------|--------------------------------|
| Topology                | Online Double Conversion       | Online Double Conversion       | Online Double Conversion       |
| Capacity                | 1000VA/900W                    | 2000VA/1800W                   | 3000VA/2700W                   |
| Input plug type         | IEC-C14 with NEMA male type    | IEC-C14 with NEMA male type    | IEC-C20 with NEMA male type    |
| Output Sockets (number) | IEC 13 (6)                     | IEC 13 (8)                     | IEC 19 (1), IEC 13 (8)         |
| - Surge protection      | Yes                            | Yes                            | Yes                            |
| -                       |                                |                                |                                |
| Warranty                | 2 years                        | 2 years                        | 2 years                        |
| Software                | Yes [USB/RS232/SNMP(optional)] | Yes [USB/RS232/SNMP(optional)] | Yes [USB/RS232/SNMP(optional)] |
| After sales service     | Onsite service                 | Onsite service                 | Onsite service                 |
| SRP (inc. VAT)          | 16,692                         | 24,396                         | 28,248                         |



| Part Number             | CBP-OLS6000ERT6U         | CBP-OLS10000ERT6UA       |
|-------------------------|--------------------------|--------------------------|
| Topology                | Online Double Conversion | Online Double Conversion |
| Capacity                | 6000VA/5400W             | 10000VA/9000W            |
| Input plug type         | Terminal Block           | Terminal Block           |
| Output Sockets (number) | Terminal Block           | Terminal Block           |
| - Surge protection      | Surge protection         | Surge protection         |
| -                       |                          |                          |
| Warranty                | 2 yrs                    | 2 yrs                    |
| Software                | PowerPanel® Personal     | PowerPanel               |
| After sales service     | Onsite service           | Onsite service           |
| SRP (inc. VAT)          | 85,000                   | 117,200                  |

**CyberPower : Online UPS Rack Series****CyberPower®**

ไม่มาพร้อม Battery !!!!!



| Part Number             | CBP-OLS6000ERTXL3U       | CBP-OLS10000ERTXL3U      |
|-------------------------|--------------------------|--------------------------|
| Topology                | Online Double Conversion | Online Double Conversion |
| Capacity                | 6000VA/5400W             | 10000VA/9000W            |
| Input plug type         | Terminal Block           | Terminal Block           |
| Output Sockets (number) | Terminal Block           | Terminal Block           |
| - Surge protection      | Surge protection         | Surge protection         |
| -                       |                          |                          |
| Warranty                | 2 yrs                    | 2 yrs                    |
| Software                | PowerPanel               | PowerPanel               |
| After sales service     | Onsite service           | Onsite service           |
| SRP (inc. VAT)          | 76,300                   | 104,700                  |

**CyberPower : EPS****CyberPower®**

| Part Number             | CBP-CPS600E-AS              | CBP-CPS1000E-AS             |
|-------------------------|-----------------------------|-----------------------------|
| SIS P/N                 |                             |                             |
| Topology                | Line Interactive            | Line Interactive            |
| Capacity                | 600VA/420W                  | 1000VA/700W                 |
| Input plug type         | IEC-C14 with NEMA male type | IEC-C14 with NEMA male type |
| Output Sockets (number) | AS (1)                      | AS (2)                      |
| - Surge protection      | Yes                         | Yes                         |
| Unit Warranty           | 2years                      | 2years                      |
| Software                | NO                          | NO                          |
| After sales service     | Onsite                      | Onsite                      |
| SRP (inc. VAT)          | 7,700                       | 11,400                      |



| Part Number             | CBP-CPS3500PRO-UK                  | CBP-CPS5000PRO         | CBP-CPS7500PIE         |
|-------------------------|------------------------------------|------------------------|------------------------|
| SIS P/N                 |                                    |                        | Line Interactive       |
| Topology                | Line Interactive                   | Line Interactive       | 7500VA/5250W           |
| Capacity                | 3500VA/2450W                       | 5000VA/3500W           | Terminal Block         |
| Input plug type         | Hardwire terminal                  | Terminal Block         |                        |
| Output Sockets (number) | Hardwire terminal (1)              | UK (2), Terminal Block | UK (2), Terminal Block |
| - Surge protection      | Yes                                | Surge protection       | Surge protection       |
| Unit Warranty           | 2 years                            | 2 yrs                  | 2 yrs                  |
| Software                | Only CPS1500PRO with optional SNMP | Yes with optional SNMP | Yes with optional SNMP |
| After sales service     | Onsite                             | Onsite service         | Onsite service         |
| SRP (inc. VAT)          | 36,800                             | 53,500                 | 76,200                 |

## CyberPower : Battery Pack For EPS

CyberPower®

| Part No.                                                                                        | Description                    | Qty | Rack / Tower | SRP (Inc.VAT) | Warranty      |
|-------------------------------------------------------------------------------------------------|--------------------------------|-----|--------------|---------------|---------------|
| <b>Battery For CBP-CPS600E-AS</b>                                                               |                                |     |              |               |               |
| GPW-GTAD12-40                                                                                   | Battery for EPS GTAD 12V/40AH  | 1   | Tower        | CALL          | 2 Year Onsite |
| GPW-GTAD12-55                                                                                   | Battery for EPS GTAD 12V/55AH  | 1   | Tower        | CALL          | 2 Year Onsite |
| GPW-GTAD12-100                                                                                  | Battery for EPS GTAD 12V/100AH | 1   | Tower        | CALL          | 2 Year Onsite |
| <b>Battery For CBP-CPS1000E-AS</b>                                                              |                                |     |              |               |               |
| GPW-GTAD12-40                                                                                   | Battery for EPS GTAD 12V/40AH  | 1   | Tower        | CALL          | 2 Year Onsite |
| GPW-GTAD12-55                                                                                   | Battery for EPS GTAD 12V/55AH  | 1   | Tower        | CALL          | 2 Year Onsite |
| GPW-GTAD12-100                                                                                  | Battery for EPS GTAD 12V/100AH | 1   | Tower        | CALL          | 2 Year Onsite |
| GPW-GTAD12-200                                                                                  | Battery for EPS GTAD 12V/200AH | 1   | Tower        | CALL          | 2 Year Onsite |
| <b>Battery For CBP-CPS1500PIE-UK / CBP-CPS3500PRO-U / CBP-CPS5000PRO-UK / CBP-CPS7500PRO-UK</b> |                                |     |              |               |               |
| GPW-GTAD12-100                                                                                  | Battery for EPS GTAD 12V/100AH | 1   | Tower        | 8,985         | 2 Year Onsite |
| GPW-GTAD12-200                                                                                  | Battery for EPS GTAD 12V/200AH | 1   | Tower        | 18,150        | 2 Year Onsite |

## CyberPower : Online UPS : 3 phase in / 1 phase out : PF : 0.8

CyberPower®

| Model                                | Description                                               | Qty | SRP (Inc.VAT) | Stock / By order | Warranty       |
|--------------------------------------|-----------------------------------------------------------|-----|---------------|------------------|----------------|
| <b>KIT-CBP-OLS3S10KEC</b>            |                                                           |     |               |                  |                |
| CBP-OLS3S10KEC                       | 10KVA/8KW 3in/1out with BATTERY                           | 1   | 126,000       | Stock            | 2 Years Onsite |
| CBP-BPSE192V60A                      | Battery Pack 9AH*16pcs                                    | 2   | 59,000        | Stock            | 2 Years Onsite |
| <b>Total/Set</b>                     |                                                           |     |               |                  |                |
| <b>3/1 UPS</b>                       |                                                           |     |               |                  |                |
| CBP-OLS3S15KE                        | 15KVA w/ 40pcs*9AH BAT                                    | 1   | 243,000       | By order         | 2 Years Onsite |
| CBP-OLS3S20KE                        | 20KVA w/ 40pcs*9AH BAT                                    | 1   | 259,000       | By order         | 2 Years Onsite |
| CBP-OLS3S15KEXL                      | 20KVA w/o BAT                                             | 1   | 172,000       | By order         | 2 Years Onsite |
| CBP-OLS3S20KEXL                      | 20KVA w/o BAT                                             | 1   | 180,000       | By order         | 2 Years Onsite |
| CBP-BPSE240V82A                      | Battery Pack 9AH*20pcs*2Sets                              | 1   | 114,000       | By order         | 2 Years Onsite |
| <b>Modular (20kVA)</b>               |                                                           |     |               |                  |                |
| CBP-SM20KPM                          | 20KVA Power Modular                                       | 1   | 168,000       | By order         | 2 Years Onsite |
| CBP-SM060KMF                         | 60KVA Enclosure                                           | 1   | 240,000       | By order         | 2 Years Onsite |
| CBP-SM120KMF                         | 120KVA Enclosure                                          | 1   | 335,000       | By order         | 2 Years Onsite |
| CBP-SM200KMF                         | 200KVA Enclosure                                          | 1   | 440,000       | By order         | 2 Years Onsite |
| <b>Moular (30kVA)</b>                |                                                           |     |               |                  |                |
| CBP-SM30KPMX                         | 30KVA Power Modular                                       | 1   | 203,000       | By order         | 2 Years Onsite |
| CBP-SM180KMF                         | 180KVA Enclosure                                          | 1   | 386,000       | By order         | 2 Years Onsite |
| CBP-SM300KMF                         | 300KVA Enclosure                                          | 1   | 567,000       | By order         | 2 Years Onsite |
| CBP-SM600KMF                         | 600KVA Enclosure                                          | 1   | 1,479,000     | By order         | 2 Years Onsite |
| <b>HSTP (KE)Standalone</b>           |                                                           |     |               |                  |                |
| CBP-HSTP3T10KE                       | 10KVA/9KW 400/230VAC 3PHASE w/o BAT                       | 1   | 140,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T15KE                       | 15KVA/13.5KW 400/230VAC 3PHASE w/o BAT                    | 1   | 156,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T20KE                       | 20KVA/18KW 400/230VAC 3PHASE w/o BAT                      | 1   | 201,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T30KE                       | 30KVA/27KW 400/230VAC 3PHASE w/o BAT                      | 1   | 252,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T40KE                       | 40KVA/36KW 400/230VAC 3PHASE w/o BAT                      | 1   | 317,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T60KE                       | 60KVA/54KW 400/230VAC 3PHASE w/o BAT                      | 1   | 467,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T80KE                       | 80KVA/72KW 400/230VAC 3PHASE                              | 1   | 681,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T90KE                       | 90KVA/81KW 400/230VAC 3PHASE w/o BAT                      | 1   | 704,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T100KE                      | 100KVA/90KW 400/230VAC 3PHASE                             | 1   | 822,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T120KE                      | 120KVA/108KW 400/230VAC 3PHASE w/o BAT                    | 1   | 854,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T150KE                      | 150KVA 135KW 400/230VAC 3PHASE w/o BAT                    | 1   | 895,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T200KE                      | 200KVA 180KW 400/230VAC 3PHASE w/o BAT                    | 1   | 1,096,000     | By order         | 2 Years Onsite |
| CBP-HSTP3T250KE                      | 250KVA 225KW 400/230VAC 3PHASE w/o BAT                    | 1   | 1,497,000     | By order         | 2 Years Onsite |
| CBP-HSTP3T300KE                      | 300KVA 270KW 400/230VAC 3PHASE w/o BAT                    | 1   | 1,661,000     | By order         | 2 Years Onsite |
| CBP-HSTP3T400KE                      | 400KVA 360KW 400/230VAC 3PHASE w/o BAT                    | 1   | 2,617,000     | By order         | 2 Years Onsite |
| CBP-HSTP3T500KE                      | 500KVA 450KW 400/230VAC 3PHASE w/o BAT                    | 1   | 2,981,000     | By order         | 2 Years Onsite |
| <b>HSTP (KEBC/KEBCWOB)Standalone</b> |                                                           |     |               |                  |                |
| CBP-HSTP3T10KEBC                     | 10KVA/9KW with 9AH x 40pcs BAT                            | 1   | 220,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T10KEBCWOB                  | 10KVA/9KW Bat space& cable w/o BAT                        | 1   | 167,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T15KEBC                     | 15KVA/13.5KW with 9AH x 40pcs BAT                         | 1   | 243,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T15KEBCWOB                  | 15KVA/13.5KW Bat space& cable w/o BAT                     | 1   | 184,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T20KEBC                     | 20KVA/18KW with 12AH x 40pcs BAT                          | 1   | 317,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T20KEBCWOB                  | 20KVA/18KW Bat space& cable w/o BAT                       | 1   | 234,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T30KEBC                     | 30KVA/27KW with 12AH x 40pcs BAT                          | 1   | 381,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T30KEBCWOB                  | 30KVA/27KW Bat space& cable w/o BAT                       | 1   | 295,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T40KEBC                     | 40KVA/36KW with 12AH x 80pcs BAT                          | 1   | 521,000       | By order         | 2 Years Onsite |
| CBP-HSTP3T40KEBCWOB                  | 40KVA/36KW Bat space& cable w/o BAT                       | 1   | 372,000       | By order         | 2 Years Onsite |
| <b>RT33 Rack Tower</b>               |                                                           |     |               |                  |                |
| CBP-T33010KE                         | Rack Tower 10kVA/10kW UPS (MIC)                           | 1   | 180,000       | By order         | 2 Years Onsite |
| CBP-RT33015KE                        | Rack Tower 15kVA/15kW UPS (MIC)                           | 1   | 189,000       | By order         | 2 Years Onsite |
| CBP-RT33020KE                        | Rack Tower 20kVA/20kW UPS (MIC)                           | 1   | 217,000       | By order         | 2 Years Onsite |
| CBP-RT33025KE                        | Rack Tower 25kVA/25kW UPS (MIC)                           | 1   | 226,000       | By order         | 2 Years Onsite |
| CBP-RT33030KE                        | Rack Tower 30kVA/24kW UPS (MIC)                           | 1   | 231,000       | By order         | 2 Years Onsite |
| CBP-MBS63AHVHWW                      | Rack Mount maintenance bypass switch box                  | 1   | 58,000        | By order         | 2 Years Onsite |
| <b>Battery pack &amp; Breaker</b>    |                                                           |     |               |                  |                |
| CBP-SMBF17                           | 480VDC 17AH 12VDC BATTERIES 40PCS                         | 1   | 153,000       | By order         | 2 Years Onsite |
| CBP-SMBF20                           | 480VDC 20AH 12VDC BATTERIES 40PCS                         | 1   | 166,000       | By order         | 2 Years Onsite |
| CBP-SMBF26                           | 480VDC 26AH 12VDC BATTERIES 40PCS                         | 1   | 241,000       | By order         | 2 Years Onsite |
| CBP-SMBF33                           | 480VDC 33AH 12VDC BATTERIES 40PCS                         | 1   | 264,000       | By order         | 2 Years Onsite |
| CBP-SMBF40                           | 480VDC 40AH 12VDC BATTERIES 40PCS                         | 1   | 316,000       | By order         | 2 Years Onsite |
| CBP-SMBF65                           | 480VDC 65AH 12VDC BATTERIES 40PCS                         | 1   | 518,000       | By order         | 2 Years Onsite |
| CBP-SMBF20-17N                       | BAT Cabinet 20AHx40pcs w/o BAT                            | 1   | 48,000        | By order         | 2 Years Onsite |
| CBP-SMBF40-26N                       | BAT Cabinet 40AHx40pcs w/o BAT                            | 1   | 55,000        | By order         | 2 Years Onsite |
| CBP-SMBF65N                          | BAT Cabinet 65AHx40pcs w/o BAT                            | 1   | 67,000        | By order         | 2 Years Onsite |
| CBP-SMBCB125                         | Circuit Breaker 125A for SM060KMF                         | 1   | 6,000         | By order         | 2 Years Onsite |
| CBP-SMBCB250                         | Circuit Breaker 250A for SM120KMF                         | 1   | 13,000        | By order         | 2 Years Onsite |
| CBP-SMBCB400                         | Circuit Breaker 400A for SM200KMF                         | 1   | 27,000        | By order         | 2 Years Onsite |
| CBP-SM125C20-17                      | Cable/Copper Bar for SM125C20_17                          | 1   | 13,000        | By order         | 2 Years Onsite |
| CBP-SM250C40-26                      | Cable/Copper Bar for SM250C40_26                          | 1   | 35,000        | By order         | 2 Years Onsite |
| CBP-SM400C65                         | Cable/Copper Bar for SM400C65                             | 1   | 76,000        | By order         | 2 Years Onsite |
| CBP-BCA12N63                         | DIY battery cabinet w/o battery (Space for 12AH * 40pcs)  | 1   | 15,000        | By order         | 2 Years Onsite |
| CBP-BCA20N125                        | DIY battery cabinet w/o battery (Space for 20AH * 40pcs)  | 1   | 31,000        | By order         | 2 Years Onsite |
| CBP-BCA40N125                        | DIY battery cabinet w/o battery (Space for 40AH * 40pcs)  | 1   | 40,000        | By order         | 2 Years Onsite |
| CBP-BCA100N125                       | DIY battery cabinet w/o battery (Space for 100AH * 40pcs) | 1   | 64,000        | By order         | 2 Years Onsite |
| CBP-BM240V63ART3U                    | BATTERY MODULE BM240V63ART3U                              | 1   | 55,000        | By order         | 2 Years Onsite |
| <b>Accessory</b>                     |                                                           |     |               |                  |                |
| CBP-SM060KDF                         | 60KVA Dust Filter                                         | 1   | 5,000         | By order         | 2 Years Onsite |
| CBP-SM120KDF                         | 120KVA Dust Filter                                        | 1   | 6,000         | By order         | 2 Years Onsite |
| CBP-SM200KDF                         | 200KVA Dust Filter                                        | 1   | 12,000        | By order         | 2 Years Onsite |
| CBP-SMNNPK                           | Parallel kit for SM UPS                                   | 1   | 22,000        | By order         | 2 Years Onsite |
| CBP-PARLCARD301                      | Parallel kit for HSTP3T10/15KE SERIES                     | 1   | 12,000        | By order         | 2 Years Onsite |
| CBP-PARLCARD302                      | Parallel kit for HSTP3T20/30KE SERIES                     | 1   | 12,000        | By order         | 2 Years Onsite |
| CBP-PARLCARD303                      | Parallel kit for HSTP3T40KE SERIES                        | 1   | 12,000        | By order         | 2 Years Onsite |
| CBP-PARLCARD304                      | Parallel kit for OVER HSTP3T60KE AND SMX SERIES           | 1   | 22,000        | By order         | 2 Years Onsite |
| CBP-SMTEMP                           | Temperature sensor                                        | 1   | 1,500.00      | By order         | 2 Years Onsite |

**APC Back UPS : Tower Model**

Exclusive for SiS

|                       |                                                                                   |                                                                                   |                                     |                                              |
|-----------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------|----------------------------------------------|
| Part number           | BK500EI                                                                           | BK650-AS                                                                          | BR500CI-AS                          | BV800I-MS                                    |
| SIS P/N               | APC-BK500EI                                                                       | APC-BK650AS                                                                       | APC-BR500CIAS                       | APC-BV800I-MST                               |
| Topology              | Offline (Standby)                                                                 | Offline (Standby)                                                                 | Line Interactive                    | Line Interactive                             |
| Output power capacity | 500VA / 300W                                                                      | 650V / 400W                                                                       | 500VA / 300W                        | 800VA / 480 watt                             |
| Input Connection      | IEC-320 C14                                                                       | IEC-320 C14                                                                       | IEC-320 C14                         | NEMA 5-15P                                   |
| Output Connection     | (3) IEC-320 C13<br>(Battery Backup)<br>(1) IEC-320 C13<br>(Surge protection only) | (3) IEC-320 C13<br>(Battery Backup)<br>(1) IEC-320 C13<br>(Surge protection only) | (3) IEC-320 C13<br>(Battery Backup) | (4) Universal Receptacle<br>(Battery Backup) |
| Warranty              | 2Y onsite swap                                                                    | 2Y onsite swap                                                                    | 2Y onsite swap                      | 2Y onsite swap                               |
| Software              | PowerChute Personal Edition                                                       | PowerChute Personal Edition                                                       | Not support software                | Not support software                         |
| SRP (inc. VAT)        | 4,420                                                                             | 5,470                                                                             | 3,150                               | 2,430                                        |



Exclusive for SiS



|                       |                                     |                          |                                             |                                             |
|-----------------------|-------------------------------------|--------------------------|---------------------------------------------|---------------------------------------------|
| Part number           | BVX700LUI-MS                        | BX625CI-MS               | BX750MI-MS                                  | BX950MI-MS                                  |
| SIS P/N               | APC-BVX700LUI-MS                    | APC-BX625CI-MS           | APC-BX750MI-MS                              | APC-BX950MI-MS                              |
| Topology              | Line Interactive                    | Line Interactive         | Line Interactive                            | Line Interactive                            |
| Output power capacity | 700VA / 360W                        | 625VA / 325W             | 750VA / 410W                                | 950VA / 520W                                |
| Input Connection      | IEC-320 C14                         | IEC-320 C14              | IEC-320 C14                                 | IEC-320 C14                                 |
| Output Connection     | (2) Universal Receptacle<br>(1) USB | (3) Universal Receptacle | (2) Universal Receptacle<br>(1) IEC-320 C13 | (2) Universal Receptacle<br>(2) IEC-320 C13 |
| Warranty              | 2Y onsite swap                      | 2Y onsite swap           | 2Y onsite swap                              | 2Y onsite swap                              |
| Software              | Not support software                | Not support software     | PowerChute Personal Edition                 | PowerChute Personal Edition                 |
| SRP (inc. VAT)        | 2,200                               | 2,960                    | 4,970                                       | 6,280                                       |



|                       |                                             |                             |                             |                                                                                |
|-----------------------|---------------------------------------------|-----------------------------|-----------------------------|--------------------------------------------------------------------------------|
| Part number           | BX1200MI-MS                                 | BX1600MI-MS                 | BX2200MI-MS                 | BR1300MI                                                                       |
| SIS P/N               | KIT-BX1200MI-3YR                            | KIT-BX1600MI-3YR            | KIT-BX2200MI-3YR            | KIT-BR1300MI                                                                   |
| Topology              | Line Interactive                            | Line Interactive            | Line Interactive            | Line Interactive                                                               |
| Output power capacity | 1200VA / 650W                               | 1600VA / 900W               | 2200VA / 1200W              | 1300VA / 780W                                                                  |
| Input Connection      | IEC-320 C14                                 | IEC-320 C14                 | IEC-320 C14                 | IEC-320 C14                                                                    |
| Output Connection     | (4) Universal Receptacle<br>(1) IEC-320 C13 | (4) Universal Receptacle    | (4) Universal Receptacle    | (6) IEC-320 C13 (Battery Backup)<br>(2) IEC-320 C13<br>(Surge protection only) |
| Warranty              | 2+1Y onsite swap                            | 2+1Y onsite swap            | 2+1Y onsite swap            | 2+1Y onsite swap                                                               |
| Software              | PowerChute Personal Edition                 | PowerChute Personal Edition | PowerChute Personal Edition | PowerChute Personal Edition                                                    |
| SRP (inc. VAT)        | 7,310                                       | 9,270                       | 10,710                      | 14,300                                                                         |



|                       |                                                                                |                                                                                |                                                                                |                                                                                |
|-----------------------|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------|
| Part number           | BR1600MI                                                                       | BR1500GI                                                                       | BR1200SI                                                                       | BR1600SI                                                                       |
| SIS P/N               | KIT-BR1600MI                                                                   | KIT-BR1500GI                                                                   | KIT-BR1200SI                                                                   | KIT-BR1600SI                                                                   |
| Topology              | Line Interactive                                                               | Line Interactive                                                               | Line Interactive/Sine Wave                                                     | Line Interactive/Sine Wave                                                     |
| Output power capacity | 1600VA / 960W                                                                  | 1500VA / 865W                                                                  | 1200VA / 720W                                                                  | 1600VA / 960W                                                                  |
| Input Connection      | IEC-320 C14                                                                    | IEC-320 C14                                                                    | IEC-320 C14                                                                    | IEC-320 C14                                                                    |
| Output Connection     | (6) IEC-320 C13 (Battery Backup)<br>(2) IEC-320 C13<br>(Surge protection only) | (5) IEC-320 C13 (Battery Backup)<br>(5) IEC-320 C13<br>(Surge protection only) | (6) IEC-320 C13 (Battery Backup)<br>(2) IEC-320 C13<br>(Surge protection only) | (6) IEC-320 C13 (Battery Backup)<br>(2) IEC-320 C13<br>(Surge protection only) |
| Warranty              | 2+1Y onsite swap                                                               | 2+1Y onsite swap                                                               | 2+1Y onsite swap                                                               | 2+1Y onsite swap                                                               |
| Software              | PowerChute Personal Edition                                                    | PowerChute Personal Edition                                                    | PowerChute Personal Edition                                                    | PowerChute Personal Edition                                                    |
| SRP (inc. VAT)        | 15,600                                                                         | 17,000                                                                         | 15,000                                                                         | 16,800                                                                         |

**APC Smart UPS : SMV Series**

□ Outlet 110V Universal □ Output 110V Pure Sine Wave



|                       |                             |                             |                             |
|-----------------------|-----------------------------|-----------------------------|-----------------------------|
| Part number           | SMV1000I-MS                 | SMV2000AI-MS                | SMV3000AI-MS                |
| SIS P/N               | APC-SMV1000I-MS             | APC-SMV2000AI-MS            | APC-SMV3000AI-MS            |
| Topology              | Line Interactive            | Line Interactive            | Line Interactive            |
| Output power capacity | 1000VA / 700W               | 2000VA / 1400W              | 3000VA / 2100W              |
| Input voltage         | 165 - 290VAC                | 165 - 295VAC                | 165 - 295VAC                |
| Output voltage        | 220, 230, 240VAC            | 220, 230, 240VAC            | 220, 230, 240VAC            |
| Warranty              | 2Y onsite swap              | 2Y onsite swap              | 2Y onsite swap              |
| Software              | UPSCAPO Monitoring Software | UPSCAPO Monitoring Software | UPSCAPO Monitoring Software |
| SRP (inc. VAT)        | 10,800                      | 19,600                      | 26,700                      |

**APC Smart UPS : SMC with LCD Display**

|                       |                             |                             |                             |
|-----------------------|-----------------------------|-----------------------------|-----------------------------|
| Part number           | SMC1000IC                   | SMC1500IC                   | SMC2000I                    |
| SIS P/N               | KIT-SMC1000IC               | KIT-SMC1500IC               | KIT-SMC2000I                |
| Topology              | Line Interactive            | Line Interactive            | Line Interactive            |
| Output power capacity | 1000VA / 600W               | 1500VA / 900W               | 2000VA / 1300W              |
| Input voltage         | 180 - 287VAC                | 180 - 287VAC                | 180 - 287VAC                |
| Output voltage        | 220, 230, 240VAC            | 220, 230, 240VAC            | 220, 230, 240VAC            |
| Warranty              | 2+1Y onsite 5x8 NBD         | 2+1Y onsite 5x8 NBD         | 2+1Y onsite 5x8 NBD         |
| Software              | PowerChute Business Edition | PowerChute Business Edition | PowerChute Business Edition |
| SRP (inc. VAT)        | 22,200                      | 25,600                      | 34,000                      |



|                       |                             |                             |                             |
|-----------------------|-----------------------------|-----------------------------|-----------------------------|
| Part number           | SMC3000I                    | SMC1000I-2UC                | SMC1500I-2UC                |
| SIS P/N               | KIT-SMC3000I                | KIT-SMC1000I-2UC            | KIT-SMC1500I-2UC            |
| Topology              | Line Interactive            | Line Interactive            | Line Interactive            |
| Output power capacity | 3000VA / 2100W              | 1000VA / 600W               | 1500VA / 900W               |
| Input voltage         | 180 - 287VAC                | 180 - 287VAC                | 180 - 287VAC                |
| Output voltage        | 220, 230, 240VAC            | 220, 230, 240VAC            | 220, 230, 240VAC            |
| Warranty              | 2+1Y onsite 5x8 NBD         | 2+1Y onsite 5x8 NBD         | 2+1Y onsite 5x8 NBD         |
| Software              | PowerChute Business Edition | PowerChute Business Edition | PowerChute Business Edition |
| SRP (inc. VAT)        | 44,800                      | 21,000                      | 27,500                      |

**APC Smart UPS : SMT Rack Model**

|                       |                             |                             |
|-----------------------|-----------------------------|-----------------------------|
| Part number           | SMC2000I-2U                 | SMC3000RMI2U                |
| SIS P/N               | KIT-SMC2000I-2U             | KIT-SMC3000I2U              |
| Topology              | Line Interactive            | Line Interactive            |
| Output power capacity | 2000VA / 1300W              | 3000VA / 2100W              |
| Input voltage         | 180 - 287VAC                | 180 - 287VAC                |
| Output voltage        | 220, 230, 240VAC            | 220, 230, 240VAC            |
| Warranty              | 2+1Y onsite 5x8 NBD         | 2+1Y onsite 5x8 NBD         |
| Software              | PowerChute Business Edition | PowerChute Business Edition |
| SRP (inc. VAT)        | 36,400                      | 54,300                      |

**APC Smart UPS : SMT Smart Connect Tower Model**

|                       |                                     |                                     |                                     |
|-----------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| Part number           | SMT750I                             | SMT1000I                            | SMT1500I                            |
| SIS P/N               | KIT-SMT750I                         | KIT-SMT1000I                        | KIT-SMT1500I                        |
| Topology              | Line Interactive                    | Line Interactive                    | Line Interactive                    |
| Output power capacity | 750VA / 500W                        | 1000VA / 700W                       | 1500VA / 1000W                      |
| Input voltage         | 160 - 286VAC                        | 160 - 286VAC                        | 160 - 286VAC                        |
| Output voltage        | 220, 230, 240VAC                    | 220, 230, 240VAC                    | 220, 230, 240VAC                    |
| Warranty              | 2+1Y onsite 5x8 NBD                 | 2+1Y onsite 5x8 NBD                 | 2+1Y onsite 5x8 NBD                 |
| Option                | AP9640<br>(Network Management Card) | AP9640<br>(Network Management Card) | AP9640<br>(Network Management Card) |
| SRP (inc. VAT)        | 17,300                              | 28,000                              | 33,600                              |



|                       |                                  |                                  |
|-----------------------|----------------------------------|----------------------------------|
| Part number           | SMT2200I                         | SMT3000I                         |
| SIS P/N               | KIT-SMT2200I                     | KIT-SMT3000I                     |
| Topology              | Line Interactive                 | Line Interactive                 |
| Output power capacity | 2200VA / 1980W                   | 3000VA / 2700W                   |
| Input voltage         | 160 - 286VAC                     | 160 - 286VAC                     |
| Output voltage        | 220, 230, 240VAC                 | 220, 230, 240VAC                 |
| Warranty              | 2+1Y onsite 5x8 NBD              | 2+1Y onsite 5x8 NBD              |
| Option                | AP9640 (Network Management Card) | AP9640 (Network Management Card) |
| SRP (inc. VAT)        | 52,700                           | 70,000                           |

**APC Smart UPS : SMT Smart Connect Rack Model**

|                       |                                     |                                     |                                     |
|-----------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| Part number           | SMT750RMI2U                         | SMT1000RMI2U                        | SMT1500RMI2U                        |
| SIS P/N               | KIT-SMT750RMI2U                     | KIT-SMT1000RMI2U                    | KIT-SMT1500RMI2U                    |
| Topology              | Line Interactive                    | Line Interactive                    | Line Interactive                    |
| Output power capacity | 750VA / 500W                        | 1000VA / 700W                       | 1500VA / 1000W                      |
| Input voltage         | 160 - 286VAC                        | 160 - 286VAC                        | 160 - 286VAC                        |
| Output voltage        | 220, 230, 240VAC                    | 220, 230, 240VAC                    | 220, 230, 240VAC                    |
| Warranty              | 2+1Y onsite 5x8 NBD                 | 2+1Y onsite 5x8 NBD                 | 2+1Y onsite 5x8 NBD                 |
| Option                | AP9640<br>(Network Management Card) | AP9640<br>(Network Management Card) | AP9640<br>(Network Management Card) |
| SRP (inc. VAT)        | 24,300                              | 32,700                              | 46,400                              |

**APC Smart UPS : SMT Smart Connect Tower Model**

|                       |                                  |                                  |
|-----------------------|----------------------------------|----------------------------------|
| Part number           | SMT2200RMI2U                     | SMT3000RMI2U                     |
| SIS P/N               | KIT-SMT2200RMI2U                 | KIT-SMT3000RMI2U                 |
| Topology              | Line Interactive                 | Line Interactive                 |
| Output power capacity | 2200VA / 1980W                   | 3000VA / 2700W                   |
| Input voltage         | 160 - 286VAC                     | 160 - 286VAC                     |
| Output voltage        | 220, 230, 240VAC                 | 220, 230, 240VAC                 |
| Warranty              | 2+1Y onsite 5x8 NBD              | 2+1Y onsite 5x8 NBD              |
| Option                | AP9640 (Network Management Card) | AP9640 (Network Management Card) |
| SRP (inc. VAT)        | 62,500                           | 78,000                           |

**APC Smart UPS : SMX Series**

|                       |                     |                     |                     |
|-----------------------|---------------------|---------------------|---------------------|
| Part number           | SMX750I             | SMX1000I            | SMX1500RMI2U        |
| SIS P/N               | KIT-SMX750I         | KIT-SMX1000I        | KIT-SMX1500RMI2U    |
| Topology              | Line Interactive    | Line Interactive    | Line Interactive    |
| Output power capacity | 750VA / 600W        | 1000VA / 800W       | 1500VA / 1200W      |
| Input voltage         | 160 - 286VAC        | 160 - 286VAC        | 160 - 286VAC        |
| Output voltage        | 220, 230, 240VAC    | 220, 230, 240VAC    | 220, 230, 240VAC    |
| Warranty              | 2+1Y onsite 5x8 NBD | 2+1Y onsite 5x8 NBD | 2+1Y onsite 5x8 NBD |
| Option                | AP9640, SMX48RMBP2U | AP9640, SMX48RMBP2U | AP9640, SMX48RMBP2U |
| SRP (inc. VAT)        | 30,000              | 35,800              | 51,400              |



|                       |                      |                     |                     |
|-----------------------|----------------------|---------------------|---------------------|
| Part number           | SMX2200RMHV2U        | SMX3000HV           | SMX3000HVNC         |
| SIS P/N               | KIT-SMX2200RMHV2U    | KIT-SMX3000HV       | KIT-SMX3000HVNC     |
| Topology              | Line Interactive     | Line Interactive    | Line Interactive    |
| Output power capacity | 2200VA / 1980W       | 3000VA / 2700W      | 3000VA / 2700W      |
| Input voltage         | 140 - 280VAC         | 140 - 280VAC        | 140 - 280VAC        |
| Output voltage        | 220, 230, 240VAC     | 220, 230, 240VAC    | 220, 230, 240VAC    |
| Warranty              | 2+1Y onsite 5x8 NBD  | 2+1Y onsite 5x8 NBD | 2+1Y onsite 5x8 NBD |
| Option                | AP9640, SMX120RMBP2U | AP9640, SMX120BP    | SMX120BP            |
| SRP (inc. VAT)        | 72,700               | 91,700              | 115,400             |

## APC Smart UPS On-Line



|                       |                          |                          |                          |
|-----------------------|--------------------------|--------------------------|--------------------------|
| Part number           | SRT1500XLI               | SRT2200XLI               | SRT3000XLI               |
| Topology              | Double Conversion Online | Double Conversion Online | Double Conversion Online |
| Output power capacity | 1500VA / 1500W           | 2200VA / 1980W           | 3000VA / 2700W           |
| Input voltage         | 100 - 275VAC             | 160 - 275VAC             | 160 - 275VAC             |
| Output voltage        | 220, 230, 240VAC         | 220, 230, 240VAC         | 220, 230, 240VAC         |
| Warranty              | 2+1Y onsite 5x8 NBD      | 2+1Y onsite 5x8 NBD      | 2+1Y onsite 5x8 NBD      |
| Option                | SRT48BP                  | SRTRK4, SRT72BP          | SRTRK4, SRT96BP          |
| SRP (inc. VAT)        | 55,000                   | 62,500                   | 81,700                   |



|                       |                                 |                                 |                                    |
|-----------------------|---------------------------------|---------------------------------|------------------------------------|
| Part number           | SRT5KXLI                        | SRT6KXLI                        | SRT8KXLI                           |
| Topology              | Double Conversion Online        | Double Conversion Online        | Double Conversion Online           |
| Output power capacity | 5,000VA / 4,500W                | 6,000VA / 6,000W                | 8,000VA / 8,000W                   |
| Input voltage         | 160 - 275VAC                    | 160 - 275VAC                    | Single phase 230VAC or Three phase |
| Output voltage        | 220, 230, 240VAC                | 220, 230, 240VAC                | 220, 230, 240VAC                   |
| Warranty              | 2Y onsite 5x8 NBD with 2PM/year | 2Y onsite 5x8 NBD with 2PM/year | 2Y onsite 5x8 NBD with 2PM/year    |
| Option                | SRTRK2, SRT192BP                | SRTRK2, SRT192BP                | SRTRK2, SRT192BP2                  |
| SRP (inc. VAT)        | 188,400                         | 206,700                         | 256,000                            |



|                       |                                    |                                    |                                    |
|-----------------------|------------------------------------|------------------------------------|------------------------------------|
| Part number           | SRT10KXLI                          | SURT15KRMXLI                       | SURT20KRMXLI                       |
| Topology              | Double Conversion Online           | Double Conversion Online           | Double Conversion Online           |
| Output power capacity | 10,000VA / 10,000 W                | 15,000VA / 12,000W                 | 20,000VA / 16,000W                 |
| Input voltage         | Single phase 230VAC or Three phase | Single phase 230VAC or Three phase | Single phase 230VAC or Three phase |
| Output voltage        | 220, 230, 240VAC                   | Single phase 230VAC or Three phase | Single phase 230VAC or Three phase |
| Warranty              | 2Y onsite 5x8 NBD with 2PM/year    | 2Y onsite 5x8 NBD with 2PM/year    | 2Y onsite 5x8 NBD with 2PM/year    |
| Option                | SRTRK2, SRT192BP2                  | SURT192RMXLBP2                     | SURT192RMXLBP2                     |
| SRP (inc. VAT)        | 290,400                            | Call                               | Call                               |

## APC Smart UPS On-Line



New



New



|                       |                                 |                                 |
|-----------------------|---------------------------------|---------------------------------|
| Part number           | SRTG5KXLI                       | SRTG6KXLI                       |
| Topology              | Double Conversion Online        | Double Conversion Online        |
| Output power capacity | 5,000VA / 5,000W                | 6,000VA / 6,000W                |
| Input voltage         | Single phase 230VAC             | Single phase 230VAC             |
| Output voltage        | Single phase 230VAC             | Single phase 230VAC             |
| Warranty              | 2Y onsite 5x8 NBD with 2PM/year | 2Y onsite 5x8 NBD with 2PM/year |
| Option                | SRTGRK1, SRTG192XLBP4           | SRTGRK1, SRTG192XLBP4           |
| SRP (inc. VAT)        | 168,700                         | 185,500                         |

New



New



|                       |                                 |                                 |
|-----------------------|---------------------------------|---------------------------------|
| Part number           | SRTG8KXLI                       | SRTG10KXLI                      |
| Topology              | Double Conversion Online        | Double Conversion Online        |
| Output power capacity | 8,000VA / 8,000W                | 10,000VA / 10,000 W             |
| Input voltage         | Single phase 230VAC             | Single phase 230VAC             |
| Output voltage        | Single phase 230VAC             | Single phase 230VAC             |
| Warranty              | 2Y onsite 5x8 NBD with 2PM/year | 2Y onsite 5x8 NBD with 2PM/year |
| Option                | SRTGRK1, SRTG192XLBP4           | SRTGRK1, SRTG192XLBP4           |
| SRP (inc. VAT)        | 207,100                         | 240,700                         |

New



New



|                       |                                    |                                    |
|-----------------------|------------------------------------|------------------------------------|
| Part number           | SRTG15KXLI                         | SURT20KRMXLI                       |
| Topology              | Double Conversion Online           | Double Conversion Online           |
| Output power capacity | 15,000VA / 15,000W                 | 20,000VA / 16,000W                 |
| Input voltage         | Single phase 230VAC or Three phase | Single phase 230VAC or Three phase |
| Output voltage        | Single phase 230VAC or Three phase | Single phase 230VAC or Three phase |
| Warranty              | 2Y onsite 5x8 NBD with 2PM/year    | 2Y onsite 5x8 NBD with 2PM/year    |
| Option                | SRTGRK1,SRTGRK2,SRTG192XLBP2       | SRTGRK1,SRTGRK2,SRTG192XLBP2       |
| SRP (inc. VAT)        | 377,800                            | 477,700                            |

## Line Interactive UPS : PSA itON Series



|                     |                                                                                            |                                                                                            |                                                                                            |
|---------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| Part number         | PSA650-SOHO                                                                                | PSA850-SOHO                                                                                | PSA1000-SOHO                                                                               |
| SIS P/N             | VTV-PSA650-SOHO                                                                            | VTV-PSA850-SOHO                                                                            | VTV-PSA1000-SOHO                                                                           |
| Topology            | Line Interactive                                                                           | Line Interactive                                                                           | Line Interactive                                                                           |
| Capacity (VA/W)     | 650VA/390W                                                                                 | 850VA/510W                                                                                 | 1000VA/600W                                                                                |
| Input Voltage range | 162 – 290VAC, Single phase                                                                 | 162 – 290VAC, Single phase                                                                 | 162 – 290VAC, Single phase                                                                 |
| Output Voltage      | 230VAC ±10%                                                                                | 230VAC ±10%                                                                                | 230VAC ±10%                                                                                |
| Battery Internal    | Yes, 12V/7Ah x 1                                                                           | Yes, 12V/9Ah x 1                                                                           | Yes, 12V/9Ah x 1                                                                           |
| Output Port         | 3×Universal, 1xUSB Charger                                                                 | 3×Universal, 1xUSB Charger                                                                 | 6×Universal                                                                                |
| Certificate         | ISO9001 & 14001, (TISI) 1291                                                               | ISO9001 & 14001, (TISI) 1291                                                               | ISO9001 & 14001, (TISI) 1291                                                               |
| Runtime             | 15m at load 25%                                                                            | 16m at load 25%                                                                            | 18m at load 25%                                                                            |
| Cable Bundle        | Input NEMA/C13 x1                                                                          | Input NEMA/C13 x1                                                                          | Input NEMA/C13 x1                                                                          |
| Warranty            | 3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass |

|                |       |       |       |
|----------------|-------|-------|-------|
| SRP (inc. VAT) | 1,798 | 2,040 | 3,306 |
|----------------|-------|-------|-------|

## Double Conversion Online UPS : Liebert GXE Product



|                     |                                                                                   |                                                                                   |                                                                                   |                                                                                   |
|---------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| Part number         | GXE3-1000IMT                                                                      | GXE3-1500IMT                                                                      | GXE3-2000IMT                                                                      | GXE3-3000IMT                                                                      |
| SIS P/N             | VTV-01203742                                                                      | VTV-01203743                                                                      | VTV-01203744                                                                      | VTV-01203745                                                                      |
| Topology            | Double Conversion Online( Tower )                                                 | Double Conversion Online( Tower )                                                 | Double Conversion Online ( Tower )                                                | Double Conversion Online( Tower )                                                 |
| Capacity (VA/W)     | 1000VA/900W                                                                       | 1500VA/1350W                                                                      | 2000VA/1800W                                                                      | 3000VA/2700W                                                                      |
| Input Voltage range | 180-290 VAC                                                                       | 180-290 VAC                                                                       | 180-290 VAC                                                                       | 180-290 VAC                                                                       |
| Output Voltage      | 220/230 Default/240VAC                                                            | 220/230 Default/240VAC                                                            | 220/230 Default/240VAC                                                            | 220/230 Default/240VAC                                                            |
| Battery Internal    | Yes, 12 V / 9 AH x2                                                               | Yes, 12 V / 9 AH x3                                                               | Yes, 12 V / 9 AH x4                                                               | Yes, 12 V / 9 AH x6                                                               |
| Output Port         | 8 x C13                                                                           | 8 x C13                                                                           | 8 x C13                                                                           | 8 x C13                                                                           |
| Certificate         | ISO9001 & 14001, TISI, IEC/EN62040-1                                              | ISO9001 & 14001, TISI, IEC/EN62040-1                                              | ISO9001 & 14001, TISI, IEC/EN62040-1                                              | ISO9001 & 14001, TISI, IEC/EN62040-1                                              |
| Runtime             | 9m at load 50%                                                                    | 9m at load 50%                                                                    | 9m at load 50%                                                                    | 9.5m at load 50%                                                                  |
| Cable Bundle        | Input power cord x1, Output C13/C14x1                                             | Input power cord x1, Output C13/C14x1                                             | Input power cord x1, Output C13/C14x2                                             | Input power cord x1, Output C13/C14x2                                             |
| Warranty            | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass |

|                |        |        |        |        |
|----------------|--------|--------|--------|--------|
| SRP (inc. VAT) | 12,600 | 19,355 | 23,100 | 30,790 |
|----------------|--------|--------|--------|--------|



|                     |                                                                                   |                                                                                   |                                                                                   |                                                                                   |
|---------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| Part number         | GXE3-1000IRT2UXL                                                                  | GXE3-1500IRT2UXL                                                                  | GXE3-2000IRT2UXL                                                                  | GXE3-3000IRT2UXL                                                                  |
| SIS P/N             | VTV-01203734                                                                      | VTV-01203735                                                                      | VTV-01203736                                                                      | VTV-01203737                                                                      |
| Topology            | DCO(Rack /Tower)                                                                  | DCO(Rack /Tower)                                                                  | DCO(Rack /Tower)                                                                  | DCO (Rack /Tower)                                                                 |
| Capacity (VA/W)     | 1000VA/900W                                                                       | 1500VA/1350W                                                                      | 2000VA/1800W                                                                      | 3000VA/2700W                                                                      |
| Input Voltage range | 180-290 VAC                                                                       | 180-290 VAC                                                                       | 180-290 VAC                                                                       | 180-290 VAC                                                                       |
| Output Voltage      | 220/230 Default/240VAC                                                            | 220/230 Default/240VAC                                                            | 220/230 Default/240VAC                                                            | 220/230 Default/240VAC                                                            |
| Battery Internal    | Yes, 12 V / 9 AH x2                                                               | Yes, 12 V / 9 AH x3                                                               | Yes, 12 V / 9 AH x4                                                               | Yes, 12 V / 9 AH x6                                                               |
| Output Port         | 8 x C13                                                                           | 8 x C13                                                                           | 8 x C13                                                                           | 8 x C13                                                                           |
| Certificate         | ISO9001 & 14001, TISI, IEC/EN 62040-1                                             | ISO9001 & 14001, TISI, IEC/EN 62040-1                                             | ISO9001 & 14001, TISI, IEC/EN 62040-1                                             | ISO9001 & 14001, TISI, IEC/EN 62040-1                                             |
| Runtime             | 9m at load 50%                                                                    | 9m at load 50%                                                                    | 9m at load 50%                                                                    | 9.5m at load 50%                                                                  |
| Cable Bundle        | Input power cord x1, Output C13/C14x1                                             | Input power cord x1, Output C13/C14x1                                             | Input power cord x1, Output C13/C14x2                                             | Input power cord x1, Output C13/C14x2                                             |
| Warranty            | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass |

|                |        |        |        |        |
|----------------|--------|--------|--------|--------|
| SRP (inc. VAT) | 16,194 | 22,024 | 29,149 | 36,922 |
|----------------|--------|--------|--------|--------|

## Double Conversion Online UPS : GXT5 Series



|                     |                                                                                   |                                                                                   |                                                                                   |                                                                                   |
|---------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| Part number         | Liebert GXT5-1000IRT2UXL                                                          | Liebert GXT5-1500IRT2UXL                                                          | Liebert GXT5-2000IRT2UXL                                                          | Liebert GXT5-3000IRT2UXL                                                          |
| SIS P/N             | VTV-01202008                                                                      | VTV-01202009                                                                      | VTV-01202010                                                                      | VTV-01202005                                                                      |
| Topology            | DCO (Rack /Tower)                                                                 | DCO (Rack /Tower)                                                                 | DCO (Rack /Tower)                                                                 | DCO (Rack /Tower)                                                                 |
| Capacity (VA/W)     | 1000VA/1000W                                                                      | 1500VA/1500W                                                                      | 2000VA/2000W                                                                      | 3000VA/3000W                                                                      |
| Input Voltage range | 230 VAC                                                                           | 230 VAC                                                                           | 230 VAC                                                                           | 230 VAC                                                                           |
| Output Voltage      | 200/208/220/230/240 VAC                                                           | 200/208/220/230/240 VAC                                                           | 200/208/220/230/240 VAC                                                           | 200/208/220/230/240 VAC                                                           |
| Battery Internal    | Yes, 3 x 12 V x 9.0 Ah                                                            | Yes, 4 x 12 V x 9.0 Ah                                                            | Yes, 4 x 12 V x 9.0 Ah                                                            | Yes, 6 x 12 V x 9.0 Ah                                                            |
| Output Port         | 8 x EN60320/C13                                                                   | 8 x EN60320/C13                                                                   | 8 x EN60320/C13                                                                   | 6 x EN60320/C13, 1xEN60320/C19                                                    |
| Certificate         | ISO9001 & 14001, TISI CERT13422-301                                               | ISO9001 & 14001, TISI CERT13422-301                                               | ISO9001 & 14001, TISI CERT13422-301                                               | ISO9001 & 14001, TISI CERT13422-301                                               |
| Runtime             | 17.8m at 50%                                                                      | 16.3m at 50%                                                                      | 21.8m at 30%                                                                      | 21.9m at 30%                                                                      |
| Cable Bundle        | No input, Output C13/C14 x2 (2m)                                                  | No input, Output C13/C14x2 (2m)                                                   | No input, Output C13/C14 x2 (2m)                                                  | No input, Output C13/C14 x2 (2m)                                                  |
| Warranty            | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass |

|                |        |        |        |        |
|----------------|--------|--------|--------|--------|
| SRP (inc. VAT) | 37,054 | 45,689 | 62,606 | 79,180 |
|----------------|--------|--------|--------|--------|

## Double Conversion Online UPS : GXT5 Series



|                            |                                                                                                  |                                                                                                  |                                                                                                  |
|----------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| <b>Part number</b>         | <b>Liebert GXT5-5000IRT5UXLN</b>                                                                 | <b>Liebert GXT5-6000IRT5UXLN</b>                                                                 | <b>GXT5-10KIRT5UXLN</b>                                                                          |
| <b>SIS P/N</b>             | VTU-01201973                                                                                     | VTU-01201976                                                                                     | VTU-01201982                                                                                     |
| <b>Topology</b>            | DCO (Rack /Tower)                                                                                | DCO (Rack /Tower)                                                                                | DCO (Rack /Tower)                                                                                |
| <b>Capacity (VA/W)</b>     | 5000VA/5000W                                                                                     | 6000VA/6000W                                                                                     | 10000VA/10000W                                                                                   |
| <b>Input Voltage range</b> | 176-288 VAC                                                                                      | 176-288 VAC                                                                                      | 176-288 VAC                                                                                      |
| <b>Output Voltage</b>      | 200/208/220/230/240 VAC                                                                          | 200/208/220/230/240 VAC                                                                          | 200/208/220/230/240 VAC                                                                          |
| <b>Battery Internal</b>    | Yes, 2 x 8 x 12V x 9.0 AH                                                                        | Yes, 2 x 8 x 12V x 9.0 AH                                                                        | Yes, 2 x 8 x 12V x 9.0 AH                                                                        |
| <b>Output Port</b>         | 6 x C13, 2 x C19                                                                                 | 6 x C13, 2 x C19                                                                                 | 4 x C13, 4 x C19                                                                                 |
| <b>Certificate</b>         | ISO9001&14001,TISI CERT13422-301                                                                 | ISO9001&14001,TISI CERT13422-301                                                                 | ISO9001&14001,TISI CERT13422-301                                                                 |
| <b>Runtime</b>             | 18.5m at 50%                                                                                     | 19.5m at 40%                                                                                     | 25m at 20%                                                                                       |
| <b>Cable Bundle</b>        | No                                                                                               | No                                                                                               | No                                                                                               |
| <b>Warranty</b>            | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La,Narathiwas,Free Startup BKK | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La,Narathiwas,Free Startup BKK | 3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La,Narathiwas,Free Startup BKK |

|                       |                |                |                |
|-----------------------|----------------|----------------|----------------|
| <b>SRP (inc. VAT)</b> | <b>133,996</b> | <b>150,057</b> | <b>196,548</b> |
|-----------------------|----------------|----------------|----------------|

## 5A UPS Line interactive for workstations, desktop PC's (Tower)



|                         |                       |                       |                       |                       |                       |
|-------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| <b>Part number</b>      | <b>P-5A700I-NEMA</b>  | <b>P-5A900I-NEMA</b>  | <b>P-5A1200I-NEMA</b> | <b>P-5A1500I-NEMA</b> | <b>P-5A2200I-NEMA</b> |
| <b>SIS P/N</b>          | ETN-5A700I            | ETN-5A900I            | ETN-5A1200I           | ETN-5A1500I           | ETN-5A2200I           |
| <b>Topology</b>         | Line Interactive      | Line Interactive      | Line Interactive      | Line Interactive      | Line Interactive      |
| <b>Capacity (VA/W)</b>  | 700 / 360             | 900 / 480             | 1200 / 660            | 1600 / 900            | 2200 / 1200           |
| <b>Input Voltage</b>    | 1PH 230V              | 1PH 230V              | 1PH 230V              | 1PH 230V              | 1PH 230V              |
| <b>Output Voltage</b>   | 1PH 230V              | 1PH 230V              | 1PH 230V              | 1PH 230V              | 1PH 230V              |
| <b>Battery Internal</b> | N/A                   | N/A                   | N/A                   | N/A                   | N/A                   |
| <b>Application</b>      | Computer & Peripheral | Computer & Peripheral | Computer & Peripheral | Computer & Peripheral | Computer & Peripheral |
| <b>Inlet</b>            | Fixed Input Cord      | Fixed Input Cord      | Fixed Input Cord      | Fixed Input Cord      | Fixed Input Cord      |
| <b>Outlets</b>          | (4)Universal          | (4)Universal          | (6)Universal          | (6)Universal          | (6)Universal          |
| <b>Software</b>         | -                     | -                     | -                     | -                     | -                     |
| <b>Warranty</b>         | 2Yrs Onsite           | 2Yrs Onsite           | 2Yrs Onsite           | 2Yrs Onsite           | 2Yrs Onsite           |

|                       |              |              |              |              |              |
|-----------------------|--------------|--------------|--------------|--------------|--------------|
| <b>SRP (inc. VAT)</b> | <b>1,268</b> | <b>1,624</b> | <b>2,375</b> | <b>4,369</b> | <b>5,660</b> |
|-----------------------|--------------|--------------|--------------|--------------|--------------|

## 9A UPS Online double-conversion for Server/Networking Solution (PF 0.8)



|                         |                          |                          |                          |
|-------------------------|--------------------------|--------------------------|--------------------------|
| <b>Part number</b>      | <b>9103-53974</b>        | <b>9103-73A00</b>        | <b>9103-83A46</b>        |
| <b>SIS P/N</b>          | ETN-9A1000I              | ETN-9A2000I              | ETN-9A3000I              |
| <b>Topology</b>         | Double-conversion online | Double-conversion online | Double-conversion online |
| <b>Capacity (VA/W)</b>  | 1000 / 900               | 2000 / 1800              | 3000 / 2700              |
| <b>Input Voltage</b>    | 1PH 230V                 | 1PH 230V                 | 1PH 230V                 |
| <b>Output Voltage</b>   | 1PH 230V                 | 1PH 230V                 | 1PH 230V                 |
| <b>Battery Internal</b> | ETN-9AEBM24              | ETN-9AEBM48              | ETN-9AEBM72              |
| <b>Application</b>      | Network and Server       | Network and Server       | Network and Server       |
| <b>Inlet</b>            | (1)IEC C14               | (1)IEC C14               | (1)IEC C20               |
| <b>Outlets</b>          | (4)IEC C13               | (4)IEC C13               | (6)IEC C13 ,(1)IEC C19   |
| <b>Software</b>         | WinPower                 | WinPower                 | WinPower                 |
| <b>Warranty</b>         | 3Y onsite                | 3Y onsite                | 3Y onsite                |

|                       |              |               |               |
|-----------------------|--------------|---------------|---------------|
| <b>SRP (inc. VAT)</b> | <b>9,500</b> | <b>17,100</b> | <b>20,800</b> |
|-----------------------|--------------|---------------|---------------|



|                         |                          |                          |                          |
|-------------------------|--------------------------|--------------------------|--------------------------|
| <b>Part number</b>      | <b>9103-53973</b>        | <b>9103-53973</b>        | <b>9103-83A45</b>        |
| <b>SIS P/N</b>          | ETN-9A1000IR             | ETN-9A2000IR             | ETN-9A3000IR             |
| <b>Topology</b>         | Double-conversion online | Double-conversion online | Double-conversion online |
| <b>Capacity (VA/W)</b>  | 1000 / 900               | 2000 / 1800              | 3000 / 2700              |
| <b>Input Voltage</b>    | 1PH 230V                 | 1PH 230V                 | 1PH 230V                 |
| <b>Output Voltage</b>   | 1PH 230V                 | 1PH 230V                 | 1PH 230V                 |
| <b>Battery Internal</b> | ETN-9AEBM242U            | ETN-9AEBM482U            | ETN-9AEBM722U            |
| <b>Application</b>      | Network and Server       | Network and Server       | Network and Server       |
| <b>Inlet</b>            | (1)IEC C14               | (1)IEC C14               | (1)IEC C20               |
| <b>Outlets</b>          | (4)IEC C13               | (4)IEC C13               | (6)IEC C13 ,(1)IEC C19   |
| <b>Software</b>         | WinPower                 | WinPower                 | WinPower                 |
| <b>Warranty</b>         | 3Y onsite                | 3Y onsite                | 3Y onsite                |

|                       |               |               |               |
|-----------------------|---------------|---------------|---------------|
| <b>SRP (inc. VAT)</b> | <b>12,200</b> | <b>21,600</b> | <b>25,100</b> |
|-----------------------|---------------|---------------|---------------|

## Global Power : Battery



## Series

ประเภทของแบตเตอรี่  
อุปกรณ์ที่แนะนำให้ใช้  
ลักษณะการใช้งาน  
รอบการใช้งาน

## 6V, 12V AGM Series

แบตเตอรี่แห้ง  
เครื่องสำรองไฟ, ระบบไฟฉุกเฉิน  
Standby use  
ประมาณ 300-500 รอบ

| SiS SKU               | Description | SRP<br>(Inc.VAT) | SRP<br>(Exc.VAT) | Warranty    | Dimensions<br>(mm) (LxWxH) | Weight<br>(KG) |
|-----------------------|-------------|------------------|------------------|-------------|----------------------------|----------------|
| <b>6V AGM Series</b>  |             |                  |                  |             |                            |                |
| GPW-GTAG-6-4-5        | 6V4.5AH     | 280              | 262              | 1Y carry in | 70x47x106                  | 0.7            |
| GPW-GTAG-6-12         | 6V12AH      | 580              | 542              | 1Y carry in | 151x50x100                 | 1.6            |
| <b>12V AGM Series</b> |             |                  |                  |             |                            |                |
| GPW-GTAG12-1-3        | 12V1.3AH    | 270              | 252              | 1Y carry in | 97x45x57                   | 0.57           |
| GPW-GTAG12-5-5        | 12V5.5AH    | 560              | 523              | 1Y carry in | 90x70x105                  | 1.6            |
| GPW-GTAG12-7-2        | 12V7.2AH    | 590              | 551              | 1Y carry in | 151x64.5x99                | 2.1            |
| GPW-GTAG12-7-5        | 12V7.5AH    | 740              | 692              | 1Y carry in | 151x65x98                  | 2.35           |
| GPW-GTAG12-9          | 12V9AH      | 840              | 785              | 1Y carry in | 151x64.5x99                | 2.45           |
| GPW-GTAG12-12         | 12V12AH     | 1,140            | 1,065            | 1Y carry in | 152x99x99.5                | 3.3            |
| GPW-GTAG12-18         | 12V18AH     | 1,470            | 1,374            | 1Y carry in | 181x77x167                 | 5.15           |
| GPW-GTAG12-26         | 12V26AH     | 2,340            | 2,187            | 1Y carry in | 165x126x182                | 7.4            |
| GPW-GTAG12-33         | 12V33AH     | 2,940            | 2,748            | 1Y carry in | 195x130x179                | 9.1            |
| GPW-GTAG12-40         | 12V40AH     | 3,600            | 3,364            | 1Y carry in | 196x165x173                | 11.6           |
| GPW-GTAG12-55         | 12V55AH     | 5,270            | 4,925            | 1Y carry in | 231x139x217                | 15.1           |
| GPW-GTAG12-65         | 12V65AH     | 5,800            | 5,421            | 1Y carry in | 247x167x176                | 18.5           |
| GPW-GTAG12-100        | 12V100AH    | 9,940            | 9,290            | 1Y carry in | 329x172x243                | 30.8           |
| GPW-GTAG12-200        | 12V200AH    | 18,000           | 16,822           | 1Y carry in | 522x240x244                | 54.8           |
| GPW-GTAG12-250        | 12V250AH    | 22,940           | 21,439           | 1Y carry in | 522x268x226                | 66.5           |



## Series

ประเภทของแบตเตอรี่  
อุปกรณ์ที่แนะนำให้ใช้  
ลักษณะการใช้งาน  
รอบการใช้งาน

## 12V AGM Deep Cycle Series

แบตเตอรี่แห้ง  
ระบบโซล่าเซลล์, ระบบเครื่องสำรองไฟขนาดใหญ่  
Cycle Use  
ประมาณ 900 รอบ

| SiS SKU                      | Description       | SRP<br>(Inc.VAT) | SRP<br>(Exc.VAT) | Warranty    | Dimensions<br>(mm) (LxWxH) | Weight<br>(KG) |
|------------------------------|-------------------|------------------|------------------|-------------|----------------------------|----------------|
| <b>12V Deep Cycle Series</b> |                   |                  |                  |             |                            |                |
| GPW-GTAD12-8                 | DC12V8AH          | 830              | 776              | 2Y carry in | 151x65x94                  | 2.35           |
| GPW-GTAD12-12                | DC12V12AH         | 1,200            | 1,121            | 2Y carry in | 152x99x94                  | 3.65           |
| GPW-GTAD12-20                | DC12V20AH         | 1,870            | 1,748            | 2Y carry in | 118x77x167                 | 5.45           |
| GPW-GTAD12-40                | DC12V40AH         | 4,000            | 3,738            | 2Y carry in | 196x165x173                | 11.6           |
| GPW-GTAD12-55                | DC12V55AH         | 5,540            | 5,178            | 2Y carry in | 231x139x225                | 15.1           |
| GPW-GTAD12-75                | DC12V75AH         | 7,340            | 6,860            | 2Y carry in | 260x169x214                | 21             |
| GPW-GTAD12-100               | DC12V100AH(Short) | 9,340            | 8,729            | 2Y carry in | 329x172x225                | 28.6           |
| GPW-GTAD12-120               | DC12V120AH        | 10,940           | 10,224           | 2Y carry in | 406x174x233                | 32.2           |
| GPW-GTAD12-150               | DC12V150AH        | 14,000           | 13,084           | 2Y carry in | 483x170x240                | 43.3           |
| GPW-GTAD12-200               | DC12V200AH        | 18,670           | 17,449           | 2Y carry in | 522x240x244                | 57             |

Global Power : Battery



**Series**  
ประเภทของแบตเตอรี่  
อุปกรณ์ที่นำไปใช้  
ลักษณะการใช้งาน  
รอบการใช้งาน

**12V Gel Deep Cycle Series**  
แบตเตอรี่แห้ง  
ระบบโซล่าเซลล์, ระบบเครื่องสำรองไฟ (Long Backup Time)  
Cycle Use  
ประมาณ 900 รอบ

| SIS SKU                   | Description | SRP<br>(Inc.VAT) | SRP<br>(Exc.VAT) | Warranty    | Dimensions<br>(mm) (LxWxH) | Weight<br>(KG) |
|---------------------------|-------------|------------------|------------------|-------------|----------------------------|----------------|
| 12V GEL Deep Cycle Series |             |                  |                  |             |                            |                |
| GPW-GTGD12-65             | DC12V65AH   | 6,670            | 6,234            | 2Y carry in | 348x168x178                | 18.5           |
| GPW-GTGD12-100            | DC12V100AH  | 9,540            | 8,916            | 2Y carry in | 329x172x225                | 28.6           |
| GPW-GTGD12-120            | DC12V120AH  | 12,000           | 11,215           | 2Y carry in | 406x174x233                | 33.2           |

CSBBattery : Battery



**Series**  
ประเภทของแบตเตอรี่  
อุปกรณ์ที่นำไปใช้  
ลักษณะการใช้งาน  
รอบการใช้งาน

**12V GP Series**  
แบตเตอรี่แห้ง  
เครื่องสำรองไฟ, ระบบไฟฉุกเฉิน  
Standby use  
ประมาณ 300-500 รอบ

| SIS SKU     | Description | SRP<br>(Inc.VAT) | SRP<br>(Exc.VAT) | Warranty    | Dimensions<br>(mm) (LxWxH) | Weight<br>(KG) |
|-------------|-------------|------------------|------------------|-------------|----------------------------|----------------|
| CSB-GP1272  | 12V7.2AH    | 1,090            | 1,019            | 2Y carry in | 150x54x99                  | 2.40           |
| CSB-GP12120 | 12V12AH     | 2,540            | 2,374            | 2Y carry in | 151x98x100                 | 3.67           |
| CSB-GP12170 | 12V17AH     | 3,380            | 3,159            | 2Y carry in | 181x77x167                 | 5.50           |



**Series**  
ประเภทของแบตเตอรี่  
อุปกรณ์ที่นำไปใช้  
ลักษณะการใช้งาน  
รอบการใช้งาน

**12V UPS Series**  
แบตเตอรี่แห้ง  
เครื่องสำรองไฟ, ระบบไฟฉุกเฉิน  
Standby use  
ประมาณ 300-500 รอบ

| SIS SKU       | Description | SRP<br>(Inc.VAT) | SRP<br>(Exc.VAT) | Warranty    | Dimensions<br>(mm) (LxWxH) | Weight<br>(KG) |
|---------------|-------------|------------------|------------------|-------------|----------------------------|----------------|
| CSB-UPS123606 | 12V7.5AH    | 1,730            | 1,617            | 2Y carry in | 150x51x99                  | 1.97           |



**Series**  
ประเภทของแบตเตอรี่  
อุปกรณ์ที่นำไปใช้  
ลักษณะการใช้งาน  
รอบการใช้งาน

**12V HR Series**  
แบตเตอรี่แห้ง  
เครื่องสำรองไฟ, ระบบไฟฉุกเฉิน  
Standby use  
ประมาณ 300-500 รอบ

| SIS SKU     | Description | SRP<br>(Inc.VAT) | SRP<br>(Exc.VAT) | Warranty    | Dimensions<br>(mm) (LxWxH) | Weight<br>(KG) |
|-------------|-------------|------------------|------------------|-------------|----------------------------|----------------|
| CSB-HR1221W | 12V5AH      | 1,290            | 1,206            | 2Y carry in | 90x70x106                  | 1.80           |
| CSB-HR1234W | 12V9AH      | 1,870            | 1,748            | 2Y carry in | 150x65x99                  | 2.50           |