

Mi : Router & Range Extender

Model	XMI-DVB4235GL	XMI-DVB4270GL	XMI-DVB4314GL	XMI-DVB4304GL	XMI-DVB4315GL
Description	Mi Wi-Fi Range Extender Pro CPU : MT7628K 580MHz , ROM2/RAM8MB รองรับสัญญาณ Wi-Fi : IEEE 802.11b/g/n ความเร็วสูงสุด 300Mbps เชื่อมต่อได้สูงสุด 24 อุปกรณ์ เทคโนโลยีการเข้ารหัส : WPA-PSK/ WPA2-PSK	Mi Wi-Fi Range Extender AC 1200 อุปกรณ์ขยายสัญญาณ Wi-Fi รุ่น AC1200 RAM 64MB รองรับสัญญาณ Wi-Fi : IEEE 802.11b/g/n/ac (2.4 & 5.0 ghz) ความเร็วสูงสุด 300Mbps (2.4 ghz) 867Mbps (5.0 ghz) เชื่อมต่อได้สูงสุด 24 อุปกรณ์ พร้อม Ethernet Port สำหรับเชื่อมต่อ อุปกรณ์ที่ไม่ได้รับ Wi-Fi เทคโนโลยีการเข้ารหัส : WPA-PSK/ WPA2-PSK	Xiaomi Router AX3200 เชื่อมต่อไร้สายรุ่น AX3200 รองรับสัญญาณ Wi-Fi : IEEE 802.11b/g/n/ac/ax (2.4 & 5.0 ghz) ความเร็วสูงสุด 800Mbps(2.4) 2402Mbps (5.0) Processor : MediaTek MT7622B Dual-Core A53 1.35Ghz RAM : 256MB หน่วยประมวลผล 1 Gigabit WAN&3 Gigabit LAN port เทคโนโลยีการเข้ารหัส : WPA-PSK/ WPA2-PSK/WPA3-SAE	Mi Router AX9000 EU (34289) เชื่อมต่อไร้สายรุ่น AX9000 รองรับสัญญาณ Wi-Fi : IEEE 802.11ax/ac/n/a 5 GHz, IEEE 802.11ax/n/b/g 2.4 GHz ความเร็วสูงสุด 4804Mbps (5GHz-1) (802.11ax, 4*4 @160MHz) 2402Mbps (5GHz-2) (802.11ax, 4*4 @80MHz) 1148Mbps (2.4GHz) (802.11ax, 4*4 @40MHz) Processor : Qualcomm® IPQ8072 quad-core A53 2.2GHz CPU RAM : 1GB หน่วยประมวลผล 2.5 Gigabit WAN port & 1 Gigabit WAN port & x3 1 Gigabit LAN port USB: 1x USB-A 3.0 Port เทคโนโลยีการเข้ารหัส : WPA-PSK / WPA2-PSK / WPA3-SAE	Xiaomi Mesh AX3000 (1-pack) (35825) เชื่อมต่อไร้สายรุ่น Mesh รุ่น AX3000 แพคเกจ 1 ชิ้น รองรับสัญญาณ Wi-Fi : IEEE 802.11ax/ac/n/a 5 GHz, IEEE 802.11ax/n/b/g 2.4 GHz ความเร็วสูงสุด 2402Mbps (5.0)(802.11ax, 2*2 @160MHz) 574Mbps (2.4)(802.11ax, 2*2 @40MHz) Processor : QualcommDual-core A53 1.0GHz CPU RAM : 256MB หน่วยประมวลผล 1 Gigabit WAN port & 3 Gigabit LAN port เทคโนโลยีการเข้ารหัส : WPA-PSK/ WPA2-PSK/ WPA3-SAE
SRP (inc. VAT)	349	549	1,490	6,290	1,549

Wireless Router : N300

Brand	Mercusys	Mercusys
Part	MW325R	MW301R
Sale Code	MSS-MW325R	MSS-MW301R
Ports	3*10/100Mbps LAN ports, 1*10/100Mbps	2*10/100Mbps LAN ports, 1*10/100Mbps
Standards	IEEE 802.11n, IEEE 802.11g, IEEE 802.11b	IEEE 802.11n, IEEE 802.11g, IEEE 802.11b
Speed Wireless	300Mbps	300Mbps
Feature		WDS bridge
Security	WPA-PSK / WPA2-PSK	64/128/152-bit WEP / WPA / WPA2, WPA-PSK / WPA2-PSK
Other	5dBi Fix Antennas	5dBi Fix Antennas
Warranty	1 Year	1 Year
SRP (inc. VAT)	499	359

Wireless Routers

Brand	Mercusys	Mercusys	Mercusys
Part	MR70X	MR50G	AC12
Sale Code	MSS-MR70X	MSS-MR50G	MSS-AC12
Ports	3*10/100/1000 Mbps LAN Ports	2*10/100/1000 Mbps LAN Ports	3*10/100Mbps LAN Ports
Standards	IEEE 802.11ax/ac/a/b/g/n	IEEE 802.11a/n/ac 5 GHz IEEE 802.11b/g/n/ac 2.4 GHz	IEEE 802.11a/n/ac 5GHz IEEE 802.11b/g/n 2.4GHz
Speed Wireless	574 + 1,201 Mbps	600 + 1,300 Mbps	300+867Mbps
Feature	MU-MIMO, Beamforming, Smart Connect, BSS Color	MU-MIMO, Beamforming, Smart Connect	
Security	WPA-PSK / WPA2-PSK/ WPA3 wireless encryption	WPA-PSK / WPA2-PSK	WPA-PSK / WPA2-PSK
Other			
Warranty	1 Year	1 Year	1 Year
SRP (inc. VAT)	1,490	999	729

MESH WiFi

Brand	Tenda	
Part	NOVA-MW6 (Pack3)	NOVA-MW6 (Pack 2)
Sale Code	TND-NOVA-MW6-P3	TND-NOVA-MW6-P2
Ports	2 port 10/100/1000	2 port 10/100/1000
Standards	802.11a , 11b , 11g , 11n , 11ac	IEEE 802.11a, 11b, 11g, 11n, 11ac
Speed Wireless	300 + 867 Mbps	300 + 867 Mbps
Feature	MU-MIMO , Beamforming	
Security	WPA2	WPA2
Other	Parental Control , Guest Network	Parental Control, Guest Network
Warranty	5 Years	5 Years
SRP (inc. VAT)	5,899	3,990



เชื่อมต่อได้สูงสุด 5 ตัว

Brand	Mercusys	
Part	HALO-H50G (3PK)	HALO-H50G (2PK)
Sale Code	MSS-H50G-3PK	MSS-H50G-2PK
Ports	3 ports 10/100/1000	3 ports 10/100/1000
Standards	IEEE 802.11 a/n/ac 5 GHz	IEEE 802.11 a/n/ac 5 GHz
Speed Wireless	IEEE 802.11 b/g/n 2.4 GHz	IEEE 802.11 b/g/n 2.4 GHz
Feature	600 + 1,300 Mbps	600 + 1,300 Mbps
Security	WPA-PSK/WPA2-PSK	WPA-PSK/WPA2-PSK
Other	Easy APP Control	Easy APP Control,
Warranty	1 Year	1 Year
SRP (inc. VAT)	2,890	1,990

Wireless Access Point with PoE

Brand	D-Link		
Part	DAP-2610	DAP-2680	DAP-2695
Sale Code	DLK-DAP-2610	DLK-DAP-2680	DLK-DAP-2695
Ports	1 Gigabit LAN (supports PoE)	1 x Gigabit PoE-capable LAN port	1 port 10/100/1000
Standards	802.11a/b/g/n/ac , 802.3u/ab	802.11a/b/g/n/ac , 802.3u/ab , 802.3az,802.3af	802.11a , 11b , 11g , 11n , 11ac
Speed Wireless	,802.3az,802.3af	1750 Mbps	450Mbps (2.4GHz)
Feature	1300 Mbps		+ 1300Mbps (5GHz)
	AC1300 Wave2 Dual-band Gigabit POE	AC1750 Wave2 Dual-band	
	,MU-MIMO	WI-FI POE AC, MU-MIMO	
Security	WAP,WAP2,WEP	WAP,WAP2,WEP	WEP, WPA, WPA2
Other	2 internal dual-band 3 dBi omni antennas	3 x internal dual-band antennas	
Warranty	Limited Lifetime	Limited Lifetime	Limited Lifetime
SRP (inc. VAT)	6,900	8,490	11,600

Wireless Access Point

Brand	D-Link
Part	DAP-1665
Sale Code	DLK-DAP-1665
Ports	1 port 10/100/1000
Standards	IEEE 802.11ac wave2,
	11n, 11g, 11b, 11a, 802.3/802.3u
Speed Wireless	300 + 867 Mbps
Feature	รองรับ AP mode, WISP
	Repeater, Client
Security	WPA, WPA2, WPS
Other	
Warranty	Limited Lifetime
SRP (inc. VAT)	1,850

Range Extender



Brand	D-Link	Mercusys	Mercusys
Part	DAP-1610	ME30	MW300RE
Sale Code	DLK-DAP-1610	MSS-ME30	MSS-MW300RE
Speed Wireless	300Mbps + 867Mbps (2.4G + 5G)	300+867Mbps	300 Mbps
Warranty	Limited Lifetime	1 Year	1 Year
SRP (inc. VAT)	1,150	599	299

Wireless Adapter



Brand	D-Link	D-Link	D-Link	HPNetworking	D-Link
Part	DWA-123	DWA-131	DWA-182	HPQ-JD039A	DWA-192
Sale Code	DLK-DWA-123	DLK-DWA-131	DLK-DWA-182	IEEE 802.11 n	DLK-DWA-192
Speed Wireless	150Mbps	300Mbps	300Mbps+ 866Mbps	WPA / WPA2 with TKIP	600Mbps + 1300Mbps
Warranty	Limited Lifetime	Limited Lifetime	Limited Lifetime	3 Years	Limited Lifetime
SRP (inc. VAT)	270	320	835	3,950	1,535



Brand	Tenda	Tenda	Tenda	Tenda
Part	U12	U1	U2	W311MI
Sale Code	TND-TD-U12	TND-TD-U1	TND-TD-U2	TND-W311MI
Standards	802.11a,11b,11g,11n,11ac	802.11b , 11g , 11n	802.11b , 11g , 11n	802.11b , 11g , 11n
Speed Wireless	400 + 867 Mbps	300 Mbps	150Mbps	150 Mbps
Warranty	5 Years	5 Years	5 Years	5 Years
SRP (inc. VAT)	700	375	300	199

Wireless Adapter



Brand	Mercusys	Mercusys	Mercusys	Mercusys
Part	MU6H	MW300UH	MW300UM	MW150US
Sale Code	MSS-MU6H	MSS-MW300UH	MSS-MW300UM	MSS-MW150US
Speed Wireless	200+433Mbps	300Mbps	300Mbps	150Mbps
Warranty	1 Year	1 Year	1 Year	1 Year
SRP (inc. VAT)	299	295	199	139

Wireless 4G



Brand	D-Link	Tenda
Part	DWR-932C	4G06
Sale Code	DLK-DWR-932C	TND-4G06
Ports		2 port 10/100 + 1 RJ11
Standards	802.11b , 11g , 11n	802.11b/g/n
Speed Wireless	300 Mbps	300 Mbps
Feature		
Security	WPA , WPA2	WEP,WPA, WPA2, WPA/WPA2
Other	รองรับเน็ตทุกค่าย	รองรับทุกเครือข่าย, port RJ11 สามารถนำโทรศัพท์บ้านมาต่อเพื่อโทรออกเป็น Voice over IP โดยไม่ต้องเซต
Warranty	3 Years	5 Years
SRP (inc. VAT)	1,580	1,679

Wireless Router : AX



Brand	D-Link	Tenda
Part	DIR-X1560	TX9PRO
Sale Code	DLK-DIR-X1560	TND-TX9PRO
Ports	4 port 10/100/1000	3 port 10/100/1000
Standards	802.11a , 11b , 11g , 11n , 11ac , 11ax	IEEE 802.11ac/a/n/ax 5GHz IEEE 802.11b/g/n/ax 2.4GHz
Speed Wireless	300 + 1200 Mbps	574 + 2402 Mbps
Feature		
Security	WPS , WPA2 , WPA3	Client Filter Parental Control(support black list and white list) Remote Web Management
Warranty	Limited Lifetime	5 Years
SRP (inc. VAT)	1,970	2,690

Indoor Access Point WiFi 6



Brand	ZyXEL	ZyXEL	ZyXEL	ZyXEL
Part	NWA90AX	NWA110AX	NWA210AX	NWA90AX PRO
WiFi Type	Wireless AX1800 (WiFi 6)	Wireless AX1800 (WiFi 6)	Wireless AX3000 (WiFi 6)	Wireless AX3000 (WiFi 6)
Antenna type	2x2 (5G) + 2x2 (2.4G)	2x2 (5G) + 2x2 (2.4G)	4x4 (5G) + 2x2 (2.4G)	4x4 (5G) + 2x2 (2.4G)
& Wireless Frequency	MU-MIMO	MU-MIMO	MU-MIMO	MU-MIMO
Number of LAN Port	1 x 1GbE	1 x 1GbE	1 x 1GbE + 1 x 1/2.5GbE	1 x 1GbE + 1 x 1/2.5GbE
Management	Standalone/NebulaFlex AP (Free Cloud License)	Standalone/NebulaFlex AP (Free Cloud License)	Standalone/NebulaFlex AP (Free Cloud License)	Standalone/NebulaFlex AP (Free Cloud License)
Highlight Feature	WiFi 6 maximum data rate 1,800 Mbps * Right-fit Feature with Authentication Support * Not support AP Load Balance / SNMP	AP WiFi 6 maximum data rate 1,800 Mbps * Full Feature Access Point	AP WiFi 6 maximum data rate 3,000 Mbps *Full Feature Access Point	AP WiFi 6 maximum data rate 3,000 Mbps *Full Feature Access Point
Warranty	3 Yrs	3 Yrs	3 Yrs	3 Yrs
SRP (inc. VAT)	6,990	9,405	11,960	7,928

Outdoor Access Point WiFi 6

Brand	ZyXEL
Part	NWA55AXE
WiFi Type	Wireless AX1800 (WiFi 6)
Antenna type	2x2 (5G) + 2x2 (2.4G)
& Wireless Frequency	MU-MIMO
Number of LAN Port	1 x 1GbE
Management	Standalone/NebulaFlex AP (Free Cloud License)
Highlight Feature	WiFi 6 maximum data rate 1,800 Mbps * Right-fit Feature with Authentication Support * Not support AP Load Balance / SNMP * IP 55
Warranty	3 Yrs
SRP (inc. VAT)	6,990

Indoor Access Point WiFi 7

Brand	ZyXEL	ZyXEL
Part	WBE660S	NWA130BE
WiFi Type	WiFi 7 BE22000Triple-Radio	WiFi 7 BE11000Triple-Radio
Antenna type	4x4 (5G)+4x4(2.4G)+	2x2 (5G) + 2x2 (2.4G)+
& Wireless Frequency	4x4(6G) MU-MIMO	2x2 (6G) MU-MIMO
Number of LAN Port	1 x 1/2.5/5/10 GbE1x1GbE	2 x 2.5GbE
Management	Standalone/Controller-Managed/NebulaFlex AP (Free 1YR Nebula Professional license)	Standalone/NebulaFlex AP (Free Cloud License)
Highlight Feature	AP WiFi 7 maximum data rate 22,000 Mbps * Full Feature Access Point	AP WiFi 7 maximum data rate 11,000 Mbps * Full Feature Access Point
Warranty	3 Yrs	3 Yrs
SRP (inc. VAT)	56,701	11,960

Wall-Plate

Brand	ZyXEL	ZyXEL
Part	WAC500H	WAX300H
WiFi Type	AC1200 Wave 2 MU-MIMO	AX3000 Dual-Radio (WiFi 6)
Antenna type	2x2 (5G) + 2x2 (2.4G) MU-MIMO	2x2 (5G) + 2x2 (2.4G) MU-MIMO
& Wireless Frequency	1 x 1GbE Uplink PoE	1 x 1GbE Uplink PoE
Number of LAN Port	2 x 1GbE Downlink	3 x 1GbE Downlink
Management	Standalone/Controller-Managed/NebulaFlex AP (Free 1YR Nebula Professional license)	Standalone/Controller-Managed/NebulaFlex AP (Free 1YR Nebula Professional license)
Highlight Feature	Wave 2 Wall-Plate Unified Access Point maximum data rate 1,200 Mbps(including one PoE PSE)	WiFi 6 Wall-Plate Unified Access Point maximum data rate 3,000 Mbps (including one PoE PSE)
Warranty	3 Yrs	3 Yrs
SRP (inc. VAT)	6,750	7,950

AX Gateway for Small - Medium Business

Brand	ZyXEL	ZyXEL
Part	USG FLEX 50AX	USG FLEX 100AX
WiFi standard	AX1800 WiFi 6 Security Firewall	AX1800 WiFi 6 Security Firewall
Ports	WAN 1 x 1 GbE	WAN 1 x 1 GbE
	LAN 4 x 1 GbE	LAN 4 x 1 GbE
	USB 3.0 x 1	USB 3.0 x 1
firewall throughput	350 Mbps	900 Mbps
VPN throughput	90 Mbps	270 Mbps
Management	On Premises / Nebula Cloud Management	On Premises / Nebula Cloud Management
Key Features	AX1800 WiFi 6 Security Firewall Web Filtering, SecuReporter	AX1800 WiFi 6 Security Firewall High assurance multi-layered protection, Wireless Controller support up to 8/24 Aps
Warranty	3 Yrs	3 Yrs
SRP (inc. VAT)	17,437	20,924

Aruba Instant On

aruba Instant On



SiS P/N	Description	SRP (Inc.VAT)	SRP (Exc.VAT)	Warranty	Stock
HPE-R2W96A	Aruba Instant On AP11 (RW) 2x2 11ac Wave2 Indoor Access Point	3,810	3,560	2 Year	Stock
HPE-R2X01A	Aruba Instant On AP12 (RW) 3X3 11ac Wave2 Indoor Access Point	6,527	6,100	2 Year	Stock
HPE-R2X06A	Aruba Instant On AP15 (RW) 4X4 11ac Wave2 Indoor Access Point	7,597	7,100	2 Year	Stock
HPE-R2X11A	Aruba Instant On AP17 (RW) 2x2 11ac Wave2 Outdoor Access Point	5,350	5,000	-	-
HPE-R4W02A	Instant On AP22 (RW) Wi-Fi 6, 802.11ax, 2x2 Access Point	9,374	8,760	2 Year	Stock
Access Point Bundle Adapter รุ่นพิเศษ Power Adapter ในกล่อง					
HPE-R6K61A	Instant On AP11 PSU BDL WWBase Bundle Adapter	4,548	4,250	2 Year	Stock
HPE-R6K64A	Instant On AP11D PSU BDL WWBase Bundle Adapter	6,019	5,625	2 Year	Stock
HPE-R6M51A	Instant On AP22 Wifi 6 with 12V PSU WW Bundle Adapter	7,223	6,750	2 Year	Stock
Power Options (สำหรับลูกค้าที่ไม่มี PoE Switch)					
HPE-R8W31A	Aruba Instant On 802.3af 15.4W POE Midspan Injector	1,338	1,250	1 Year	Stock
HPE-JW124A	PC-AC-NA North America AC Power Cord	214	200	1 Year	Stock

*** ลูกค้าที่ใช้ AP ร่วมกับ PoE Switch ไม่ต้องใช้อุปกรณ์ Option ที่เป็น PoE Injector หรือ Power Adapter

Aruba Instant (Unified AP)

เลือกใช้งานได้หลายรูปแบบ ได้แก่ Instant Mode (Virtual Controller), Controller-managed, Cloud-managed (with Aruba Central)
 กรณีใช้งานแบบ Instant Mode (Virtual Controller) สามารถทำ Cluster ได้สูงถึง 128 AP
 Built-in ClientMatch : ช่วยจัดการ client แต่ละเครื่องให้เชื่อมต่อกับ AP ที่ดีที่สุดอยู่เสมอ
 Built-in Layer 7 Firewall : สามารถวิเคราะห์ จัดลำดับความสำคัญ และเลือกการใช้งานระดับ Application
 รองรับการทำ Guest Captive Portal, และสามารถสร้าง username & password สำหรับ Guest ได้
 รองรับการทำ Authentication ในรูปแบบ PSK, Captive Portal, Dot 1X (รองรับทำงานร่วมกับ Microsoft AD, RADIUS server)
 รับประกัน Lifetime warranty (onsite hardware exchange)

Wi-Fi 6
CERTIFIEDWi-Fi 6
CERTIFIEDWi-Fi 6
CERTIFIED

Brand	HPE ARUBA	HPE ARUBA	HPE ARUBA
Model	Aruba AP-505 (RW) Unified AP	Aruba AP-515 (RW) Unified AP	Aruba AP-635 (RW) Campus AP
Part Number	R2H28A	Q9H62A	R7J27A
Wireless Radio	Dual radio, 802.11ax (Wi-Fi 6) 2x2 MU-MIMO	Dual radio, 802.11ax (Wi-Fi 6) 4x4 (5 GHz), 2x2 (2.4 GHz)	Tri radio 802.11ax (Wi-Fi 6E) 2x2 MU-MIMO
SRP (inc. VAT)	22,000	36,200	40,000

Aruba Mobility Controller



Product Summary

- 7005 Mobility Controller is a compact, fanless entry-level branch platform that can be powered by a power-over-Ethernet (PoE) switch.
- 7008 Mobility Controller is a compact, fanless entrylevel branch platform with 8 integrated PoE and PoE+ switch ports for small branch locations with some PoE requirements
- 7010 Mobility Controller is designed for mid-sized branch deployments that require several PoE and PoE+ switch ports.
- 7024 Mobility Controller is designed for mid-sized branch offices that require up to 24 switch ports for unified wired and wireless access.
- 7030 Mobility Controller is ideal for mid- to large- sized branch deployments that require unprecedented scale and performance.

Features	7005	7008	7010	7024	7030
Maximum AP licenses	16	16	32	32	64
Maximum concurrent users/devices	1,024	1,024	2,048	2,048	4,096
Maximum VLANs	4,094	4,094	4,094	4,094	4,094
Active firewall sessions	16,384	16,384	32,768	32,768	65,536
Concurrent GRE tunnels	256	256	512	512	1,024
Concurrent IPsec sessions	512	512	1,024	1,024	2,048
Mobility Access Switch tunneled-node ports	512	512	1,024	1,024	2,048
Firewall throughput	2 Gbps	2 Gbps	4 Gbps	4 Gbps	8 Gbps
Form factor/footprint	Compact	Compact	1 rack unit	1 rack unit	1 rack unit
10/100/1000BASE-T	4	8	16	24	8 (combo)
GBIC or SFP ports	N/A	N/A	2 SFP	2 SFP+	8 (combo)
USB 2.0	Yes (1)	Yes (2)	Yes (2)	Yes (1)	Yes (1)
Console port (micro USB/RJ-45)	Yes	Yes	Yes	Yes	

Peplink Balance Series



*SpeedFusion Feature: Failover, Hot Failover, WAN Smoothing, Bandwidth Bonding



Model	BPL-ONE	BPL-ONE-CORE	BPL-021	BPL-031-LTE-E-T
WAN Ports	2xGE (10/100/1000)	2xGE (10/100/1000)	2xGE (10/100/1000)	2xGE (10/100/1000)
LAN Ports	8xGE (10/100/1000)	8xGE (10/100/1000)	4xGE (10/100/1000)	4xGE (10/100/1000)
Embedded LTE Modem	1	1	-	1
USB WAN Modem Ports	1	1	1	1
Wi-Fi Interface	802.11ac/a/b/g/n Wi-Fi AP	No	-	-
Throughput	600Mbps	600Mbps	150Mbps	200Mbps
SpeedFusion Features*	available as a paid upgrade	available as a paid upgrade	No	No
Number of PepVPN/Speed Fusion Peers	2	2	2 Peers by default, 5 Peers using license	2 Peers by default, 5 Peers using license
Load Balancing	Yes	Yes	Yes	Yes
Recommend Users	1-60	1-60	1-60	1-60
Warranty	1 Year Carry In	1 Year Carry In	1 Year Carry In	1 Year Carry In
SRP (inc. VAT)	19,400	16,500	13,000	24,500

*SpeedFusion Feature: Failover, Hot Failover, WAN Smoothing, Bandwidth Bonding



Model	BPL-210	BPL-305	BPL-380	BPL-580
WAN Ports	2xGE (10/100/1000)	3xGE (10/100/1000)	3xGE (10/100/1000)	5xGE (10/100/1000)
LAN Ports	7xGE (10/100/1000)	3xGE (10/100/1000)	3xGE (10/100/1000)	3xGE (10/100/1000)
Embedded LTE Modem	-	-	-	-
USB WAN Modem Ports	1	1	1	1
Wi-Fi Interface	-	-	-	-
Throughput	350Mbps	1Gbps	1Gbps	1.5Gbps
SpeedFusion Features*	Yes	Yes	Yes	Yes
Number of PepVPN/Speed Fusion Peers	2 Peers by default, 5 Peers using license	2 Peers by default, 20 Peers using license	20	50
Load Balancing	Yes	Yes	Yes	Yes
Recommend Users	25-150	50-500	50-500	300-1000
Warranty	1 Year Carry In	1 Year Carry In	1 Year Carry In	1 Year Carry In
SRP (inc. VAT)	70,700	100,900	151,300	201,600

*SpeedFusion Feature: Failover, Hot Failover, WAN Smoothing, Bandwidth Bonding



Model	BPL-710	BPL-1350	BPL-2500
WAN Ports	7xGE (10/100/1000)	13xGE (10/100/1000)	12xGE (10/100/1000)
LAN Ports	3xGE (10/100/1000)	3xGE (10/100/1000)	8xGE (10/100/1000)
Embedded LTE Modem	-	-	-
USB WAN Modem Ports	1	1	1
Wi-Fi Interface	-	-	-
Throughput	2.5Gbps	5Gbps	8Gbps
SpeedFusion Features*	Yes	Yes	Yes
Number of PepVPN/Speed Fusion Peers	300	800	4000
Load Balancing	Yes	Yes	Yes
Recommend Users	500-2000	1000-5000	5000-20000+
Warranty	1 Year Carry In	1 Year Carry In	1 Year Carry In
SRP (inc. VAT)	252,000	403,200	806,300

Teltonika



Brand	Teltonika		
Part	RUT200010000	RUT901000404	RUT956200505
Sale code	TNK-RUT200010000	TNK-RUT901000404	TNK-RUT956200505
Ports	2 Ports (10/100)	4 Ports (10/100)	4 Ports (10/100), RS235 , RS485
Standards	802.11 b, g, n	802.11 b, g, n	802.11 b, g, n
Embedded 4G LTE	Single-SIM, DL up to 150 Mbps	Dual-SIM (Automatic SIM switch), DL up to 150 Mbps	Dual-SIM (Automatic SIM switch), DL up to 150 Mbps
WiFi users	Up to 50 simultaneous connections	Up to 100 simultaneous connections	Up to 100 simultaneous connections
Security	WEP, WPA, WPA2	WEP, WPA, WPA2	WEP, WPA, WPA2
Others	Industrial grade IP30 , IPsec VPN, Passive PoE	Industrial grade IP30 , IPsec VPN, Passive PoE	Industrial grade IP30 , IPsec VPN, Passive PoE , GNSS (GPS)
Dimensions	83mm x 74mm x 25mm	100mm x 110mm x 50mm	100mm x 110mm x 50mm
Weight	125g	297g	287g
Warranty	2 Years Carry In	2 Years Carry In	2 Years Carry In
SRP (inc. VAT)	7,870	12,667	14,000