

LG UltraFine Display OLED Pro 65EP5G

Versatile OLED with Accurate Color, reddot winner 2021 Customized to Suit Your Needs






Enhance your workplace with LG's 65EP5G OLED professional monitor that has been developed to meet a variety of use cases and workflows in content production, post-production and distribution. 65EP5G builds upon the capabilities of LG's OLED displays recognized by a Technology and Engineering Emmy® award and incorporates additional features and functionality to meet the needs of professionals.











Accurate Color with a Wide OLED Screen

Advanced Calibration functionality allows the display to achieve reference performance for picture quality enabled by LG's proprietary software (SuperSign for White Balance) and color accuracy & uniformity via CalMAN. It supports programmable hardware 1D & 3D LUTs and multiple color-accurate profiles for rapid transitioning between calibrated modes. On top of that, 65EP5G helps protect colorists' eyes from blue light, as it has been certified to meet EYESAFE standards for quality and safety for the user's eye health.



* Image shown is for illustrative purpose only.

Diverse I/O Interfaces

A variety of input interfaces are provided including HDMI and SDI In/Out with BNC, and also it supports SDI over IP via SFP+ case with a SFP module. Also included interface is a Genlock input for use in broadcast and virtual production applications.



* Image shown is for illustrative purpose only.

Convenience and Functionality

The control panel provides shortcuts to frequently used functions and profiles featuring different monitor settings and picture quality options. Also, a variety of user selectable on-screen features are available such as Markers, Zoom, Audio Level Meters, and Waveform & Vector Scopes.

PRODUCT INFORMATION




65EP5G


Design Type	Desktop Stand (Rear: Handles, VESA Mount Capable)
Panel / Resolution	OLED / 3,840 × 2,160 (UHD)
Brightness (Typ.)	1000 / 900 / 500 / 180 nit (APL 3% / 10% / 25% / 100%)
Calibration	Programmable 1D/3D Hardware LUTs, LG SuperSign Software (White Balance) (* Uniformity to EBU Grade 1 level, CalMAN-Ready)
Connectivity	SDI, SFP+, HDMI, Audio Output, LAN, Remote In/Out, USB, RS-232C, REF In (Gen-Lock), Others
Functions	Marker, Audio Level Meter, Waveform/Vector Scope, Remote IP Control App, etc.

DIMENSION

(unit: mm)



CONNECTIVITY







- $* SDI \ Supporting \ Resolution: 1) \ Single \ Link: SD/HD/3G/6G/12G, \ 2) \ Dual \ Link: HD/3G_4K, \ 4) \ Quad \ Link: HD_4K/3G_4K, \ 4) \ Dual \ Link: HD/3G_4K, \ 4) \ Dual \ Link: H$
- * Dimensions & Jack Panels may differ from the above image, so please contact LG sales team to verify before ordering.







