



* All images are for illustrative purposes only.

INDOOR LG LED SIGNAGE

LSCA Versatile Series



Fast Installation



Easy Maintenance



Two Cabinet Options



90° Corner Design Available



Front or Rear Serviceability




Compatibility with LG Software Solutions



Fast Installation

Various factors including magnets on the top and bottom, positioning pins, handles and fast locks help installers easily set up and dismantle the LED screens without additional tools.



Easy Maintenance

The LSCA series applied a simple Lock Fixing method which requires no additional tools, making it easier to replace LED modules or power/data units. It saves cost and time for maintenance.




Two Cabinet Options

The LSCA series offers two sizes of cabinets, enabling a screen size configuration that fits perfectly with customer's demands.



90° Corner Design Available

If you add a 90° corner option, the LSCA series can deliver flawless content even when installed on right-angled structures.



Front or Rear Serviceability

The product offers either front access or rear access, allowing customers to choose installation options according to their environment and minimizes limitations in installation and maintenance.




Compatibility with LG Software Solutions

Powered by LG’s high performance system controller, the LSCA series is compatible with LG software solutions including SuperSign CMS, LED Assistant, and ConnectedCare, which help customers operate their own business flawlessly.

- * The availability of the 'LG ConnectedCare' service differs by region, and it needs to be purchased separately. So please contact the LG sales representative in your region for more details.
- * The items that can be monitored by LG ConnectedCare : Main Board (Temp, Signal Status, FPGA Ver, Ethernet Connection Status), Receiving Card (Temp, LED Power)

PRODUCT INFORMATION




LSCA Series

Pixel Pitch	2.97 / 3.91 mm
Brightness	1,000 nit
Refresh Rate	2,880 / 3,840 Hz
Serviceability	Front or Rear (One Option Only)
IP Rating	IP30

DIMENSION

(unit: mm)



Download
LG C-Display+
Mobile App
Google Play Store

- www.lg.com/global/business/information-display
- www.youtube.com/c/LGCommercialDisplay
- www.facebook.com/LGInformationDisplay
- www.linkedin.com/company/lginformationdisplay
- twitter.com/LG_ID_HQ

LG may make changes to specifications and product descriptions without notice. Copyright © 2021 LG Electronics Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. The names of products and brands mentioned here may be the trademarks of their respective owners.

