

43" floor standing touch kiosk

Model : Y43LAD/TS-F01 (IR to uch)



Product Features and Main Functions :

- Streamlined appearance design, stylish, simple and elegant.
- The outer frame is made of high-quality aluminum alloy and has been oxidized. The back casing is sprayed with high temperature powder, and the surface is wear-resistant and anti-corrosion.
- The surface is designed with tempered glass, which is physically tempered Mohs 7 explosion-proof.

Draft	Verify	Approve
Nianhui Chen	Li hong	Maohua Zeng

Version Update Record			
Version	Change Description	Editor	Date
V1.0	Initial Version		2022-4-6



Machine Performance Specifications :

Items	43-inch floor standing touch kiosk	
LCD screen	Screen size	43" 16:9
	Resolution	2160*3840
	Color	16.7M
	Brightness	≥350cd/m ²
	Contrast ratio	1200:1
	Response time	8ms
	Viewing angle	178° (H) /178° (V)
	Display area	940.896 (H) x 529.254 (V) mm
	Backlight	LED
Power requirements	Power requirements	AC 110-240V, 50/60HZ
	Standby power	≤ 1 W
	Power consumption	≤ 80W
Supported format	Video	H.264, VP8, MAV, WMV, AVS, H.263, MPEG4, etc.
	Audio	MP3,WMA,WAV, APE, FLAC, AAC, OGG,M4A,3GPP
Product Size	Machine	1800*599.4*38mm
	Packaging cartons	1870*195*720mm
Packaging	Carton	Double Ripple



Materials	Wooden case	Wooden stand (optional)
Other Function	Inbuilt camera	2MP (optional)
Physical properties	Net weight	33.8 KG
	Gross weight	39.3 KG
	Operating humidity	20%-80%RH
	Operating temperature	0°C—45°C
	Storage temperature	-20°C—60°C
	Storage humidity	10%-75%RH
	Installation method	Floor standing

Dimension drawing :

