







SEAMLESS CONNECTIVITY

AND SIMPLE NAVIGATION

Engineered to make multi-tasking effortless through a system of leading-edge functionality, Canon imageCLASS MF641Cw and MF643Cdw enhance print performance with seamless connectivity and simple navigation. With V² Colour Technology, colour print quality is stunningly and effortlessly processed.

COLOURFUL PERFORMANCE



VIVID & VIBRANT PRINTOUTS

V² Colour Technology delivers true quality prints that commands attention and leaves an impactful impression during business presentations. Anticipate incredible and striking visuals with an expanded colour palette on every print.

PROFESSIONAL EFFICIENCY



EASE AT EVERY TOUCH

The imageCLASS series' vari-angle 5-inch touchscreen LCD display allows greater viewing flexibility with a touch, and makes navigation simple, convenient and intuitive.



WIRELESS AND MOBILE CONNECTIVITY

Print on the go using your mobile device for fast data transfers, through a selection of apps such as Canon PRINT Business, Apple® AirPrint®, Google Cloud Print™, Mopria® and Canon Print Service.



DEPARTMENT ID

Based on user profiles, easily manage and control access to functions like Scan, Copy and Colour Printing.



HIGH PRINT YIELDS

With print yields of 3,100 pages (Black) and 2,300 pages (Colour), experience less frequent toner replacements with the optional high capacity toner cartridges.



CUSTOMISED APPLICATIONS LIBRARY

Ease your work process with the in-built Application Library. With Name and Scan, users can send scanned documents to pre-defined destinations and easily retrieve files saved according to specified username.



EFFICIENT PAPER HANDLING

The MF641Cw and MF643Cdw comes with a cassette tray capacity of 250 sheets to facilitate efficient paper handling.

EFFORTLESS MAINTENANCE



ALL-IN-ONE, EASY UPKEEP

With the combination of a photosensitive drum, cleaning unit and toner reservoir, Canon's All-in-One toner cartridge gets printing tasks done effortlessly, with minimal maintenance. The auto toner seal removal system eliminates the need to remove the seal manually, adding convenience when replacing the cartridge.

ECO-SAVINGS



REDUCE POWER USAGE

Activating sleep mode reduces electricity consumption to less than 1W, delivering greater savings and a smaller carbon footprint.



SPECIFICATIONS		MF641Cw	MF643Cdw		
PRINT					
Printing Method		Colaur Laser Beam Printing			
Print Speed	A4	18 / 18 ppm (Mono/Colour)	21 / 21 ppm (Mono/Colour)		
	Letter	18 / 18 ppm (Mono/Colour)	22 / 22 ppm (Mono/Colour)		
	2-sided	N/A	12 / 12 ppm (Mono/Colour)		
Print Resolution		600 x 600 dpi			
Print Quality with Image Refinement Technology		1,200 x 1,200 dpi (equivalent)			
Warm up Time (From Power On)		13.0 sec or less			
First Printout Time (FPOT)	A4	Approx. 10.4 / 10.5 sec (Mono/Colour)			
	Letter	Approx. 10.3 / 10.3 sec (Mono/Colour)			
Recovery Time (From Sleep Mode)		Approx. 6.1 sec			
Print Language		UFR II	UFR II, PCL 6		
Auto Duplex Print		N/A	Standard		
Available Paper Size for Aut	to Duplex Print	N/A	A4, B5, Letter, Legal, Executive, Foolscap, Indian Legal		
Supported File Format for U	ISB Direct Print	Supported File For	Supported File Format: JPEG, TIFF, PDF		
Print Margins		5 mm - top, bottom, left an	d right (Envelope: 10 mm)		
Print Features		Poster, Booklet, Watermark, P	Poster, Booklet, Watermark, Page Composer, Toner Saver		
СОРУ					
	A4	18 / 18 ppm (Mono/Colour)	21 / 21 ppm (Mono/Colour)		
Copy Speed	Letter	18 / 18 ppm (Mono/Colour)	22 / 22 ppm (Mono/Colour)		
Copy Resolution		600 x 600 dpi			
First 0 Time (F00T)	A4	Approx. 11.4 / 13.4 sec (Mono/Colour)			
First Copy Time (FCOT)	Letter	Approx. 11.2 / 13.1 sec (Mono/Colour)			
Maximum Number of Copies		Up to 999	Up to 999 copies		
Reduce/Enlargement		25 - 400% in 1% increments			
Copy Features		Frame Erase, Collate, 2 on 1, 4 on 1, ID Card Copy, Passport Copy			
SEND					
Sending Method		SMB, E-mail, FTP			
Color Mode		Full Colour, Grayscale, Monochrome			
Scan Resolution		300 x 600pi			
File Format		JPEG, TIFF, PDF, Compact PDF, PDF (OCR)			
SCAN					
Scan Type		Colour Contact Image Sensor			
Soan Resolution	Optical	Platen glass: up to 600 x 600dpi	Platen glass: up to 600 x 600dpi Feeder: up to 300 x 300dpi		
Scan Resolution	Driver Enhanced	Up to 9,600 x 9,600 dpi			
Maximum Scan Size	Platen glass	Up to 216.0 x 297mm			
	Feeder	N/A	Up to 216.0 x 355.6mm		
Color Depth		24-bit			
Pull Scan		Yes, USB and Network			
Push Scan (Scan To PC) with MF Scan Utility		Yes, USB and Network			
Scan to USB (via USB Host 2.0)		Yes			
		taran da antara da a			

SPECIFICATIONS				
OF ECHICATIONS		MF641Cw	MF643Cdw	
Scan Driver Compatibility		TWAIN	N, WIA	
Scan Speed ^(*1)		N/A 1-Sided: 26.1 ipm (mono), 13.3 ipm (colour)		
Scan to Cloud		Yes, via MF	Scan Utility	
PAPER HANDLING				
Auto Document Feeder (ADF)		N/A	50 sheets (80 g/m²)	
Available Paper Size for ADF		N/A	A4, B5, A5, Letter, Legal, Statement, Custom Size (Min. 128 x 139.7mm to Max. 216.0 x 355.6mm))	
Paper Input (Based on 80g/m²)	Standard Cassette	250 sheets		
	Multi-Purpose Tray	1 sheet		
Maximum Paper Input Capacity		251 sheets		
Paper Output	Print	100 sheets		
Paper Size	Cassette	A4, B5, A5, Letter, Legal, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal, Custom (Min. 76.2 x 127.0mm to Max. 216.0 x 355.6mm)		
	Multi-Purpose Tray	A4, B5, A5, Letter, Legal, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal, Index Card, Envelope: COM10, Monarch, C5, DL, Custom (Min. 76.2 x 127.0mm to Max. 216.0 x 355.6mm)		
Paper Types		Plain, Thick, Coated, Recycled, Colour, Label, Postcard, Envelope		
	ADF	N/A	50 to 105g/m²	
Paper Weight	Cassette	60 to 200g/m²		
	Multi-Purpose Tray	60 to 200g/m²		
CONNECTIVITY & SOFTWA	ARE			
	Wired	USB 2.0 High Speed, 10Base-T/100Base-TX/1000Base-T		
Standard Interface	Wireless	Wi-Fi 802.11b/g/n (Infrastructure mode, WPS easy Setup, Direct Connection)		
	Print	(mindander mode, who day persp), pirect commentary LPD, RAW, WSD-Print (IPVA) (IPV6)		
	Scan	Email, SMB, WSD-Scan(IPv4, IPv6), FTP		
Network Protocol	TCP/IP Application Services	Bonjour(mDNS), HTTP, HTTPS, POP before SMTP (IPv4,IPv6), DHCP, ARP+PING, Auto IP, WINS (IPv4), DHCPv6 (IPv6)		
	Management	SNMPv1, SNMPv3 (IPv4).		
	Wired	IP/Mac address filtering, HTTPS, SNMPAY, IEEE802.1x, IPSEC		
Network Security	Wireless	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES)		
One-Push Wireless Configuration		Wi-Fi Protected Setup (WPS)		
One-Push wireless Configuration Other Features		Department ID, Secure Print, Application Library		
Mobile Solution		Canon PRINT Business, Canon Print Service, Google Cloud Print [™] , Apple® AirPrint®, Mopria® Print Service		
Address Book		Curion Print Business, Curion Print Service, Google Cloud Print", Apple: Allertint, Mobila" Print Service		
Compatible Operating Systems(*3)		Windows® 10, Windows® 8.1, Windows® 7, Windows Server® 2016, Windows Server® 2012 R2, Windows Server® 2012, Windows Server® 2008 R2, Windows Server® 2008, Mac® OS X 10,9,5 & up<		
Software Included		Printer driver, Scanner driver, MF Scan Utility Toner Status		
GENERAL		Timor anver, eccumer anver,	, this obtain of this order of the control of the c	
		1 GB		
Device Memory LCD Display				
Dimensions (W x D x H)		WVGA Colour LCD 5.0*Touch Screen Display 451 x 460 x 360 mm 451 x 460 x 413 mm		
		16.8 kg	20.5 kg	
Weight (Mayimum)			-	
Power Consumption (Maximum)		850 W or less Approx. 370 W		
Power Consumption (Average: During Operation)		Approx. 370 W		
Power Consumption (Average; During Standby) Power Consumption (Average; During Sleep)		Approx. 1.1 W Approx. 0.8W (USB/ LAN / Wi-Fi)		
Noise Levels(*5) Operating Environment	During Operation	Sound Pressure Level: 49 dB, Sound Power Level: 68.7 dB	Sound Pressure Level: 51 dB, Sound Power Level: 69.4 dB	
	During Standby Temperature	Sound Pressure Level: Inaudible, Sound Power Level: 43 dB 10 - 30°C		
	Humidity	10 - 30 °C 20% - 80% RH (no condensation)		
		20% - 80% RM (no concensation) AC 220 - 240 V(+/- 10%) ,50/60 Hz(+/- 2 Hz)		
Power Requirements Toner Cartridge(*6)	Standard	AC 220 - 240 V(+/- 10%) ,50/60 Hz(+/- 2 Hz) Cartridge 054 BK: 1,500 pages (bundled: 1,500 pages), Cartridge 054 C/M/Y: 1,200 pages (bundled: 680 pages)		
	High	Cartridge 054H BK: 3,100 pages, Cartridge 054H C/M/Y: 2,300 pages		
Monthly Duty Cycle(*7)		30,000 pages		

- *1 Speed of scanning via the document feeder, A4 size, scan resolution 300 x 300 dpi
 *2 Based on ITU-T #1 Chart (standard mode).
 *3 ScanGear is not available for Windows Server 2003/2008/2012.
 *4 The latest drivers for Mac OS and Linux can be downloaded from the https://asia.canon.website when available. Only the print function is supported for Linux.
 *5 Tested in accordance to ISO 7779 and declared per ISO 9296.

- *6 Toner cartridge yield is in accordance with ISO/IEC 19798.
 *7 Monthly Duty Cycle value provides a means of comparison for product robustness in relation to other Canon multi-function laser devices, and does not refer to actual maximum image output per month.

0217W184 © 2019 Canon Singapore Pte. Ltd. All rights reserved.

This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this document. Canon, imageCLASS, Business Can Be Simple and Canon PRINT Business App are trademarks of Canon Inc. and/or its affiliates. Other names may be the trademarks for their respective owners.

Computer Peripheral and Supplies Ltd. CDG

Computer Peripheral and Supplies Ltd.

244 Soi Pattanakarn 53, Pattanakarn, Suanluang, Bangkok 10250 Thailand

Tel: (66) 0-2322-9535, 0-2722-4040

Fax: (66) 0-2322-7990 E-Mail: sales.dept@cps.co.th

Web site: www.cps.co.th, www.facebook.com/cps.co.th

More Details

Scan Here LINE ID Need more

