


FAST, DURABLE AND VERSATILE FOR BUSINESS EXCELLENCE.



Durable and versatile POS Printer for Retail and F&B Environments

The Epson TM-T82IV thermal receipt printer is built for high-traffic environments, delivering durability and fast printing speeds of up to 250mm/sec. Its compact and modern design allows for easy maintenance, even in demanding settings like kitchens, where moisture and dust are prevalent. Equipped with a built-in triple interface —USB, Serial, and Ethernet — along with an optional Wi-Fi dongle[^], it ensures effortless integration into any POS system. Additionally, it supports flexible installation options, including horizontal, vertical, or wall-mounted* setups, making it perfect for cashier counters, kitchen orders, and kiosks.



ENGINEERED FOR good



IDC Market Opportunity Assessment for Point of Sales Printers in ASEAN, a custom research commissioned by Epson.

Improved Productivity

Boost efficiency with a fast 250mm/s print speed, a print head life of up to 150km, and an auto-cutter life of up to 2 million cuts.

Versatile Placement

Supports horizontal and vertical placement, as well as wall mounting*, making it ideal for use at cashier counters, in kitchens, or at kiosks.

Simple Setup

Easy installation with multiple connectivity options and an optional Wi-Fi dongle[^] for wireless POS setup.

*Require wall-hanging unit WH-10. ^For triple interface model only.

Versatile Performance for Busy Environments

The TM-T82IV POS Printer boasts a compact design and a fast print speed of up to 250mm/sec, making it ideal for high-traffic F&B and retail operations that demand efficiency and reliability. Additionally, its sleek, smooth interface cover is designed for easy cleaning, making it the perfect choice for environments like kitchens and retail kiosks, where quick maintenance and durability are essential.

Fast, Reliable, and Cost-Effective

Improved Durability

This POS printer maintains exceptional durability, ensuring it's built to last. With a long print head life and an upgraded cutter life of up to 2 million cuts, it's designed for extended reliability.


Print Head Life	150 Km
Cutter Life	2 Million Cuts
Printer Mechanism Life	15 Million Lines
MTBF	360,000 Hours
MCBF	60 Million Lines

High-Quality Print

With high-density printing and precise PDI, TM-T82IV delivers clear text, logos, QR codes, and barcodes. Unlike its predecessor, it now supports Code 128, which is commonly used in logistics and warehouse industries for encoding complex data.

Maximised Savings, Minimised Waste

With an in-built character height reduction function, TM-T82IV offers paper savings of up to 30%* compared to conventional models, providing greater cost savings and contributing to a more environmentally friendly operation.



* Backward paper feeding is applied together. Tested with the pattern defined by Seiko Epson / Actual reduction ratio depends on printing patterns. Applicable for alphanumeric text printing only.

Efficient Design for Clean and Clutter-Free Spaces

Sleek and Easy-to-Maintain Design

TM-T82IV POS printer features a new design that reduces surface irregularities, making it easy to clean and maintain. Built for durability, its water and dust resistance ensure reliable performance even in challenging environments.



Enhanced Organisation and Stability

The printer comes with an additional case cover designed to organise wiring, minimise countertop clutter, and reduce the risk of accidental unplugging.



Adaptable Placement for Any Space

The TM-T82IV POS printer supports both vertical and horizontal as well as wall mounting*, offering flexibility for various applications. Whether at cashier counters, kitchen counters, or self-service kiosks, this versatile design adapts to your business needs, providing seamless integration in any environment.




*Require wall-hanging unit WH-10.

Versatile Connectivity Options

Seamless Integration with Dual and Triple Interfaces

The TM-T82IV offers flexible connectivity options, available in two versions: a dual interface model with USB and Serial, and a triple interface model with USB, Serial, and Ethernet. These options ensure seamless integration into various systems, offering businesses the versatility they need.



Note: Sample connectivity options on Triple Interface model.

Optional Wi-Fi Dongle for Wireless Flexibility

The TM-T82IV supports an optional Wi-Fi dongle*, enabling businesses to set up a wireless POS system for greater flexibility and mobility. This option reduces clutter and allows for seamless integration in environments where wired connections may be impractical.



* For Triple interface model only.

Optional Buzzer for Clear Notifications

With an available port for the optional external buzzer OT-BZ20, the TM-T82IV enhances order notification in noisy environments. This accessory ensures that order alerts are heard clearly, improving efficiency and reducing the risk of missing orders.



Epson Optional External Buzzer OT-BZ20


SPECIFICATIONS

MODEL NUMBER	TM-T82IV
Printing Method	Thermal Line Printing
Print Font	
Font	ANK: 9 x 17 / 12 x 24, Kanji Font: 24 x 24, Thai Font: 9 x 24 / 12 x 24
Character Set	95 Alphanumeric, 18 set International, 128 x 43 pages (Including Thai/Viet and user-defined page) Simplified Chinese GB18030-2022 (Lv.2): 28,806
Barcode	UPC-A, UPC-E, JAN8 / EAN 8, JAN13 / EAN13, Code39, Code93, Code 128, Code128 auto, ITF, Codabar (NW-7), GS1-128, GS1 DataBar
Supported Language	ANK + Thai / Viet + Simplified Chinese
Interface	
Fixed Interface Model	Option 1: USB-B + 25-pin Serial (UIB) Option 2: USB-B + 9-pin Serial + Ethernet and Option Wi-Fi Dongle
Receive Data Buffer	4 KB or 128 KB
Print Speed	250 mm/s
Dot / Line	576 dots (80mm), 420 dots (58mm)
Resolution	203 x 203 dpi
Paper	
Roll Paper	79.5 ± 0.5 mm (W) x Dia. 83 mm 57.5 ± 0.5 mm (W) x Dia. 83 mm
Cutting	Auto Cutter. Partially cuts the paper (cutting with one point at left uncut)
Operating Voltage	DC +24V ± 7%
Power Consumption	
Operating	Approx. 27.2 W
Standby	Approx. 0.96 W
Operating Temperature	5 - 45° C (41 - 113° F)
Humidity	10 - 90% RH
Power Supply	AC adapter C1 (included in the box)
Noise Level	Operating: 55 dB
Reliability	
Printer Mechanism Life	15 million lines
Auto Cutter Life	2.0 million cuts
Thermal Printhead Life	150 km
MTBF	360,000 hours
MCBF	60 million lines
General Information	
LED Indicators	Blue LED - Power Orange LED - Error, Paper Out
Sensor	Paper End, Paper Near End (Horizontal Setting only), Cover Open
Built-in Features	Paper Saving Function, Automatic Paper Cut with logo printing
Printer Driver	Windows Driver (APD), OPOS, OPOS.NET, JavaPOS (Windows, Linux), CUPS Driver (Linux), Mac Driver, TM Virtual Port Driver, ePOS SDK (iOS, Android, Javascript)*
Utility Tools	TM Utility (Android, iOS)*, TM-Print Assistant (Android, iOS)* Deployment Tool, Monitoring Tool, TM-T82IV Utility
Colour	Epson Black (EBCK)
Overall Dimensions (W X D X H)	146 x 199 x 146 mm
Weight	Approx. 1.7 Kg

*Only support Triple Interface model (USB, Serial and Ethernet).

Dimensions & Weight

Weight: Approx. 1.7kg



What's in the box:

80mm Width Roll Paper
USB Cable
58mm Paper Guide
Wall Hanging Bracket Unit
AC Adapter C1
Rubber Feet
Rubber Feet for Vertical Installation
User Guide

Options & Consumables:

Model Name	Product Code
Optional External Buzzer OT-BZ20	C32C890634
Wall Hanging Unit WH-10	C32C845040
Wireless LAN Dongle OT-WL06	C32C891328

Legend

dpi dots per 25.4 mm (dots per inch)

©2025 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited.

EPSON is a registered trademark of Seiko Epson Corporation.

All other product and company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Dealer's Stamp

Information correct at time of printing.
Printed April 2025

