

OHW SERIES OUTDOOR SUNLIGHT & WATERPROOF WALLMOUNT DISPLAY

OHW Series OHW-32, OHW-46, OHW-55, OHW-65

OHW series is outdoor sunlight readable & waterproof wallmount monitor that designs to use in outdoor environment. The production is controlled by professional engineers. Processes, materials, and assembly are all carried out in accordance with strict standards. OHW series is flexible, portable, easy to install and maintain. Widely used in park, garden, street signage, petrol station, parking lot, outdoor shopping malls, outdoor events, etc.



Rugged Design Features



Direct Sunlight Readable



High Temperature Resistant (0-50c)



IP65 Weather Proof



Frontal Tempered Glass

Smart AI Features



IOT Sensor Management



Remote Support and Assistant



Video Analytic



Mobile Interactive



OHW32 and OHW46 Specification

Model	OHW32	OHW46
Display Size	32" (Diagonal 31.5")	46" (Diagonal 46.0")
Brightness	2500 cd/m ² (Typ.)	2500 cd/m ² (Typ.)
Viewing Angle	89/89/89/89 (Typ.)(CR≥10)	
Resolution	1920x1080 @ 60Hz	
Active Area	698.4(W)×392.85(H) mm	1018.08(H) x 572.67(V)
Contrast Ratio	4000:1 (Typ.) (TM)	4000:1 (Typ.) (TM)
Ports	HDMI, VGA, Remote Control	
Front Panel	4mm Tempered Glass	
Touchscreen	Optional Outdoor Capacitive Touch 10 points	
Chassis	Wallmount Outdoor with Industrial Fan Cooling	
MTBF	50,000 Hours	
Operating Temp	0 ~ 50 °C	
Chassis Size	TBD	TBD

OHW55 and OHW65 Specification

Model	OHW55	OHW65
Display Size	55" (Diagonal 54.6")	65" (Diagonal 64.5")
Brightness	2500 cd/m ² (Typ.)	2500 cd/m ² (Typ.)
Viewing Angle	89/89/89/89 (Typ.)(CR≥10)	
Resolution	1920x1080 @ 60Hz	
Active Area	1209.6(W)×680.4(H) mm	1428.48(W)×803.52(H) mm
Contrast Ratio	4000:1 (Typ.) (TM)	4000:1 (Typ.) (TM)
Ports	HDMI, VGA, Remote Control	
Front Panel	5mm Tempered Glass	
Touchscreen	Optional Outdoor Capacitive Touch 10 points	
Chassis	Wallmount Outdoor with Industrial Fan Cooling	
MTBF	50,000 Hours	
Operating Temp	0 ~ 50 °C	
Chassis Size	TBD	TBD

Remark : All specification is subject to change without advance notice. Please contact your local support for more detail.