



POSIFLEX





**LINE DISPLAY /STANDALONE
POS PERIPHERALS**

Line Display / Standalone


VFD

Model Name	PD-2600 Series	PD-2800UE
		
Form Factor	Standalone with pole (300 mm), 270° horizontal swivel	Standalone with pole (300 mm), 355° horizontal swivel
Display Color	Blue or green	Blue or green
Character Number	2 x 20	2 x 20
Dot Matrix	5 x 7 dots	5 x 7 dots
Character Size	9.03 mm x 5.25 mm	9.03 mm x 5.25 mm
Tilt Angle Adjustment	15°, 30° and 45°	15° and 23°
Interface	Serial for PD-2600R USB (True USB/Virtual COM selectable) for PD-2600UE	USB (True USB/Virtual COM selectable)
Supported Command Types	ADM, Aedex, ESC/POS, Futaba, Noritake, UTC	ADM, Aedex, ESC/POS, Futaba, Noritake, UTC
Dimension (W x D x H in mm) / Weight	220 x 110 x 410 / 840 g	200 x 116 x 265 ~ 395 / 840 g

LCD

Model Name	PD-300R	PD-320UE
		
Form Factor	Standalone with pole (300 mm), 270° horizontal swivel	Standalone with pole (300 mm), 355° horizontal swivel
Display Color	Blue or green	Blue or green
Character Number	2 x 20	2 x 20
Dot Matrix	5 x 7 dots	5 x 7 dots
Character Size	6.0 mm x 9.6 mm	6.0 mm x 9.6 mm
Tilt Angle Adjustment	15°, 30° and 45°	15° and 23°
Interface	Serial	USB (True USB/Virtual COM selectable)
Supported Command Types	PST (Posiflex proprietary command) & ESC/POS	PST (Posiflex proprietary command) & ESC/POS
Dimension (W x D x H in mm) / Weight	220 x 110 x 410 / 840 g	200 x 116 x 265 ~ 395 / 480 g

Graphical LCD

Model Name	PD-6207U
	
Form Factor	Standalone with pole (300 mm), 270° horizontal swivel
Display Color	Adjustable font and background color
Display Size	7" TFT LCD
Resolution	Up to 800 x 480
Character Number	20 x 2, 20 x 4, 30 x 4
Multimedia Support	JPEG graphics support
Tilt Angle Adjustment	15°, 30° and 45°
Interface	USB
Supported Command Types	ADM, Aedex, ESC/POS, Futaba, Noritake, UTC
Dimension (W x D x H in mm) / Weight	222 x 188 x 471 / 860 g

CDG | Computer Peripheral and Supplies Ltd.

Computer Peripheral and Supplies Ltd.

244 Soi Pattanakarn 53, Pattanakarn, Suanluang,
Bangkok 10250 Thailand

Contact Us

Tel : (66) 0-2322-9535, 0-2722-4040

Fax : (66) 0-2322-7990

E-Mail : sales.dept@cps.co.th

Web site : www.cps.co.th, www.facebook.com/cps.co.th

More Details

Scan Here



[LINE ID](#)

Need more
Information






Line Display / Attachment



VFD

Model Name	PD-2601 Series	PD-2602 Series
		
Form Factor	Rear-mount with pole (200 mm), 270° horizontal swivel	Base-mount with pole (200 mm), 270° horizontal swivel
Display Color	Blue or green	Blue or green
Character Number	2 x 20	2 x 20
Dot Matrix	5 x 7 dots	5 x 7 dots
Character Size	9.03 mm x 5.25 mm	9.03 mm x 5.25 mm
Tilt Angle Adjustment	15°, 30° and 45°	15°, 30° and 45°
Interface	Serial for PD-2601R USB (True USB/Virtual COM selectable) for PD-2601UE	Serial for PD-2602R USB (True USB/Virtual COM selectable) for PD-2602UE
Supported Command Types	ADM, Aedex, ESC/POS, Futaba, Noritake, UTC	ADM, Aedex, ESC/POS, Futaba, Noritake, UTC
Dimension (W x D x H in mm)	197 x 40 x 392	197 x 40 x 325
System Supported	HT & PB Series	POS Terminal with GEN 5 Base

VFD

Model Name	PD-2604UE	PD-2605UE	PD-2607UE	PD-2608UE
				
Form Factor	Rear-mount	Base-mount with pole (200 mm), 270° horizontal swivel	Rear-mount	Rear-mount
Display Color	Blue or green	Blue or green	Blue or green	Blue or green
Character Number	2 x 20	2 x 20	2 x 20	2 x 20
Dot Matrix	5 x 7 dots	5 x 7 dots	5 x 7 dots	5 x 7 dots
Character Size	9.03 mm x 5.25 mm	9.03 mm x 5.25 mm	9.03 mm x 5.25 mm	9.03 mm x 5.25 mm
Tilt Angle Adjustment	15°, 30° and 45°	15°, 30° and 45°	15°, 30° and 45°	15°, 30° and 45°
Interface	USB (True USB/Virtual COM selectable)	USB (True USB/Virtual COM selectable)	USB (True USB/Virtual COM selectable)	USB (True USB/Virtual COM selectable)
Supported Command Types	ADM, Aedex, ESC/POS, Futaba, Noritake, UTC	ADM, Aedex, ESC/POS, Futaba, Noritake, UTC	ADM, Aedex, ESC/POS, Futaba, Noritake, UTC	ADM, Aedex, ESC/POS, Futaba, Noritake, UTC
Dimension (W x D x H in mm)	197 x 40 x 58	197 x 40 x 283	197 x 40 x 58	197 x 40 x 58
System Supported	KS Series	POS Terminal with GEN 6/7/8 Base; 10.1"/12.1" KS Series	HS Series	XT Series

VFD

Model Name	PD-2609UE	PD-2610UE
		
Form Factor	Rear-mount	Rear-mount
Display Color	Blue or green	Blue or green
Character Number	2 x 20	2 x 20
Dot Matrix	5 x 7 dots	5 x 7 dots
Character Size	9.03 mm x 5.25 mm	9.03 mm x 5.25 mm
Tilt Angle Adjustment	15°, 30° and 45°	15°, 30° and 45°
Interface	USB (True USB/Virtual COM selectable)	USB (True USB/Virtual COM selectable)
Supported Command Types	ADM, Aedex, ESC/POS, Futaba, Noritake, UTC	ADM, Aedex, ESC/POS, Futaba, Noritake, UTC
Dimension (W x D x H in mm)	197 x 40 x 58	197 x 40 x 58
System Supported	PS Series	RT Series

CDG | Computer Peripheral and Supplies Ltd.

Computer Peripheral and Supplies Ltd.

244 Soi Pattanakarn 53, Pattanakarn, Suanluang, Bangkok 10250 Thailand

Contact Us

Tel : (66) 0-2322-9535, 0-2722-4040

Fax : (66) 0-2322-7990

E-Mail : sales.dept@cps.co.th

Web site : www.cps.co.th, www.facebook.com/cps.co.th

More Details

Scan Here

[LINE ID](#)





Need more

Information





Line Display / Attachment

LCD





Model Name	PD-305UE	PD-309UE	PD-310UE	PD-340UE
				
Form Factor	Base-mount, 270° horizontal swivel	Base-mount with pole (200 mm), 270° horizontal swivel	Rear-mount	Rear-mount
Display Color	Blue or green	Blue or green	Blue or green	Blue or green
Character Number	2 x 20	2 x 20	2 x 20	2 x 20
Dot Matrix	5 x 7 dots	5 x 7 dots	5 x 7 dots	5 x 7 dots
Character Size	6.0 mm x 9.6 mm	6.0 mm x 9.6 mm	6.0 mm x 9.6 mm	6.0 mm x 9.6 mm
Tilt Angle Adjustment	15°, 30° and 45°	15°, 30° and 45°	15°, 30° and 45°	15°, 30° and 45°
Interface	Serial	USB (True USB/Virtual COM selectable)	USB (True USB/Virtual COM selectable)	USB (True USB/Virtual COM selectable)
Supported Command Types	PST (Posiflex proprietary command) & ESC/POS	PST (Posiflex proprietary command) & ESC/POS	PST (Posiflex proprietary command) & ESC/POS	PST (Posiflex proprietary command) & ESC/POS
Dimension (W x D x H in mm)	217 x 29 x 81	197 x 40 x 283	197 x 40 x 58	197 x 40 x 58
Supported	POS Terminal with GEN 5 Base; KS Series	POS Terminal with GEN 6/7/8 Base; 10.1"/12.1" KS Series	KS Series	HS Series

LCD

Model Name	PD-350UE	PD-360 Series
		
Form Factor	Rear-mount	Rear-mount
Display Color	Blue or green	Blue or green
Character Number	2 x 20	2 x 20
Dot Matrix	5 x 7 dots	5 x 7 dots
Character Size	6.0 mm x 9.6 mm	6.0 mm x 9.6 mm
Tilt Angle Adjustment	15°, 30° and 45°	15°, 30° and 45°
Interface	USB (True USB/Virtual COM selectable)	Serial for PD-360R USB (True USB/Virtual COM selectable) for PD-360UE
Supported Command Types	PST (Posiflex proprietary command) & ESC/POS	PST (Posiflex proprietary command) & ESC/POS
Dimension (W x D x H in mm)	197 x 40 x 58	197 x 40 x 58
System Supported	XT Series	PS Series

Line Display / Attachment

Graphical LCD

Model Name	PD-6307U	PD-6507U	PD-6607U	PD-6807U
				
Form Factor	Rear-mount	Rear-mount	Rear-mount	Rear-mount
Display Color	Adjustable font and background color	Adjustable font and background color	Adjustable font and background color	Adjustable font and background color
Display Size	7" TFT LCD	7" TFT LCD	7" TFT LCD	7" TFT LCD
Resolution	Up to 800 x 480	Up to 800 x 480	Up to 800 x 480	Up to 800 x 480
Character Number	20 x 2, 20 x 4, 30 x 4	20 x 2, 20 x 4, 30 x 4	20 x 2, 20 x 4, 30 x 4	20 x 2, 20 x 4, 30 x 4
Multimedia Support	JPEG graphics support	JPEG graphics support	JPEG graphics support	JPEG graphics support
Tilt Angle Adjustment	N/A	N/A	N/A	N/A
Interface	USB	USB	USB	USB
Supported Command Types	ADM, Aedex, ESC/POS, Futaba, Noritake, UTC	ADM, Aedex, ESC/POS, Futaba, Noritake, UTC	ADM, Aedex, ESC/POS, Futaba, Noritake, UTC	ADM, Aedex, ESC/POS, Futaba, Noritake, UTC
Dimension (W x D x H in mm)	188 x 124 x 130	188 x 124 x 130	188 x 124 x 130	188 x 124 x 130
System Supported	15"/17" KS Series	HS Series	XT Series	PS Series

CDG | Computer Peripheral and Supplies Ltd.

Computer Peripheral and Supplies Ltd.

244 Soi Pattanakam 53, Pattanakam, Suanluang, Bangkok 10250 Thailand

Contact Us

Tel : (66) 0-2322-9535, 0-2722-4040

Fax : (66) 0-2322-7990

E-Mail : sales.dept@cps.co.th

Web site : www.cps.co.th, www.facebook.com/cps.co.th

More Details

Scan Here

[LINE ID](#)

Need more

Information



POSIFLEX

Mobile POS • All-In-One POS • POS Terminal
Infotainment Terminal • POS-Box

© 2022 Posiflex Technology, Inc.

All rights reserved. All other trademarks are the property of their respective owners. In a continuing effort to improve our products, Posiflex Technology, Inc. reserves the right to change specifications and features without prior notice.

19001851101-ENG020201V1

CDG | Computer Peripheral
and Supplies Ltd.

Computer Peripheral and Supplies Ltd.
244 Soi Pattanakarn 53, Pattanakarn, Suanluang,
Bangkok 10250 Thailand

Contact Us

Tel : (66) 0-2322-9535, 0-2722-4040
Fax : (66) 0-2322-7990
E-Mail : sales.dept@cps.co.th
Web site : www.cps.co.th, www.facebook.com/cps.co.th

More Details

Scan Here
LINE ID
Need more
Information

